LaMAS PRICE LIST State Contract 405867

No.PL05.1WD

EFFECTIVE: July 1, 2005 VOID: December 22, 2006





Many products listed in this price list meet or exceed AMECA, SAE and California Title XIII requirements. For details contact your regional sales office. Every effort will be made to hold prices through December 22, 2005. We reserve the right to increase prices on certain and/or all products. Whelen Engineering Company, Inc. is not responsible for typographical errors.







WHELEN NEW PRODUCTS FOR PL05.1

PRODUCT INDEX LOCATED AT THE END OF THIS DOCUMENT

295HFSC9 Siren

Self-contained 200 watt dual amplifier siren, with removable microphone



4" Round, 2G Series Super-LED® Grommet Mount 2GR01BR_

2G Super-LED Brake/Turn/Tail, meets SAE requirements, includes grommet; with or without industry standard connector



400 Series Single Level Linear Super-LED®

40*02Z*R, Amber, Blue, Red or White available, with built-in flasher and synchronizing features.

4500 Plus Build-A-Bar Series



45B±±, 4500 Series Build-A-Bar, ±± Insert Length 22", 38", 44", 52", 60", 72, 76", 82", 84", 86", 88" or 90"Long

45B±±*, 4500 Series Build-A-Bar, Same as 45B±± except with LED ICC Lights, Replace * with Color of ICC light, A =Amber or R = Red

45KFH, Interior KKK Front Halogen Lighting Package, Includes 3 Halogen Modules

45KFS, Interior KKK Front Strobe Lighting Package, Includes 3 Strobes

45KRH, Interior KKK Rear Halogen Lighting Package, Includes 3 Halogen Modules and 2 Load Lights

45KRS, Interior KKK Rear Strobe Lighting Package, Includes 3 Strobes and 2 Load Lights **45ALOAD**, Add 2 Load Lights

45CL*, Add 1 Single Color Corner Linear-LED® Lighthead, Amber, Blue, Red or White

45FL*, Add 1 Single Color 400 Series Linear-LED Lighthead, Amber, Blue, Red or White

45KFL, Interior KKK Front Super-LED Lighting Package, Includes 2 Corner Red, (2) 400 Series Red and (2) 400 Series White Linear-LEDs

45KRL, Interior KKK Rear Super-LED Lighting Package, Includes 2 Corner Red, (2) 400 Series Red, (2) 400 Series Amber Linear-LED'-s and Halogen Load Lights

45LFLASC, Add 1 Internal Flasher and Harness for 2 End Linear Super-LED® Lightheads only.

45LFLASH, Add 1 Internal Flasher & Harness only for up to (2) 400 Series Linear Super-LED® Lightheads

45TA, Super-LED® Traffic Advisor™ and Halogen Load Light upgrade, for use with 4500B Series 82" or Larger

5G Series LED Grommet Mount Lightheads

5G*00F*R, LED Warning Light, Amber or Red with 14 Flash Patterns



Mounting Kit Options

MKEZ64, Chevrolet Malibu & Malibu Maxx, 2004-2005 / 48-50"

MKEZ65, Dodge Charger, 2005 / 48-50" MKEZ67, Ford Expedition (Roof Rack Mount), 2005 / 50-55"

DOT-LED® System, Category One

150, One L31HAF with TPR Cable **160**, One L32LAF with TPR Cable

17H, One 3-Lamp Headboard-LED™ Lighthead

23F, Two 4-Lamp Micro 400's

250, Two L31HAF's with TPR Cable

260, 2 Each L31LAF with TPR Cable

27H, Two 3-Lamp Headboard-LED Lighthead

DOT-LED® System, Category Three

5K, 400 Series B Style Rear Lighthead with Side Mounted TIR Amber lighthead, Super-LED Warning, LED Brake/Tail/Turn, Available in Stainless Steel Housing Only 5M, 400 Series D Style Rear Lighthead with Side Mounted TIR Amber lighthead, Super-LED Warning, LED Brake/Tail/Turn, LED Back-Up Light. Available in Stainless Steel Housing Only

SUB4HBU, Substitute 400 Series Halogen Backup for Standard LED Back-up in 5D Series only. SUB5HBU, Substitute 500 Series Halogen Backup for Standard LED Back-up in 6D Series only. SUB7HBU, Substitute 700 Series Halogen Backup for Std. LED Back-up in 7D & 8D Series only.

Edge® Ultra Freedom Series Accessories

FLAM1**, Two MR11 Halogen Flashing Alley Lights with Two TIR3™ Super-LED®, Amber, Red, and/or Blue

FLTD1M, Two MR11 Halogen Take-Down Lights

HD Pro™ Lightbar System

LAC47, 47" Long Housing, for Six 500 Series Lightheads Purchased Separately

LAC54, 53.75" Long Housing, for Eight 500 Series Lightheads Purchased Separately

Headlight/Grille & Taillight Flashers

UBF5150, 2004-05 Ford Crown Victoria Taillight Flasher



inner-Eage *** Series, includes Take-Downs and Mounting Kit

I01UF, 8 or 10 Lamp Upper Front Unit for 2004-2005-1/2 Ford Crown Victoria, for Vehicle with 11.25" between Visor Mounting Brackets

I02UF, 8 or 10 Lamp Upper Front Unit for 2005-1/2 Ford Crown Victoria, for Vehicle with 13.25" between Visor Mounting Brackets

103UF8, 8 or 10 Lamp Upper Front Unit for 2005 Chevy Impala

104UF8, 8 or 10 Lamp Upper Front Unit for 2005 Chevy Suburban and Tahoe

LFL Liberty™ Series Accessories

SLTM2M*, Two MR11 Flashing Take-Downs and One Linear-LED®, Amber, Blue and/or Red, Center Option Only, Clear Outer Lens

SLTM2S*, Two MR11 Flashing Take-Downs and One Remote Strobe, Center Option Only, Power Supply Purchased Separately

Motorcycle Warning Products

WS321, 100 Watt Siren for Harley Davidson Wiring Harness ws32 WSMIC321,

Microphone for WS321



Options for SA314 Series

SABKT19, Universal 4 Tab Mounting Bracket SABKT20, Mounting Bracket for Ford Escape, 2004-2005

Super-LED® L22 Series Beacon,

Class 2 (Amber, Blue & White) L22H*M, Amber, Blue, Red or White, Magnet Mount

L22H*P, Amber, Blue, Red or White, Perm/Pipe Mount

L22H*P4, Amber, Blue, Red or White, Perm/Pipe Mount, 24 VDC



L22HAP

Super-LED® L360 Series Beacon, Class 1 & CA. Title 13, High Dome



L31HRFN, Red, Meets NFPA Zone C Upper Requirements L360BGB, Branch Guard Kit for L31H Series

Talon™ Linear Super-LED® Series

TLN1D, Split Red/White TLN1J, Split Red/Blue



TIR3™ Series Mounting Bracket Options

RBKT3, Optional Crown Vic Trunk Mount Bracket for two TIR3's, Pair

RBKTHD6, Harley Passing/Fog Light Mounting Bracket Kit, for use with One RS TIR3, Stainless Steel, includes RFLANGEC

Traffic Advisor™, TIR3™ Super-LED® Low Profile

TAM83C**, 8 TIR3 Super-LED Traffic Advisor with Two End Flashing Super-LED's, Amber, Blue and/or Red, 43.75" Long , with Clearance Spacer Panel for Vehicle's Third Brake Light, includes Rear Deck Mounting Bracket for 2003-2004 Ford Crown Victoria, mounts to Child Restraint Anchor.

Ambulance Universal® Halogen & LED Flashers

AFL530, Certified LED Ambulance Flasher, 5 Outlet, 30 Watts





AFM1660, Certified Ambulance Flasher, 16 Outlet, 60 Watts, Replaces AF6016

AFM560, Certified Ambulance Flasher, 5 Outlet, 60 Watts, Replaces AF6016A/AF6012





Dash/ Deck/ Visor, Directional Beacons	4 4 5 5 6 6 7 7 7 8 9 16 17 18 18 19 19 19 19 20 21 22 22 22 22
Halogen Flashing. Halogen, Rotating - Responder® Cadet Series Halogen, Rotating - Rota-Beam™ Series Strobe, Self-Contained - 1500, 2000 & 2500 SERIES Strobe & Halogen, Strobeplus+™ Combination, HDP. Strobe, Self-Contained, HDP - With Four Selectable Flash Patterns. LED Beacon, Self-Contained Power Supplies & Flashers Power Supplies & Flashers Power Supplies, Strobe and Strobe/Halogen Combination Flashers, Halogen & LED Lightheads Lightheads, Directional Strobe, LED, Halogen & Combination Cables, Extensions And Connector Kits Tools, Crimpers And Extractors Systems - DOT, Ambulance, Motorcycle, Vallue Products. Value Products, Strobe, Deck, Grille & Truck Value Products, Strobe, Deck, Grille & Truck Value Products, Strobe Systems Packer™ Waste Truck Systems Packer™ Waste Truck Systems DOT Wing Plow Super-LED® DOT Strobeplus+™ DOT3® Strobe. Ambulance Motorcycle Warning Products.	4 4 5 5 6 7 7 7 9 16 17 18 18 18 19 19 19 19 20 21 22 22 22
Halogen, Rotating - Responder® Cadet Series Halogen, Rotating - Rota-Beam™ Series Strobe, Self-Contained - 1500, 2000 & 2500 SERIES Strobe & Halogen, Strobeplus+™ Combination, HDP Strobe, Self-Contained, HDP - With Four Selectable Flash Patterns LED Beacon, Self-Contained. Power Supplies & Flashers Power Supplies & Flashers Power Supplies & Strobe and Strobe/Halogen Combination Flashers, Halogen & LED Lightheads Lightheads, Directional Strobe, LED, Halogen & Combination Cables, Extensions And Connector Kits Tools, Crimpers And Extractors Systems - DOT, Ambulance, Motorcycle, Value Products. Value Products, Strobe, Deck, Grille & Truck Value Products, Strobe Systems Packer™ Waste Truck Systems Packer™ Waste Truck Systems DOT Wing Plow Super-LED® Lightheads. DOT3® Super-LED® DOT Strobeplus+™ DOT3® Strobe Ambulance Motorcycle Warning Products.	4 5 5 6 7 7 7 9 19
Halogen, Rotating - Rota-Beam™ Series Strobe, Self-Contained - 1500, 2000 & 2500 SERIES Strobe & Halogen, Strobeplus+™ Combination, HDP Strobe, Self-Contained, HDP - With Four Selectable Flash Patterns LED Beacon, Self-Contained Power Supplies & Flashers Power Supplies, Strobe and Strobe/Halogen Combination Flashers, Halogen & LED Lightheads Lightheads Lightheads, Directional Strobe, LED, Halogen & Combination. Cables, Extensions And Connector Kits Tools, Crimpers And Extractors Systems - DOT, Ambulance, Motorcycle, Value Products. Value Products, Strobe, Deck, Grille & Truck Value Products, Strobe Systems Packer™ Waste Truck Systems HD Pro™ Series DOT Wing Plow Super-LED® Lightheads. DOT3® Super-LED®. DOT Strobeplus+™ DOT3® Strobe Ambulance Motorcycle Warning Products	5 5 6 7 7 8 9 19 19 19 19 118 19 1
Strobe , Self-Contained - 1500, 2000 & 2500 SERIES Strobe & Halogen, Strobeplus+TM Combination, HDP. Strobe, Self-Contained, HDP - With Four Selectable Flash Patterns. LED Beacon, Self-Contained. Power Supplies & Flashers. Power Supplies, Strobe and Strobe/Halogen Combination. Flashers, Halogen & LED. Lightheads. Lightheads, Directional Strobe, LED, Halogen & Combination. Cables, Extensions And Connector Kits Tools, Crimpers And Extractors. Systems - DOT, Ambulance, Motorcycle, Value Products. Value Products, Strobe, Deck, Grille & Truck Value Products, LED Hide-A-Way Strobe Systems HD ProTM Series. DOT Wing Plow Super-LED® Lightheads. DOT3® Super-LED®. DOT Strobeplus+TM DOT3® Strobe. Ambulance Motorcycle Warning Products.	5 6 6 7 7 9 9 16 17 18 18 18 19 19 19 19 20 22 22 22 22
Strobe & Halogen, Strobeplus+™ Combination, HDP. Strobe, Self-Contained, HDP - With Four Selectable Flash Patterns. LED Beacon, Self-Contained Power Supplies & Flashers. Power Supplies & Flashers. Power Supplies, Strobe and Strobe/Halogen Combination. Flashers, Halogen & LED Lightheads. Lightheads, Directional Strobe, LED, Halogen & Combination. Cables, Extensions And Connector Kits. Tools, Crimpers And Extractors Systems - DOT, Ambulance, Motorcycle, Value Products. Value Products, Strobe, Deck, Grille & Truck. Value Products, Strobe Systems. Packer™ Waste Truck Systems. HD Pro™ Series. DOT Wing Plow Super-LED® Lightheads. DOT3® Super-LED®. DOT3® Strobe. Ambulance. Motorcycle Warning Products.	6 6 7 7 7 8 9 16 17 18 18 18 19 19 19 20 21 22 22 22
Strobe, Self-Contained, HDP - With Four Selectable Flash Patterns. LED Beacon, Self-Contained Power Supplies & Flashers Power Supplies, Strobe and Strobe/Halogen Combination. Flashers, Halogen & LED Lightheads Lightheads, Directional Strobe, LED, Halogen & Combination. Cables, Extensions And Connector Kits Tools, Crimpers And Extractors Systems - DOT, Ambulance, Motorcycle, Value Products. Value Products, Strobe, Deck, Grille & Truck Value Products, LED. Hide-A-Way Strobe Systems Packer™ Waste Truck Systems HD Pro™ Series DOT Wing Plow Super-LED® Lightheads DOT3® Super-LED®. DOT Strobeplus+™. DOT3® Strobe Ambulance Motorcycle Warning Products.	6 7 7 7 8 9 16 17 18 18 18 19 19 19 20 21 22 22 22
Strobe, Self-Contained, HDP - With Four Selectable Flash Patterns. LED Beacon, Self-Contained Power Supplies & Flashers Power Supplies, Strobe and Strobe/Halogen Combination. Flashers, Halogen & LED Lightheads Lightheads, Directional Strobe, LED, Halogen & Combination. Cables, Extensions And Connector Kits Tools, Crimpers And Extractors Systems - DOT, Ambulance, Motorcycle, Value Products. Value Products, Strobe, Deck, Grille & Truck Value Products, LED. Hide-A-Way Strobe Systems Packer™ Waste Truck Systems HD Pro™ Series DOT Wing Plow Super-LED® Lightheads DOT3® Super-LED®. DOT Strobeplus+™. DOT3® Strobe Ambulance Motorcycle Warning Products.	6 7 7 7 8 9 16 17 18 18 18 19 19 19 20 21 22 22 22
LED Beacon, Self-Contained Power Supplies & Flashers Power Supplies, Strobe and Strobe/Halogen Combination Flashers, Halogen & LED Lightheads Lightheads, Directional Strobe, LED, Halogen & Combination Cables, Extensions And Connector Kits Tools, Crimpers And Extractors Systems - DOT, Ambulance, Motorcycle, Value Products. Value Products, Strobe, Deck, Grille & Truck Value Products, LED Hide-A-Way Strobe Systems Packer™ Waste Truck Systems HD Pro™ Series DOT Wing Plow Super-LED® Lightheads. DOT3® Super-LED® DOT Strobeplus+™ DOT3® Strobe Ambulance Motorcycle Warning Products.	7789 16 17 18 18 18 19 19 19 20 21 22 22
Power Supplies & Flashers. Power Supplies & Strobe and Strobe/Halogen Combination Flashers, Halogen & LED Lightheads. Lightheads, Directional Strobe, LED, Halogen & Combination. Cables, Extensions And Connector Kits Tools, Crimpers And Extractors. Systems - DOT, Ambulance, Motorcycle, Value Products. Value Products, Strobe, Deck, Grille & Truck Value Products, LED Hide-A-Way Strobe Systems Packer TM Waste Truck Systems HD Pro TM Series DOT Wing Plow Super-LED® Lightheads. DOT3® Super-LED®. DOT Strobeplus+ TM DOT3® Strobe Ambulance Motorcycle Warning Products.	7 8 9 9 16 17 18 18 18 19 19 19 20 21 22 22
Power Supplies, Strobe and Strobe/Halogen Combination Flashers, Halogen & LED Lightheads, Directional Strobe, LED, Halogen & Combination Cables, Extensions And Connector Kits Tools, Crimpers And Extractors. Systems - DOT, Ambulance, Motorcycle, Value Products Value Products, Strobe, Deck, Grille & Truck Value Products, LED Hide-A-Way Strobe Systems Packer™ Waste Truck Systems HD Pro™ Series DOT Wing Plow Super-LED® Lightheads DOT3® Super-LED®. DOT Strobeplus+™ DOT3® Strobe Ambulance Motorcycle Warning Products	7899 16 17 18 18 18 19 19 19 20 21 22 22
Flashers, Halogen & LED Lightheads Lightheads, Directional Strobe, LED, Halogen & Combination Cables, Extensions And Connector Kits Tools, Crimpers And Extractors Systems - DOT, Ambulance, Motorcycle, Value Products Value Products, Strobe, Deck, Grille & Truck Value Products, LED Hide-A-Way Strobe Systems Packer TM Waste Truck Systems HD Pro TM Series DOT Wing Plow Super-LED® Lightheads DOT 3® Super-LED® DOT Strobeplus+ TM DOT3® Strobe Ambulance Motorcycle Warning Products	8 9 9 16 17 18 18 18 19 19 19 20 21 22 22
Lightheads, Directional Strobe, LED, Halogen & Combination. Cables, Extensions And Connector Kits Tools, Crimpers And Extractors. Systems - DOT, Ambulance, Motorcycle, Value Products. Value Products, Strobe, Deck, Grille & Truck Value Products, LED. Hide-A-Way Strobe Systems Packer™ Waste Truck Systems HD Pro™ Series. DOT Wing Plow Super-LED® Lightheads. DOT3® Super-LED®. DOT Strobeplus+™ DOT3® Strobe. Ambulance. Motorcycle Warning Products.	9 16 17 18 18 18 19 19 19 20 21 22 22
Lightheads, Directional Strobe, LED, Halogen & Combination. Cables, Extensions And Connector Kits Tools, Crimpers And Extractors. Systems - DOT, Ambulance, Motorcycle, Value Products. Value Products, Strobe, Deck, Grille & Truck Value Products, LED. Hide-A-Way Strobe Systems Packer™ Waste Truck Systems HD Pro™ Series. DOT Wing Plow Super-LED® Lightheads. DOT3® Super-LED®. DOT Strobeplus+™ DOT3® Strobe. Ambulance. Motorcycle Warning Products.	9 16 17 18 18 18 19 19 19 20 21 22 22
Cables, Extensions And Connector Kits Tools, Crimpers And Extractors Systems - DOT, Ambulance, Motorcycle, Value Products Value Products, Strobe, Deck, Grille & Truck Value Products, LED Hide-A-Way Strobe Systems Packer™ Waste Truck Systems HD Pro™ Series DOT Wing Plow Super-LED® Lightheads DOT3® Super-LED® DOT Strobeplus+™ DOT3® Strobe Ambulance Motorcycle Warning Products	16 17 18 18 18 19 19 19 20 21 22 22
Tools, Crimpers And Extractors Systems - DOT, Ambulance, Motorcycle, Value Products Value Products, Strobe, Deck, Grille & Truck Value Products, LED Hide-A-Way Strobe Systems Packer™ Waste Truck Systems HD Pro™ Series DOT Wing Plow Super-LED® Lightheads DOT3® Super-LED®. DOT Strobeplus+™ DOT3® Strobe Ambulance Motorcycle Warning Products	17 18 18 18 19 19 19 19 20 21 22 22
Systems - DOT, Ambulance, Motorcycle, Value Products. Value Products, Strobe, Deck, Grille & Truck Value Products, LED. Hide-A-Way Strobe Systems. Packer™ Waste Truck Systems. HD Pro™ Series. DOT Wing Plow Super-LED® Lightheads. DOT3® Super-LED®. DOT Strobeplus+™ DOT3® Strobe. Ambulance. Motorcycle Warning Products.	18 18 18 19 19 19 20 21 22 22
Value Products, Strobe, Deck, Grille & Truck Value Products, LED Hide-A-Way Strobe Systems Packer™ Waste Truck Systems HD Pro™ Series DOT Wing Plow Super-LED® Lightheads DOT3® Super-LED®. DOT Strobeplus+™ DOT3® Strobe. Ambulance Motorcycle Warning Products	18 18 19 19 19 19 20 21 22 22
Value Products, LED Hide-A-Way Strobe Systems Packer™ Waste Truck Systems HD Pro™ Series DOT Wing Plow Super-LED® Lightheads DOT3® Super-LED®. DOT Strobeplus+™ DOT3® Strobe. Ambulance Motorcycle Warning Products	18 19 19 19 19 20 21 22 22
Hide-A-Way Strobe Systems Packer™ Waste Truck Systems HD Pro™ Series DOT Wing Plow Super-LED® Lightheads DOT3® Super-LED® DOT Strobeplus+™ DOT3® Strobe Ambulance Motorcycle Warning Products	18 19 19 19 19 20 21 22 22
Packer™ Waste Truck Systems HD Pro™ Series DOT Wing Plow Super-LED® Lightheads DOT3® Super-LED® DOT Strobeplus+™ DOT3® Strobe Ambulance Motorcycle Warning Products	19 19 19 19 20 21 22 22
HD ProTM Series DOT Wing Plow Super-LED® Lightheads DOT3® Super-LED® DOT Strobeplus+TM DOT3® Strobe Ambulance Motorcycle Warning Products.	19 19 19 20 21 22 22
DOT Wing Plow Super-LED® Lightheads DOT3® Super-LED® DOT Strobeplus+TM. DOT3® Strobe Ambulance Motorcycle Warning Products.	19 19 20 21 22 22
DOT3® Super-LED®. DOT Strobeplus+™ DOT3® Strobe Ambulance Motorcycle Warning Products.	19 20 21 22 22
DOT Strobeplus+TM	20 21 22 22
DOT3® Strobe Ambulance Motorcycle Warning Products.	21 22 22
Ambulance	22 22
Motorcycle Warning Products.	22
Motorcycle Warning Products	22
Motorcycle Systems	
Sirens, Switches & Speakers	24
	24
Switches And Control Boxes	
Siren Amplifiers, Amplifiers & Airhorns	
Siren Speakers, Projector™ Series	25
Siren Speakers, Other, 100 WATT and ACCESSORIES.	26
Siren Speakers, Other, 100 WATT and ACCESSORIES	26
Back-Up Alarms, Electronic	26
Cobra® Safety Alert® Warning System	26
Emitters, 3M® Opticom®	27
Funeral Procession Lighting, Models also available in other colors, Contact Factory	27
Synchronizable Products	27
Whelen Sportswear(For Whelen Motorsports Gear, go to www.whelen.com)	ed.
Whelen Sportswear(For Whelen Motorsports Gear, go to www.whelen.com) Error! Bookmark not define Traffic Advisors & Messengers	28
Traffic Advisor™ Series & Accessories	28
Smart Arrow Messenger® Series, LED, Built Into Edge® Series & Edge®+Plus™ Series Lightbars	30
Lightbars, Mini	30
Guardian™ Series, ROTATING & STROBE	
Responder® "HD" Series, Rotating, Heavy Duty	30
Responder® DX™ Series, Strobe	30
Mini Centurion™ Series Strobe & Halogen	
Mini 9M Series, STROBE	
Mini Edge® Ultra Freedom Series, LED	
Mini LFL Patriot™ Series. STROBE	
Mini Liberty TM Series, LED, Low Current Switching SL SERIES	
Lightbars	32
Val-U-Bars, Cross Bars And Mounting Kits	
Val-0-Data Series	
Delta Series Options & Accessories	
Centurion™ Series Strobe & Halogen	
NFPA, Meeting NFPA 1901 Zone "A" Upper Lighting Requirements	
9M Series, STROBE	
9M Series Customer Installed Kits	
	30
	20
UltraTM LC Series	
Ultra™ LC Series Accessories	39
Ultra™ LC Series Accessories Ultra™ Series Customer Installed Kits	39 40
Ultra™ LC Series Accessories Ultra™ Series Customer Installed Kits Freedom™ Series Super-LED®, Linear-LED®	39 40 40
Ultra™ LC Series Accessories Ultra™ Series Customer Installed Kits Freedom™ Series Super-LED®, Linear-LED® Patriot™ LC Series, STROBE	39 40 40 41
Ultra™ LC Series Accessories Ultra™ Series Customer Installed Kits Freedom™ Series Super-LED®, Linear-LED®. Patriot™ LC Series, STROBE Patriot™ LC Series Accessories	39 40 40 41 41
Ultra™ LC Series Accessories Ultra™ Series Customer Installed Kits. Freedom™ Series Super-LED®, Linear-LED®. Patriot™ LC Series, STROBE. Patriot™ LC Series Accessories. Patriot™ LC Series Customer Installed Kits.	39 40 40 41 41 42
Ultra™ LC Series Accessories Ultra™ Series Customer Installed Kits Freedom™ Series Super-LED®, Linear-LED® Patriot™ LC Series, STROBE Patriot™ LC Series Accessories Patriot™ Series Customer Installed Kits. Liberty™ Series Super-LED®.	39 40 40 41 41 42 42
Ultra™ LC Series Accessories Ultra™ Series Customer Installed Kits Freedom™ Series Super-LED®, Linear-LED® Patriot™ LC Series, STROBE Patriot™ LC Series Accessories Patriot™ Series Customer Installed Kits Liberty™ Series Super-LED®. Towman's™, Centurion™ Series	39 40 40 41 41 42 42 43
Ultra™ LC Series Accessories Ultra™ Series Customer Installed Kits Freedom™ Series Super-LED®, Linear-LED® Patriot™ LC Series, STROBE Patriot™ LC Series Accessories Patriot™ Series Customer Installed Kits Liberty™ Series Super-LED® Towman's™, Centurion™ Series Towman's™, Oenturion™ Series	39 40 40 41 41 42 42 43 43
Ultra™ LC Series Accessories Ultra™ Series Customer Installed Kits Freedom™ Series Super-LED®, Linear-LED® Patriot™ LC Series, STROBE Patriot™ LC Series Accessories Patriot™ Series Customer Installed Kits Liberty™ Series Super-LED®. Towman's™, Centurion™ Series	39 40 40 41 41 42 42 43 43
Ultra™ LC Series Accessories Ultra™ Series Customer Installed Kits Freedom™ Series Super-LED®, Linear-LED® Patriot™ LC Series, STROBE Patriot™ LC Series Accessories Patriot™ Series Customer Installed Kits Liberty™ Series Super-LED® Towman's™, Centurion™ Series Towman's™, Oenturion™ Series	39 40 40 41 41 42 42 43 43 43
Ultra™ LC Series Accessories Ultra™ Series Customer Installed Kits Freedom™ Series Super-LED®, Linear-LED® Patriot™ LC Series, STROBE. Patriot™ LC Series Accessories Patriot™ Series Customer Installed Kits Liberty™ Series Super-LED®. Towman's™, Centrion™ Series Towman's™, 9M 4500 Series & Edge®+ Plus™, Flush Mount	39 40 40 41 41 42 42 43 43 43
Ultra™ LC Series Accessories Ultra™ Series Customer Installed Kits Freedom™ Series Super-LED®, Linear-LED® Patriot™ LC Series, STROBE Patriot™ LC Series Accessories Patriot™ Series Customer Installed Kits Liberty™ Series Super-LED® Towman's™, Centurion™ Series Towman's™, Oenturion™ Series Towman's™, 9M 4500 Series & Edge®+ Plus™, Flush Mount Highway Series	39 40 40 41 41 42 42 43 43 43 45 45
Ultra™ LC Series Accessories Ultra™ Series Customer Installed Kits Freedom™ Series Super-LED®, Linear-LED® Patriot™ LC Series, STROBE Patriot™ LC Series Accessories. Patriot™ Series Customer Installed Kits Liberty™ Series Super-LED® Towman's™, Centurion™ Series. Towman's™, Centurion™ Series. Towman's™, 9M 4500 Series & Edge®+ Plus™, Flush Mount Highway Series Inner-Edge™ Series, Interior Lightbar.	39 40 40 41 41 42 42 43 43 43 45 45
Ultra™ LC Series Accessories Ultra™ Series Customer Installed Kits Freedom™ Series Super-LED®, Linear-LED® Patriot™ LC Series, STROBE Patriot™ LC Series Accessories Patriot™ Series Customer Installed Kits Liberty™ Series Customer Installed Kits Liberty™ Series Super-LED® Towman's™, Centurion™ Series Towman's™, M 4500 Series & Edge®+ Plus™, Flush Mount Highway Series Inner-Edge™ Series, Interior Lightbar. Options, Mounting Kits	39 40 40 41 41 42 42 43 43 43 45 45 45



MODEL DESCRIPTION 1-9 10+

Dash/ Deck/ Visor, Directional

	Super-LED® Series, Includes Slide Bolt Mounting. For Interior or Exterior Use. Replace symbol "§" v	vith number of	
lored LED lighthea	ds required (maximum 8 modules). Order of colors are Red, Blue, Amber and White. i.e.D822220= 2 F		
nber & 2 White, D8	306020= 0 Red, 6 Blue, 0 Amber & 2 White.		
D2**	2 TIR3, 7", Amber, Blue and/or Red	156.00	140.40
D2*C	2 TIR3, 7", 1 Amber, Blue or Red and 1 White	162.00	145.80
D2CC	2 TIR3, 7", White	168.00	151.20
D4****	4 TIR3, 14", Amber, Blue and/or Red	252.00	226.80
D4***C	4 TIR3, 14", 3 Amber, Blue or Red and 1 White	258.00	232.20
D4**CC	4 TIR3, 14", 2 Amber, Blue or Red and 2 White	264.00	237.60
D4*CCC	4 TIR3, 14", 1 Amber, Blue or Red and 3 White	270.00	243.00
D4CCCC	4 TIR3, 14", White	276.00	248.40
D6*****	6 TIR3, 21", Amber, Blue and/or Red	375.00	337.50
D6*****C	6 TIR3, 21", Amber, Blue and/or Red5 Blue, Red and/or Amber and 1 White	381.00	342.90
D6****CC	6 TIR3, 21", Amber, Blue and/or Red4 Blue, Red and/or Amber and 2 White	387.00	348.30
D6***CCC	6 TIR3, 21", Amber, Blue and/or Red3 Blue, Red and/or Amber and 3 White	393.00	353.70
D6**CCCC	6 TIR3, 21", Amber, Blue and/or Red2 Blue, Red and/or Amber and 4 White	399.00	359.10
D6*CCCCC	6 TIR3, 21", Amber, Blue and/or Red1 Blue, Red and/or Amber and 5 White	405.00	364.50
D6CCCCCC	6 TIR3, 21", Amber, Blue and/or RedWhite	411.00	369.90
D8§§§00	8 TIR3, 28", 8 Blue, Red and/or Amber	477.00	429.30
D8§§§10	8 TIR3, 28", 7 Blue, Red and/or Amber and 1 White	483.00	434.70
D8§§20	8 TIR3, 28", 6 Blue, Red and/or Amber and 2 White	489.00	440.10
D8§§30	8 TIR3, 28", 5 Blue, Red and/or Amber and 3 White	495.00	445.50
D8§§\$40	8 TIR3, 28", 4 Blue, Red and/or Amber and 4 White	501.00	450.90
D8§§50	8 TIR3, 28", 3 Blue, Red and/or Amber and 5 White	507.00	456.30
D8§§60	8 TIR3, 28", 2 Blue, Red and/or Amber and 6 White	513.00	461.70
D8§§§70	8 TIR3, 28", 1 Blue, Red or Amber and 7 White	519.00	467.10
D800080	8 TIR3, 28", White	525.00	472.50
DBKT1	Suction Cup Mount Bracket & Cigar Plug Cord Kit for D2 Series, Customer Installed	9.00	8.10
DBKT3	Swivel Mount Bracket Kit for D2 & D4 Series Only, Customer Installed	15.60	14.04
DBKT4	"L" Angle Mounting Bracket Kit, Customer Installed	11.40	10.26
	Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High X 2.17" Deep Hous		
D® s per panel.			
TAD6	6 TIR3 Super-LED Traffic Advisor, 21.36" Long, Less Control Head	375.00	337.50
TAD8	8 TIR3 Super-LED Traffic Advisor, 28.36" Long, Less Control Head	477.00	429.30
TAD8**	8 TIR3 Super-LED Traffic Advisor, 28.36" Long, with Two End Flashing LED's, Blue, Red	483.00	434.70
	and/or Amber, Less Control Head		
TAD8*C	8 TIR3 Super-LED Traffic Advisor, 28.36" Long, with Two End Flashing LED's, 1 Blue, Red or	489.00	440.10
	Amber and 1 White, Less Control Head		
TAD8CC	8 TIR3 Super-LED Traffic Advisor, 28.36" Long, with Two End Flashing LED's, White, Less	495.00	445.50
	Control Head		
TADCTL1	TAD Series Control Head Only	67.80	61.02
TADSW1	On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1	6.00	5.40
	¥ 1		

LLD		, hc	ıμ	aı	ICI
	т	V D	,		

	TAD6	6 TIR3 Super-LED Traffic Advisor, 21.36" Long, Less Control Head	375.00	337.50
	TAD8	8 TIR3 Super-LED Traffic Advisor, 28.36" Long, Less Control Head	477.00	429.30
	TAD8**	8 TIR3 Super-LED Traffic Advisor, 28.36" Long, with Two End Flashing LED's, Blue, Red	483.00	434.70
		and/or Amber, Less Control Head		
	TAD8*C	8 TIR3 Super-LED Traffic Advisor, 28.36" Long, with Two End Flashing LED's, 1 Blue, Red or	489.00	440.10
		Amber and 1 White, Less Control Head		
	TAD8CC	8 TIR3 Super-LED Traffic Advisor, 28.36" Long, with Two End Flashing LED's, White, Less	495.00	445.50
		Control Head		
	TADCTL1	TAD Series Control Head Only	67.80	61.02
	TADSW1	On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1	6.00	5.40
	TADSW2	On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1	6.00	5.40
	TADSW3	Momentary Non-Lighted, SPST 20 Amp Switch, for TADCTL1	6.00	5.40
as	h-King 2000™ Se	elf-Contained SeriesTwo Selectable Fixed Flash Patterns, CometFlash® & ActionFlash™		

Das Single Linear Strobe, with 15 Watt Power Supply & Cigar Plug
Dual Duplex Linear Strobes, with 25 Watt Power Supply & Cigar Plug DKPS* 119.40 107.46 DKPSS** 212.40 191.16

Dash-King 2000™ Remote Series

	DKRS*	Single Linear Strobe	64.80	58.32
	DKRSS**	Dual Duplex (Over/Under) Linear Strobe	115.80	104.22
)pti	ions for Dash-Ki	ng 2000™ Series		

Mounting Kit for Pear Dock Shroud Down Single Dash King

DKBKT1	Mounting Kit for Rear Deck, Shroud Down Single Dash-King	8.70	7.83
DKBKT2	Mounting Kit for Rear Deck, Shroud Down Dual Dash-King	9.90	8.91
DKBKT3	Mounting Kit for Rear Deck, Shroud Up Single or Dual Dash-King	12.60	11.34
DKSLAC	Split Lens Amber/Clear, Customer Installed (Strobe Only)	7.50	6.75
DKSLBC	Split Lens Blue/Clear, Customer Installed (Strobe Only)	7.50	6.75
DKSLRB	Split Lens Red/Blue, Customer Installed (Strobe Only)	7.50	6.75
DKSLRC	Split Lens Red/Clear, Customer Installed (Strobe Only)	7.50	6.75
DKBCV98	Crown Vic Head Liner Mounting Bracket for Single Lamp Dash-King Only 1998-2004	15.60	14.04
DKSCMTKT	3 Piece Suction Cup Kit with Mounting Brackets and Velcro (not for use with DKPSS Model)	23.40	21.06
ash-Miser™ Ser	ies (Remote Lightheads)		

	DM1SL*	Single Linear Strobe	66.60	59.94
	DM2SL**	Dual Linear Strobe	110.40	99.36
Das	h-Miser™ Plus S	eries (Self-Contained Models)		
	DMP1S*	Single Linear Strobe Lamp, Scan-Lock™, 12/24 VDC	118.80	106.92
	DMP2S**	Dual Linear Strobe Lamp, Scan-Lock™, 12/24 VDC	212.40	191.16

DMP2S**

Opti	ons for Dash-Mi	ser™ and Dash-Miser™ Plus Series		
	DMPSC	3 Piece Suction Cup Kit, with Velcro (for one "Z" bracket assembly)	4.20	3.78
	DMPZBKT	Universal "Z" Mounting Bracket (one assembly)	7.50	6.75

DMMM				
DMCC Colled Card with Cigar Plug Rit 9.90 8.9 8.9 DMCPCPSW Card with In Into Such than and Cigar Plug Rit 21.00 11.95 EXT15 15 of oxtension catele (for Dash-Alses Remote Strobe Series only) 16.80 15.1 DMPWIZ Non-Glane Windschild Hood, Dual lamp model only 6.60 15.1 DMPWIZ Non-Glane Windschild Hood, Dual lamp model only 6.60 15.1 DMPWIZ Non-Glane Windschild Hood, Dual lamp model only 6.60 15.1 DMPWIZ Non-Glane Windschild Hood, Dual lamp model only 7.0 12.84 11.5 DMBUIN Universal Behind the Mirror Mounting Bracket 18.30 16.4 FLXIT Optional 7.2 15.00 10.9 10.9 10.9 10.9 10.9 10.9 10.9 FLXIT Optional 7.2 10.0 10.9	DMPED	Pedestal Foot Bracket Kit, (one foot assembly)	7.50	6.75
DMCC Colled Card with Cigar Plug Rit 9.90 8.9 8.9 DMCPCPSW Card with In Into Such than and Cigar Plug Rit 21.00 11.95 EXT15 15 of oxtension catele (for Dash-Alses Remote Strobe Series only) 16.80 15.1 DMPWIZ Non-Glane Windschild Hood, Dual lamp model only 6.60 15.1 DMPWIZ Non-Glane Windschild Hood, Dual lamp model only 6.60 15.1 DMPWIZ Non-Glane Windschild Hood, Dual lamp model only 6.60 15.1 DMPWIZ Non-Glane Windschild Hood, Dual lamp model only 7.0 12.84 11.5 DMBUIN Universal Behind the Mirror Mounting Bracket 18.30 16.4 FLXIT Optional 7.2 15.00 10.9 10.9 10.9 10.9 10.9 10.9 10.9 FLXIT Optional 7.2 10.0 10.9	DMMM		13.20	11 88
DMPCPSW				
EXT15				
DMPPI/IZ				
DMBNIN Universal Behind the Mirror Mounting Packet 18.30 1.64				
attighter® Series, with Comelification (Self Contained Power Supply) 128.40 115.5 FEXIT 128.40 115.5 FEXIT Doal Linear Stocke Lamp, Comelification, 12 VIVC 18.70 7.88 8.70 7.88 18.70 7.88 7.81 18.70 7.88 7.81 18.70 7.88 7.81 18.70 7.88 7.81 18.70 7.88 7.81 18.70 7.88 3.30 3.22 3.22 3.30 3.32 3.30 3.32 3.30 3.32 3.30 3.32 3.30 3.23 3.30 3.21 1.11 <td></td> <td></td> <td></td> <td></td>				
FL220" Dual Linear Strobe Lamp, Comefflash, 12 VDC 128.40 115.54 115.61 128.40 115.61 128.41 128.40 115.61 128.41 12			18.30	16.47
FL220" Dual Linear Stobe Lamp, Connell'Isah, 12 VDC 128.40 115.54 115.61 128.40 115.61 128.41 128.40 115.61 128.41 1	atlighter™ Series	, with CometFlash® (Self Contained Power Supply)		
FLKIT	FL220**	Dual Linear Strobe Lamp, CometFlash, 12 VDC	128.40	115.56
DMPII	FLKIT		8.70	7.83
### LED Series, Dual 400 Series high Intensity LED's with 20 Flash Patterns (Color LED's with Clear Outer Lens for Stealth Look) FILED'* Red and/or Amber and 1 White or Blue FILED'* 1 Red or Amber and 1 White or Blue FILED'* 1 Red or Amber and 1 White or Blue FILED'* 1 Red or Amber and 1 White or Blue FILED'* 1 Red or Amber and 1 White or Blue FILED'* 4.4 LBS' 4.00 Series Color Lens for FILED Series (Customer Installed) Minighter** IED Series, Dual 1 2 Series LED Panels, Side by Side with 20 Flash Patterns (Color LED with Clear Outer Lens for Stealth ### SEPLUS* 1 Red or Amber and 1 Blue SLPLUB* 2 17.20 19-54 SLPLUC* 1 Red/Amber and 1 White SLPLUC* 2 18-20 19-30 300 300 300 300 300 300 300 300 300				
FLLED'				J.Z-
FLLED" Red of Amber and I White or Blue 183.00 105.2				404.00
FLLED* Blue and/or White 43 ENS* A0 Series Coult Lens for FLLED Series (Customer Installed) 5.40 24.8		1 11 11 11 11 11 11 11 11 11 11 11 11 1		
A3E NS				
Image	FLLED**	Blue and/or White	246.00	221.40
Immighter** LED Series, Dual 17 Series LED Panels, Side by Side with 20 Flash Patterns (Color LED with Clear Outer Lens for Steaths of Size). Incides Conv. Wilcom Plane Sweed Brackets w/Suction Cups. SIPLI* Read and/or Amber 117.60 103.8	43LENS*	400 Series Color Lens for FLLED Series (Customer Installed)	5.40	4.86
SEPIL'S 1 Red or Amber and 1 Blue 149.40 134.4	ook). Includes Cord	ceries, Dual 17 Series LED Panels, Side by Side with 20 Flash Patterns (Color LED with Clear Outer w/Cigar Plug & Swivel Brackets w/Suction Cups.		105.0
SEPLIC Real/Amber and 1 White 204 60 1841.				
SEPLIC New Index Minite 217.20 195.4	SLPLL*B	1 Red or Amber and 1 Blue	149.40	134.46
SEPLIC New Index Minite 217.20 195.4	SLPLLBB	Blue/Blue	204.60	184.14
SEPLICC While While 337.80 304.0 224.5				195.48
SEPLEC Bule-White 248.40 223.5				
SLPERT Bail Mounting Bracket for Rear Deck or Headliner Mounting 7.50 6.7				
SEPLENS* Color Lens for SLPLL Series (Customer Installed)				
Internation Super-LED® Series Six Super-LED® (per panel), includes a Cigar Plug with an On/Off Switch and 20 Selectable Flash Items Switch & Swivel Brackets w/Suction Cups. SLPMM** Biue, Red or Amber and 1 White 255.60 230.0 SLPMMC* 1 Biue, Red or Amber and 1 White 268.20 241.3 SLPMMC* 1 Biue, Red or Amber and 1 White 268.20 241.3 SLPMMC* Style Super-LED® Contained, with A Flash Patterns 7.50 6.7 SLPMMC* Solio-Strobe*, 12/24 VDC, Swivel Mount 150.00 135.01 SLPMMC* Solio-Strobe*, 12/24 VDC, Swivel Mount 150.00 135.01 SUPER* Solio-Strobe*, 12/24 VDC, Swivel Mount 150.00 135.01 Solio** Solio-Strobe*, 12/24 VDC, Swivel Mount 150.00 135.01 Strobe* Solio** Solio Shipper*, 12/24 VDC, Swivel Mount 150.00 135.01 TLN1* Blue, Red or Amber for the Dual Models** 123.00 110.7 TLN1* White or Green 129.00 110.1 TLN1* Shipe, Red or Amber and 1 White or Green 234.60 211.5 TLN2* Blue, Red or Amber and 1 White or Green 234.60 211.5 TLN2* White andlor Green 234.60 211.5 TLN2* Blue, Red or Amber, with Synchronize Wire 135.60 122.0 TLNS1* White or Green, with Synchronize Wire 136.00 216.5 TLNS1* White or Green, with Synchronize Wire 146.00 216.5 TLNS1* White or Green, with Synchronize Wire 240.00 216.5 TLNS1* White or Green, with Synchronize Wire 240.00 216.5 TLNS1* White or Green, with Synchronize Wire 240.00 216.5 TLNS1* White or Green, with Synchronize Wire 240.00 220.00 TLNS1* White and or Green with Synchronize Wire 240.00 220.00 TLNS1* White and or				
Item Switch & Swivel Brackets wSuction Cups.				3.78
SLPMMCC	ittern Switch & Swi	ivel Brackets w/Suction Cups.	electable Flash	
SLPM/CC	SLPMM**	Blue, Red and/or Amber	201.60	181.44
SLPBKT1 Ball Mounting Bracket for Rear Deck or Headliner Mounting 7.50 6.7	SLPMM*C	1 Blue, Red or Amber and 1 White	255.60	230.04
SLPBKT1 Ball Mounting Bracket for Rear Deck or Headliner Mounting 7.50 6.7	SLPMMCC	White/White	268.20	241.38
SOLO'S Solo-Strobe, 12/24 VDC, Swived Mount 150.00 135.00 100™ Linear-LED® Super-LED® Series, Includes Swivel/Bail Bracket w/ Suction Cups, Hood, and Cigar Plug with On/Off Switch. 15 ssh Patterns for the Single and 21 Flash Patterns for the Dual Models 123.00 110.7			7.50	0.70
Iton™ Linear-LED® Super-LED® Series, Includes Swive/Bail Bracket w/ Suction Cups, Hood, and Cigar Plug with On/Off Switch. 15 ash Patterns for the Single and 21 Flash Patterns for the Dual Models			450.00	405.00
TLN11" Blue, Red or Amber 123.00 110.7	ılon™ Linear-LED	® Super-LED® Series, Includes Swivel/Bail Bracket w/ Suction Cups, Hood, and Cigar Plug with Or		133.00
TLN1*			123.00	110.70
TLN1J NEW Split Red/Blue 129.00 116.11				
TLN1D NEW Split Red/White 132.60 119.3				
TLN2** Blue, Red and/or Amber 228.60 205.7-				
TLN2**				
TLN2** White and/or Green 240.60 216.55	TLN2**	·	228.60	
ston™ Linear-LED® Super-LED® Series with Synchronize Feature, Includes Swivel/Bail Bracket w/ Suction Cups, Hood, and 3 Wire glail, 5 Flash Patterns. TUNS1* Blue, Red or Amber, with Synchronize Wire 141.00 127.4 TUNS1* White or Green, with Synchronize Wire 141.00 127.4 TUNS2** Blue, Red and/or Amber, with Synchronize Wire 240.60 216.5 TUNS2** Blue, Red or Amber and 1 White or Green, with Synchronize Wire 246.60 221.9 TUNS2** White and/or Green, with Synchronize Wire 246.60 221.9 TUNS2** White and/or Green, with Synchronize Wire 253.20 227.8 Potions for Talon™ Series TUNBKT1 Low Profile Mounting (Headliner Mount) Bracket For TLN1 Only 6.30 5.6 TUNBKT2 Low Profile Mounting (Headliner Mount) Bracket For TLN2 Only 6.30 5.6 TUNBKT3 Visor Mount Bracket (2 Required for TLN2) Each 6.30 5.6 TUNBKT4 Bracket Kit, Adjustable Height Bracket for all TLN's 22.80 20.5 TUNBKT5 Headliner Mounting Bracket for 2003-2004 Ford Crown Victoria and Dodge Intreptd, for all 7.50 6.7 TUNBKT5 Headliner Mounting Bracket for 2003-2004 Ford Crown Victoria and Dodge Intreptd, for all 7.50 6.7 alogen Flashing UL12* Halogen, Flat Mount, Flashing or Steady Burn UL12* Halogen, Flat Mount, Flashing or Steady Burn UL12* Halogen, Flat Mount, Flashing or Steady Burn 57.00 51.3 alogen, Rotating - Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.3 ptions for CR212 Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.3 ptions for CR212 Responder® Cadet CR212*M On/Off Switch, Push Style, Built-in, Base Mounted 13.20 11.8 CR12CC Colled Cord, (optional)	TLN2**	1 Blue, Red or Amber and 1 White or Green	234.60	211.14
Itlon™ Linear-LED® Super-LED® Series with Synchronize Feature, Includes Swivel/Bail Bracket w/ Suction Cups, Hood, and 3 Wire glail, 5 Flash Patterns. TLNS1* Blue, Red or Amber, with Synchronize Wire 141.60 127.4 141.60 127.4 141.60 127.4 141.60 127.4 141.60 127.4 141.62 141.65 1	TLN2**	White and/or Green	240.60	216.54
TLNS1* White or Green, with Synchronize Wire 141.60 127.4 TLNS2** Blue, Red and/or Amber, with Synchronize Wire 240.60 216.5 TLNS2*** 1 Blue, Red or Amber and 1 White or Green, with Synchronize Wire 246.60 221.9 TLNS2*** White and/or Green, with Synchronize Wire 253.20 227.8 otions for Talon™ Series Series TLNBKT1 Low Profile Mounting (Headliner Mount) Bracket For TLN1 Only 6.30 5.6 TLNBKT3 Low Profile Mounting (Headliner Mount) Bracket For TLN2 Only 6.30 5.6 TLNBKT3 Visor Mount Bracket (2 Required for TLN2) Each 6.30 5.6 TLNBKT4 Bracket Kit, Adjustable Height Bracket for all TLN's 22.80 20.5 TLNBKT5 Headliner Mounting Bracket for 2003-2004 Ford Crown Victoria and Dodge Intrepid, for all TLN's 7.50 6.7 alogen Flashing UL12* Halogen, Flat Mount, Flashing or Steady Burn 33.00 29.7 uL12* Halogen, Flat Mount, Flashing or Steady Burn 33.00 29.7 uL12* Dual Speed, Magnet/Permanent Mount 46.20 41.5 CR212*M <t< td=""><td></td><td></td><td>lood, and 3 Wire</td><td></td></t<>			lood, and 3 Wire	
TLNS2*** Blue, Red and/or Amber, with Synchronize Wire 240.60 216.5 TLNS2*** 1 Blue, Red or Amber and 1 White or Green, with Synchronize Wire 246.60 221.9 TLNS2*** White and/or Green, with Synchronize Wire 253.20 227.8 stoions for Talon™ Series 253.20 227.8 TLNBKT1 Low Profile Mounting (Headliner Mount) Bracket For TLN1 Only 6.30 5.6 TLNBKT2 Low Profile Mounting (Headliner Mount) Bracket For TLN2 Only 6.30 5.6 TLNBKT3 Visor Mount Bracket (2 Required for TLN2) Each 6.30 5.6 TLNBKT4 Bracket Kit, Adjustable Height Bracket for all TLN's 22.80 20.5 TLNBKT5 Headliner Mounting Bracket for 2003-2004 Ford Crown Victoria and Dodge Intrepid, for all TLN's 7.50 6.7 alogen Flashing UL12* Halogen, Flat Mount, Flashing or Steady Burn 33.00 29.7 UL12* Halogen, Rotating - Responder® Cadet CR212* Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.3 Stions for CR212* Responder® Ca	TLNS1*	Blue, Red or Amber, with Synchronize Wire	135.60	122.04
TLNS2*** Blue, Red and/or Amber, with Synchronize Wire 240.60 216.5 TLNS2*** 1 Blue, Red or Amber and 1 White or Green, with Synchronize Wire 246.60 221.9 TLNS2*** White and/or Green, with Synchronize Wire 253.20 227.8 stoions for Talon™ Series 253.20 227.8 TLNBKT1 Low Profile Mounting (Headliner Mount) Bracket For TLN1 Only 6.30 5.6 TLNBKT2 Low Profile Mounting (Headliner Mount) Bracket For TLN2 Only 6.30 5.6 TLNBKT3 Visor Mount Bracket (2 Required for TLN2) Each 6.30 5.6 TLNBKT4 Bracket Kit, Adjustable Height Bracket for all TLN's 22.80 20.5 TLNBKT5 Headliner Mounting Bracket for 2003-2004 Ford Crown Victoria and Dodge Intrepid, for all TLN's 7.50 6.7 alogen Flashing UL12* Halogen, Flat Mount, Flashing or Steady Burn 33.00 29.7 UL12* Halogen, Rotating - Responder® Cadet CR212* Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.3 Stions for CR212* Responder® Ca	TLNS1*	White or Green, with Synchronize Wire	141.60	127.44
TLNS2***		·		
TLNS2** White and/or Green, with Synchronize Wire 253.20 227.8i titions for Talon™ Series TLNBKT1 Low Profile Mounting (Headliner Mount) Bracket For TLN1 Only 6.30 5.6 TLNBKT2 Low Profile Mounting (Headliner Mount) Bracket For TLN2 Only 6.30 5.6 TLNBKT3 Visor Mount Bracket (2 Required for TLN2) Each 6.30 5.6 TLNBKT4 Bracket Kit, Adjustable Height Bracket for all TLN's 22.80 20.5 TLNBKT5 Headliner Mounting Bracket for 2003-2004 Ford Crown Victoria and Dodge Intrepid, for all 7.50 6.7i TLN's **Alogen Flashing** If-Contained Halogen Light (Flashing/Steady Burn) UL12* Halogen, Flat Mount, Flashing or Steady Burn 33.00 29.7i **Alogen, Rotating - Responder® Cadet Series** **212 Responder® Cadet** CR212*M Dual Speed, Magnet/Permanent Mount 46.20 41.5i CR212SM Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.3* **titons for CR212 Responder® Cadet** CRC212 Responder® Cadet** CRCAP* Color Dome Shield for Responder Cadet, for use with Clear Outer Dome 6.00 5.4t CR12SW On/Off Switch, Push Style, Built-in, Base Mounted 13.20 11.8t CR12CC Coiled Cord, (optional)				
tions for Talon™ Series TLNBKT1				
TLNBKT1 Low Profile Mounting (Headliner Mount) Bracket For TLN1 Only TLNBKT2 Low Profile Mounting (Headliner Mount) Bracket For TLN2 Only TLNBKT3 Visor Mount Bracket (2 Required for TLN2) Each TLNBKT4 Bracket Kit, Adjustable Height Bracket for all TLN's TLNBKT5 Headliner Mounting Bracket for 2003-2004 Ford Crown Victoria and Dodge Intrepid, for all TLN's Alogen Flashing If-Contained Halogen Light (Flashing/Steady Burn) UL12* Halogen, Flat Mount, Flashing or Steady Burn 33.00 29.70 Alogen, Rotating - Responder® Cadet Series K212 Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount CR212SM Dual Speed, Magnet/Permanent Mount, Split Dome Stions for CR212 Responder® Cadet CRC212 Colled Cord, (optional) Responder Cadet, for use with Clear Outer Dome 6.00 5.44 CR12SW On/Off Switch, Push Style, Built-in, Base Mounted 13.20 11.88 CR12CC Colled Cord, (optional)			253.20	227.88
TLNBKT2 Low Profile Mounting (Headliner Mount) Bracket For TLN2 Only TLNBKT3 Visor Mount Bracket (2 Required for TLN2) Each TLNBKT4 Bracket Kit, Adjustable Height Bracket for all TLN's TLNBKT5 Headliner Mounting Bracket for 2003-2004 Ford Crown Victoria and Dodge Intrepid, for all TLN's TLNBKT5 Headliner Mounting Bracket for 2003-2004 Ford Crown Victoria and Dodge Intrepid, for all TLN's TLNBKT5 Headliner Mounting Bracket for 2003-2004 Ford Crown Victoria and Dodge Intrepid, for all TLN's TLNBKT5 Headliner Mounting Bracket for 2003-2004 Ford Crown Victoria and Dodge Intrepid, for all TLN's TLNBKT5 Headliner Mounting Bracket for 2003-2004 Ford Crown Victoria and Dodge Intrepid, for all T.50 6.79 TLNBKT5 Headliner Mounting Bracket for ITLN'S TLNBKT5 Loss of Call TLNBKT5 22.80 TLNBKT4 Bracket Kit, Adjustable Height Bracket for all TLN'S TLNBKT5 Loss of Call TLNBKT5 22.80 TLNBKT4 Bracket Kit, Adjustable Height Bracket for ITLN'S TLNBKT5 Loss of Call TLNBKT5 22.80 TLNBKT5 Loss o				
TLNBKT3 Visor Mount Bracket (2 Required for TLN2) Each TLNBKT4 Bracket Kit, Adjustable Height Bracket for all TLN's TLNBKT5 Headliner Mounting Bracket for 2003-2004 Ford Crown Victoria and Dodge Intrepid, for all TLN's Alogen Flashing If-Contained Halogen Light (Flashing/Steady Burn) UL12* Halogen, Flat Mount, Flashing or Steady Burn 33.00 29.70 Alogen, Rotating - Responder® Cadet Series CR212*M Dual Speed, Magnet/Permanent Mount CR212SM Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 CRCAP* Color Dome Shield for Responder Cadet, for use with Clear Outer Dome CR12SW On/Off Switch, Push Style, Built-in, Base Mounted CR12CC Coiled Cord, (optional) 8.70 7.8				5.67
TLNBKT3 Visor Mount Bracket (2 Required for TLN2) Each TLNBKT4 Bracket Kit, Adjustable Height Bracket for all TLN's TLNBKT5 Headliner Mounting Bracket for 2003-2004 Ford Crown Victoria and Dodge Intrepid, for all TLN's Alogen Flashing If-Contained Halogen Light (Flashing/Steady Burn) UL12* Halogen, Flat Mount, Flashing or Steady Burn 33.00 29.70 Alogen, Rotating - Responder® Cadet Series CR212*M Dual Speed, Magnet/Permanent Mount CR212SM Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 CRCAP* Color Dome Shield for Responder Cadet, for use with Clear Outer Dome CR12SW On/Off Switch, Push Style, Built-in, Base Mounted CR12CC Coiled Cord, (optional) 8.70 7.8	TLNBKT2	Low Profile Mounting (Headliner Mount) Bracket For TLN2 Only	6.30	5.67
TLNBKT4 Bracket Kit, Adjustable Height Bracket for all TLN's TLNBKT5 Headliner Mounting Bracket for 2003-2004 Ford Crown Victoria and Dodge Intrepid, for all TLN's Alogen Flashing If-Contained Halogen Light (Flashing/Steady Burn) UL12* Halogen, Flat Mount, Flashing or Steady Burn 33.00 29.70 Alogen, Rotating - Responder® Cadet Series R212 Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 Alogen Flashing - CR212 Responder® Cadet CR212 Responder® Cadet CR212SM Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 Alogen Flashing - Responder® Cadet CR212SM Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 Alogen, Rotating - Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 Alogen, Rotating - Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 Alogen, Rotating - Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 Alogen, Rotating - Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 Alogen, Rotating - Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 Alogen, Rotating - Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 Alogen, Rotating - Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 Alogen, Rotating - Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 Alogen, Rotating - Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 Alogen, Rotating - Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 Alogen, Rotating - Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 Alogen, Rotating - Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 Alogen, Rotating - Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 Alogen, Ro	TLNBKT3			5.67
TLNBKT5 Headliner Mounting Bracket for 2003-2004 Ford Crown Victoria and Dodge Intrepid, for all TLN's Alogen Flashing Contained Halogen Light (Flashing/Steady Burn) UL12* Halogen, Flat Mount, Flashing or Steady Burn 33.00 29.76 Alogen, Rotating - Responder® Cadet Series CR212*M Dual Speed, Magnet/Permanent Mount CR212SM Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.36 CRCAP* Color Dome Shield for Responder Cadet, for use with Clear Outer Dome 6.00 5.44 CR12SW On/Off Switch, Push Style, Built-in, Base Mounted 13.20 11.86 CR12CC Coiled Cord, (optional) 8.70 7.86				
TLN's alogen Flashing If-Contained Halogen Light (Flashing/Steady Burn) UL12* Halogen, Flat Mount, Flashing or Steady Burn 33.00 29.70 alogen, Rotating - Responder® Cadet Series 2212 Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount 46.20 41.50 CR212SM Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 otions for CR212 Responder® Cadet CRCAP* Color Dome Shield for Responder Cadet, for use with Clear Outer Dome 6.00 5.40 CR12SW On/Off Switch, Push Style, Built-in, Base Mounted 13.20 11.80 CR12CC Coiled Cord, (optional) 8.70 7.80				
If-Contained Halogen Light (Flashing/Steady Burn) UL12* Halogen, Flat Mount, Flashing or Steady Burn 33.00 29.70 Alogen, Rotating - Responder® Cadet Series 212 Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount 46.20 41.50 CR212SM Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 Ations for CR212 Responder® Cadet CRCAP* Color Dome Shield for Responder Cadet, for use with Clear Outer Dome 6.00 5.40 CR12SW On/Off Switch, Push Style, Built-in, Base Mounted 13.20 11.80 CR12CC Coiled Cord, (optional) 8.70 7.80	TENDICTS		7.50	0.7
UL12* Halogen, Flat Mount, Flashing or Steady Burn 33.00 29.70 alogen, Rotating - Responder® Cadet Series R212 Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount CR212SM Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 bitions for CR212 Responder® Cadet CRCAP* Color Dome Shield for Responder Cadet, for use with Clear Outer Dome 6.00 5.40 CR12SW On/Off Switch, Push Style, Built-in, Base Mounted 13.20 11.80 CR12CC Coiled Cord, (optional) 8.70 7.80				
Alogen, Rotating - Responder® Cadet Series R212 Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount 46.20 41.5 CR212SM Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.3 Otions for CR212 Responder® Cadet CRCAP* Color Dome Shield for Responder Cadet, for use with Clear Outer Dome 6.00 5.4 CR12SW On/Off Switch, Push Style, Built-in, Base Mounted 13.20 11.8 CR12CC Coiled Cord, (optional) 8.70 7.8				
alogen, Rotating - Responder® Cadet Series R212 Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount CR212SM Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.3 bitions for CR212 Responder® Cadet CRCAP* Color Dome Shield for Responder Cadet, for use with Clear Outer Dome 6.00 5.4 CR12SW On/Off Switch, Push Style, Built-in, Base Mounted 13.20 11.8 CR12CC Coiled Cord, (optional) 8.70 7.8	UL12*	Halogen, Flat Mount, Flashing or Steady Burn	33.00	29.70
R212 Responder® Cadet CR212*M Dual Speed, Magnet/Permanent Mount CR212SM Dual Speed, Magnet/Permanent Mount, Split Dome Stions for CR212 Responder® Cadet CRCAP* Color Dome Shield for Responder Cadet, for use with Clear Outer Dome CR12SW On/Off Switch, Push Style, Built-in, Base Mounted CR12CC Coiled Cord, (optional) 8.70 7.8	alogen Rotati	ng - Responder® Cadet Series		
CR212*M Dual Speed, Magnet/Permanent Mount CR212SM Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 bitions for CR212 Responder® Cadet CRCAP* Color Dome Shield for Responder Cadet, for use with Clear Outer Dome CR12SW On/Off Switch, Push Style, Built-in, Base Mounted CR12CC Coiled Cord, (optional) 46.20 41.50 57.00 51.30 57.00 57.00 57.00 57.00 57.00 57.00 57.00 57.00 57.00 57.00 57.00 57.00 57.00 57.00 57.00 57				
CR212SM Dual Speed, Magnet/Permanent Mount, Split Dome 57.00 51.30 bitions for CR212 Responder® Cadet CRCAP* Color Dome Shield for Responder Cadet, for use with Clear Outer Dome 6.00 5.40 CR12SW On/Off Switch, Push Style, Built-in, Base Mounted 13.20 11.80 CR12CC Coiled Cord, (optional) 8.70 7.80			47.00	44 54
cotions for CR212 Responder® Cadet CRCAP* Color Dome Shield for Responder Cadet, for use with Clear Outer Dome 6.00 5.4 CR12SW On/Off Switch, Push Style, Built-in, Base Mounted 13.20 11.8 CR12CC Coiled Cord, (optional) 8.70 7.8		1 0		
CRCAP*Color Dome Shield for Responder Cadet, for use with Clear Outer Dome6.005.4CR12SWOn/Off Switch, Push Style, Built-in, Base Mounted13.2011.8CR12CCCoiled Cord, (optional)8.707.8			57.00	51.30
CR12SW On/Off Switch, Push Style, Built-in, Base Mounted 13.20 11.8 CR12CC Coiled Cord, (optional) 8.70 7.8				
CR12SWOn/Off Switch, Push Style, Built-in, Base Mounted13.2011.8CR12CCCoiled Cord, (optional)8.707.8	CRCAP*	Color Dome Shield for Responder Cadet, for use with Clear Outer Dome	6.00	5.40
CR12CC Coiled Cord, (optional) 8.70 7.8			13.20	11.88
				7.83
	H27W12V	27 watt, CR212 Series (See replacement bulb section for pricing)	5.70	, .0.



36	Series			
	RB6T*P	Rota-Beam™ 6, Dual Reflector, 60 Watt Halogen, Permanent Mount	64.20	57.7
	RB6P*P	Single Reflector, with 50 Watt Halogen Lamp, Perm/Pipe Mount	45.00	40.5
	RB6P*M	Single Reflector with 50 Watt Halogen Lamp, Magnet Mount	64.80	58.
	RB6CF*	Color Filter Kit for RB6T Series Only (Customer installed option, use with Clear Outer Dome only)	3.60	3
	KCF*	Color Filter for RB6P Models (Customer installed option, use with Clear Outer Dome only)	3.60	3
ľ	WMM6K	Optional Magnet Mount Kit	20.10	18.
LĪ	ED Series			
	B6MM**P	Super-LED Beacon Upper Section & Directional Linear Super-LED Lighthead in Lower Section, Amber, Blue and/or Red	574.80	517.
T	Series			
	B6TS**1P	RB6T Rotating Beacon Upper Section & Directional Strobe Light in Lower Section, Polished Finish	212.40	191.
	B6TF**1P	RB6T Rotating Beacon Upper Section & Directional Halogen Flashing Light in Lower Section, Polished Finish	212.40	191.
	B6TH*Z1P	RB6T Rotating Beacon Upper Section & 8°-32° Scenelight in Lower Section, Polished Finish	179.40	161.
	B6TX*R1P	RB6T Rotating Beacon Upper Section & Brake/Tail/Turn in Lower Section, Polished Finish	175.20	157.
	B6TM**1P	RB6T Rotating Beacon Upper Section & Directional Linear-LED in Lower Section, Polished Finish, Amber, Blue or Red LED	267.00	240.
L				
		ontained - 1500, 2000 & 2500 SERIES, 12/24 VDC Unless Specified. Beacons, Replaces 1000 Series		
[1502*	2 Watt, Permanent Mount, 12-80 VDC, Single Flash, Amber and Clear only	34.20	30.
ŀ	1502 1502M*	2 Watt, Magnetic Mount, 12-80 VDC, Single Flash, Amber and Clear only	42.60	38.
ŀ	1510*	10 Watt, Permanent Mount, Single Flash	61.20	55.
ŀ	1510M*	10 Watt, Permanent Mount, Single Flash	69.60	62.
ŀ	FT1510	Linear Tube for 1510 Series	13.80	12.
ŀ	D1500*	Dome for 1500 & 1510 Series	15.90	14.
)4	B Series Strob	e Beacons - Polycarbonate Base, 5 Watt, Amber Only, Single Flash		
	2004BLA	Pipe/Flat Mount, Low Dome	49.80	44.
	2004BLAM	Magnetic Mount, Low Dome	58.20	52.
ſ	2004BHA	Pipe/Flat Mount, High Dome	49.80	44.
L	2004BHAM	Magnetic Mount, High Dome	58.20	52.
2		eries Strobe Beacons - Polycarbonate Base, 15 Watt, Rapid-Flash™ & Manual Hi/Low		
-	2012LP*	Pipe/Flat Mount, Low Dome	58.80	52.
-	2012LP*M	Magnetic Mount, Low Dome	68.40	61.
ŀ	2012HP*	Pipe/Flat Mount, High Dome	58.80	52.
Ļ	2012HP*M	Magnetic Mount, High Dome	68.40	61.
15 [2015LP*	4 Series Strobe Beacons - Polycarbonate Base, QuintFlash & Manual Hi/Low Unless Specified 15 Watt, Pipe/Flat Mount, Low Dome	40.00	42
ŀ		15 Watt, PiperFlat Mount, Low Dome 15 Watt, Magnetic Mount, Low Dome	69.00	62.
ŀ	2015LP*M		77.40	69.
ŀ	2015HP*	15 Watt, Pipe/Flat Mount, High Dome	69.00	62.
ŀ	2015HP*M	15 Watt, Magnetic Mount, High Dome	77.40	69.
ŀ	2022LP* 2022LP*M	22 Watt, Pipe/Flat Mount, Low Dome 22 Watt, Magnetic Mount, Low Dome	75.60	68.
ŀ	2022LP WI 2022HP*		84.60	76.
ŀ	2022HP*M	22 Watt, Pipe/Flat Mount, High Dome 22 Watt, Magnetic Mount, High Dome	75.60 84.60	68. 76.
ŀ	2022AP*	22 Watt, Magnetic Mount, High Dome, Automatic Hi/Low	81.60	73.
_ 15		4 Series Strobe Beacons - Cast Aluminum Base, QuintFlash & Manual Hi/Low Unless Specified	01.00	73.
	2015LC*	15 Watt, Pipe/Flat Mount, Low Dome	81.00	72.
	2015HC*	15 Watt, Pipe/Flat Mount, High Dome	81.00	72.
ľ	2022LC*	22 Watt, Pipe/Flat Mount, Low Dome	88.20	79.
ľ	2022HC*	22 Watt, Pipe/Flat Mount, High Dome	88.20	79.
L	2022AC*	22 Watt, Pipe/Flat Mount, High Dome, Automatic Hi/Low	94.20	84.
		Strobe Beacons, Polycarbonate Base, Encapsulated, 7 Scan-Lock Flash Patterns, Photocell Hi/Low	with Hi Power	
er		Mount with Comet Flash and Hi Power Only.		
-	2515LP*	15 Watt, Pipe/Flat/"J" Hook Mount, Low Dome	75.60	68.
ŀ	2515HP*	15 Watt, Pipe/Flat/"J" Hook Mount, High Dome	75.60	68.
-	2515LP*M	15 Watt, Magnetic Mount, Low Dome	84.60	76.
	2519LP*	19 Watt, Pipe/Flat/"J" Hook Mount, Low Dome	78.00	70.
-	2519HP*	19 Watt, Pipe/Flat/"J" Hook Mount, High Dome	78.00	70.
-	2519LP*M 5, 2519 & 2526 \$	19 Watt, Magnetic Mount, Low Dome Series Strobe Beacons, Cast Aluminum Base, Encapsulated, 7 Scan-Lock Flash Patterns, Photocell	Hi/Low with Hi	78.
15		, '		79.
	er Override.			/ (1
	2515LC*	15 Watt, Pipe/Flat/"J" Hook Mount, Low Dome	88.20	
	2515LC* 2515HC*	15 Watt, Pipe/Flat/"J" Hook Mount, High Dome	88.20	79.
	2515LC*			79.: 81.! 81.!

2000 & 2500 Series Parts & Accessories

BGL	Branch Guard for Low Dome	14.40	12.96
BGH	Branch Guard for High Dome	15.60	14.04
CP	8 Ft. Straight Cord & Plug, No Magnet, for 2000 Series	4.50	4.05
DCH	Clear Dust Cover for High Dome only	3.90	3.51
LB2000	"L" Bracket for Side Mounting, for 2000 Series	19.50	17.55
MMK	90 Lb. Pull Magnetic Mount Kit, with 8 Ft. Straight Cord & Plug for 2000 Series	15.00	13.50
LSK	Single Lighted Switch (15 Amp Rated), mounted on bracket, wired and fused	20.10	18.09
SS	Black Mylar Stick-On Dome Cover (Sun Shade)	3.90	3.51
DH2000*	High Dome for 2000 Series	28.20	25.38
DL2000*	Low Dome for 2000 Series	28.20	25.38
FT10A	3-Pin "U" Strobe Tube, Plug-in, 2004, 2012 & 2015	15.60	14.04
FT20A	3-Pin Helix 1-1/2 turn Strobe Tube, Plug-in, 2022	18.30	16.47
FT25	Flash Tube, 2500-Series Beacons	18.30	16.47

Strobe & Halogen, Strobeplus+™ Combination, HDP - With Hi/Low Power & Four Selectable Flash
Patterns.
S360 StrobePlus+™ Strobe & Halogen Combination Beacons(Patent Pending) Simultaneous Flashing of Strobe & Halogen L

S36	S360 StrobePlus+™ Strobe & Halogen Combination Beacons(Patent Pending) Simultaneous Flashing of Strobe & Halogen Lamps						
	S360S*P	Perm/Pipe Mount		223.20	200.88		
	S360SSP	Perm/Pipe Mount, Split lens		248.40	223.56		
	S360S*B	Branch Guard Mount		240.60	216.54		

Strobe, Self-Co	ontained, HDP - With Four Selectable Flash Patterns.		
800D Series, 12/24			
800DH*P	High Dome, Perm/Pipe Mount with High Gain, Self-Cleaning Aerodynamic Dome	148.80	133.92
800DHSP	High Split Dome, Perm/Pipe Mount	173.40	156.06
800DH*M	High Dome, Magnetic Mount with High Gain, Self-Cleaning Aerodynamic Dome	166.80	150.12
800DHSM	High Split Dome, Magnetic Mount	190.80	171.72
800DH*X	High Dome, Adjustable Carbon Fiber Pole Mount w/High Gain, Self-Cleaning Aerodynamic	322.80	290.52
	Dome		
800DHSX	High Split Dome, Adjustable Carbon Fiber Pole Mount	346.80	312.12
800DL*P	Low Dome, Perm/Pipe Mount	148.80	133.92
800DLSP	Low Split Dome, Perm/Pipe Mount	173.40	156.06
800DL*M	Low Dome, Magnetic Mount	166.80	150.12
800DLSM	Low Split Dome, Magnetic Mount	190.80	171.72
800DL*X	Low Dome, Adjustable Carbon Fiber Pole Mount	322.80	290.52
800DLSX	Low Split Dome, Adjustable Carbon Fiber Pole Mount	346.80	312.12
1200D Series, 12/2			
1200DH*P	Perm/Pipe Mount with High Gain, Self-Cleaning Aerodynamic Dome	190.80	171.72
1200DHSP	Perm/Pipe Mount, Split Dome	216.00	194.40
1200DH*S	Spade Bolt Mount with High Gain, Self-Cleaning Aerodynamic Dome	198.60	178.74
1200DHSS	Spade Bolt Mount, Split Dome	222.00	199.80
1200DH*M	Magnetic Mount with High Gain, Self-Cleaning Aerodynamic Dome	212.40	191.16
1200DHSM	Magnetic Mount, Split Dome	236.40	212.76
Options for 800D a	nd 1200D Series		
AUTOCTL	Photocell for Automatic On/Off or Hi/Low Operation	6.60	5.94
80CRUZ12	12 VDC Cruise Light, ADD	17.70	15.93
80CRUZ24	24 VDC Cruise Light, ADD	17.70	15.93
BGH	High Dome Branch Guard	15.60	14.04
BGL	Low Dome Branch Guard for Model 800L Only	14.40	12.96
LB2000	"L" Bracket for Side Mounting, Model 800 Only	19.50	17.55
SS	Sun Shade	3.90	3.51
WSSAERO	Sun Shade for 800/1200 High Gain Aerodynamic Dome	4.50	4.05
MMK	90 Lb. Pull Magnetic Mount Kit, with 8 Ft. Cord/Plug for 800/1200 Series	15.00	13.50
800DCTRL	Hi/Off/Low Switch with 4-Position Pattern Control Rotary Switch & Diagnostic Indicator. For	34.80	31.32
	800D & 1200D Series		
PSW3	Hi/Off/Low Intensity Switch with LED "On" Indicator for Model 800/1200/S360	30.60	27.54
DL2000*	Low Dome for 2000 Series	28.20	25.38
HGDOMEH*	High Gain Dome for 800 & 1200 Series	33.00	29.70
80DTUBE	800D/1200D Series Helix 1-1/2 Turn, 3 Pin Plug-In Base Strobe Tube	30.60	27.54
Super Strobe® D S			
S360D*P	Perm/Pipe Mount	216.60	194.94
S360DSP	Split Dome, Perm/Pipe Mount	240.60	216.54
S360D*B	Branch Guard Mount	233.40	210.06
S360DSB	Split Dome, Branch Guard Mount	259.20	233.28
S360D*M	Magnetic Mount	233.40	210.06
S360DSM	Split Dome, Magnetic Mount	259.20	233.28
Options for Super	Strobe® Series		
AUTOCTL	Photocell for Automatic On/Off or Hi/Low Operation, S360D Only, ADD	6.60	5.94
SSCRUZ12	12 VDC Cruise Light, S360D Only	17.70	15.93
SSCRUZ24	24 VDC Cruise Light, for Super Strobe D, S360D Only	17.70	15.93



	11011 20011112 1712121011 2000 2000111201 22, 2000		
800DCTRL	Hi/Off/Low Switch with 4-Position Pattern Control Rotary Switch & Diagnostic Indicator	34.80	31.32
PSW3	Hi/Off/Low Intensity Switch with LED "On" Indicator for Model 800/1200/S360	30.60	27.54
SSTUBE	Super Strobe® Helix 1-1/2 turn Strobe Tube and Polished Reflector, DOT6H, S360C/S360D	30.60	27.54
	Series, SS361, SS363, SS364		

		Series, SS361, SS363, SS364		
	D Beacon, Se			
Sup		eries Beacon, Class 1 & Ca. Title 13, High Dome, Includes Scan-Lock™, Hi/Low Power and Sync		
	L31H*F	Amber, Blue or Red (Single Color Only) Flat Mount	360.60	324.54
	L31H*M	Amber, Blue or Red (Single Color Only) Magnet Mount	377.40	339.66
	L360PMKT	Pipe Mount Kit for L31/32 Flat Mount	10.20	9.18
	L31HRFN	NEW Red, Meets NFPA Zone C Upper Requirements	360.60	324.54
C	L360BGB	NEW Branch Guard Kit for L31H Series	74.40	66.96
		eries Beacon, Class 1 in Amber and Class 2 in Red & Blue, Low Dome, Includes Scan-Lock™, H	11/Low Power and	
Syll	chronize Features L32L*F		211 20	190.08
	L32L F	Amber, Blue or Red (Single Color Only) Flat Mount Amber, Blue or Red (Single Color Only) Magnet Mount	211.20 227.40	204.66
	L360PMKT	Pipe Mount Kit for L31/32 Flat Mount	10.20	9.18
Sun		ries Beacon, Class 2 (Amber, Blue & White), Includes Scan-Lock™ Flash Patterns	10.20	7.10
Sup	L22H*P	NEW Amber, Blue or Red (Single Color), Perm/Pipe Mount	117.60	105.84
	L22HCP	NEW White, Perm/Pipe Mount	126.60	113.94
	L22H*M	NEW Amber, Blue or Red (Single Color), Magnet Mount	127.80	115.02
	L22HCM	NEW White, Magnet Mount	136.20	122.58
	L22H*P4	NEW Amber, Blue or Red (Single Color), Perm/Pipe Mount, 24 VDC	124.20	111.78
	L22HCP4	NEW White, Perm/Pipe Mount, 24 VDC	132.60	119.34
Sun		ries, Class 3, Single LED Beacon, 15 Patterns Including Steady Burn and Cruise Mode, AMBER O		117.34
Sup	L53AP	Amber, Flat Mount	33.00	29.70
	L53AM	Amber, Magnet Mount	40.80	36.72
	LJJAIVI	Amber, magnet mount	40.00	30.72
Do	var Cupplica	Strobe and Strobe/Halagen Combination		
		, Strobe and Strobe/Halogen Combination		
		alogen Combination Supplies StrobePlus+TM Power Supply Series provides a simultaneous flashing	g and synchronized	
palle		n strobe and halogen lightheads for a more penetrating warning light.	215 (0	204.04
	ISP4HS	90 Watt Output (115 Watt Input), Four Outlet Strobe Power Supply with Four Outlet Halogen	315.60	284.04
	ISP8HS	Flasher 100 West Output (230 West Input) Fight Outlet Strahe Dower Supply with Fight Outlet Helegan	(24.60	562.14
	ISPORS	180 Watt Output (230 Watt Input), Eight Outlet Strobe Power Supply with Eight Outlet Halogen Flasher	624.60	302.14
Heis	uorcal® and Intol	Frasher ligent Power Supply Series		
UIIIV	UPS64LXA	Four Outlet, 75 Watt Output (90 Watt Input), with 10 Scan-Lock™ Flash Patterns and	231.00	207.90
	UP304LAA	Synchronize Wire, 12/24VDC	231.00	207.90
	UPS690	Six Outlet, 90 Watt Output (115 Watt Input), with 4 Flash Patterns, 12VDC	306.60	275.94
	UPS158A	Eight Outlet, 150 Watt Output (113 Watt Input), with 10 Scan-Lock™ Flash Patterns and	391.80	352.62
	UF 3 130A	Synchronize Wire, 12/24VDC	371.00	332.02
	ISP148	Eight Outlet, 140 Watt Output (170 Watt Input), with 16 Flash Patterns, Programmable	460.80	414.72
	151 140	Configurations for Serial and UPS Applications (Less Diagnostic Indicator Kit)	400.00	717.72
	ISP74	Four Outlet, 70 Watt Output (85 Watt Input), with 16 Flash Patterns, Programmable	313.80	282.42
		Configurations for Serial and UPS Applications (Less Diagnostic Indicator Kit)	010.00	202.12
	ISP7424	†† Same as ISP74 above, except 24 VDC	350.40	315.36
	ISP94	Four Outlet, 90 Watt Output (115 Watt Input), with 16 Flash Patterns, Programmable	350.40	315.36
	10.7.	Configurations for DOT, Serial and UPS Applications (Less Diagnostic Indicator Kit)	000.10	0.10.00
	ISP9424	†† Same as ISP94 above, except 24 VDC	387.60	348.84
	ISP188	Eight Outlet, 180 Watt Output (230 Watt Input), with 16 Flash Patterns, Programmable	498.60	448.74
		Configurations for DOT, Serial and UPS Applications (Less Diagnostic Indicator Kit)		
	ISP18824	†† Same as ISP188 above, except 24 VDC	535.80	482.22
	4PATCTL1	4 Position Rotary Switch for Pattern Control for UPS690 and WPPSC692/694	30.60	27.54
	SOLAR1	Remote Photocell for use with Remote Power Supply and Strobe Beacons with Hi/Low	64.80	58.32
		Capability		
Diac	nostic Indicator	Panel Kits, For Four Outlet ISP Series Power Supplies Only		
•	DIP408	Panel & 8' Cable Kit	30.60	27.54
	DIP415	Panel & 15' Cable Kit	30.60	27.54
	DIP425	Panel & 25' Cable Kit	30.60	27.54
	DIP450	Panel & 50' Cable Kit	34.20	30.78
	DIP475	Panel & 75' Cable Kit	40.80	36.72
	DIP4100	Panel & 100' Cable Kit	49.20	44.28
Diac		Panel Kits, For Eight Outlet ISP Series Power Supplies Only		
•	DIP808	Panel & 8' Cable Kit	37.80	34.02
	DIP815	Panel & 15' Cable Kit	37.80	34.02
	DIP825	Panel & 25' Cable Kit	37.80	34.02
	DIP850	Panel & 50' Cable Kit	40.80	36.72
	DIP875	Panel & 75' Cable Kit	49.20	44.28
Wea		Jniversal Power Supplies, Requires the Purchase of Lightheads with Weatherproof Connectors	,0	
	WPPSC692	Six Outlet 90 Watt Output (115 Watt Input), 2 Flash Pattern, 2x2x2 Switching, Weather	312.60	281.34
		Resistant		
	WPPSC694	†† Same as WPPSC692 except 24 VDC	360.00	324.00
	4PATCTL1	4 Position Rotary Switch for Pattern Control for UPS690 and WPPSC692/694	30.60	27.54

Competitor Series Strobe Power Supplies, Fully Encapsulated Power Supplies with 10 SCANLOCK™ Flash Patterns, 12/24VDC & Hi/Low Feature Standard, Unless Specified.

CS220	Two Outlet, 20 Watt Output (27 Watts Input), Hi Power Only	61.20	
CS225	Two Outlet, 25 Watt Output (33 Watts Input)	63.60	
CS240	Two Outlet, 40 Watt Output (54 Watts Input)	64.80	
CS240S	Two Outlet, 40 Watt Output (54 Watts Input), Synchronized Flashing Outlets for Multiple Power Supplies. Two Flash Patterns	72.00	
CS450	Four Outlet, 50 Watt Output (67 Watts Input)	84.60	
CS650	Six Outlet, 50 Watt Output (67 Watts Input)	91.20	
SOLAR1	Remote Photocell for use with Remote Power Supply and Strobe Beacons with Hi/Low Capability	64.80	58.32

Competitor Series Weather Resistant Strobe Power Supplies, Fully Encapsulated Power Supplies with 10 SCANLOCK™ Flash Patterns

and Deutsch Waterproof Connectors.12/24VDC & Hi/Low Feature Standard, Unless Specified.

CS220D	Two Outlet, 20 Watt Output (27 Watts Input), Hi Power Only	78.00	
CS225D	Two Outlet, 25 Watt Output (33 Watts Input)	79.80	
CS240D	Two Outlet, 40 Watt Output (54 Watts Input)	81.00	
CS450D	Four Outlet, 50 Watt Output (67 Watts Input)	104.40	
CS650D	Six Outlet, 50 Watt Output (67 Watts Input)	118.80	
SOLAR1	Remote Photocell for use with Remote Power Supply and Strobe Beacons with Hi/Low Capability	64.80	58.32

Competitor Series Plus Strobe Power Supplies, Power Supplies with 10 SCANLOCK™ Flash Patterns, 12 VDC & Hi/Low Feature Standard, Unless Specified.

CSP660	Six Outlet, 60 Watt Output (80 Watts Input), 12/24 VDC	104.40		
CSP690	Six Outlet, 90 Watt Output (120 Watts Input)	122.40		
CSP8120	8 Outlet, 120 Watt Output (160 Watts Input)	182.40		
CSP8180	8 Outlet, 180 Watt Output (240 Watts Input)	222.00		
CSP12180	12 Outlet, 180 Watt Output (240 Watts Input), Replaces UPS12180	232.80		
SOLAR1	Remote Photocell for use with Remote Power Supply and Strobe Beacons with Hi/Low Capability	64.80	58.32	

Hide-A-Way Strobe Systems, See "Hide-A-Way Strobe" Section under Lightheads for Hide-A-Way Tubes (Waterproof Connectors are Highly Recommended on these Systems)

S220CC	CS220 Power Supply, Two HA239C	108.00	
S220AA	CS220 Power Supply, Two S30HAA	139.20	
S225CC	CS225 Power Supply, Two S30HACP Strobe Tubes & Two EXT5 Cables	94.20	
S450CCCC	CS450 Power Supply with Four HA239C	163.20	
S450AAAA	CS450 Power Supply with Four HA238A	225.00	
S660CCCC	CSP660 Power Supply with Four HA239C	183.00	
S660AAAA	CSP660 Power Supply with Four HA238A	245.40	
S690CCCC	CSP690 Power Supply with Four HA238C	204.60	
S690AAAA	CSP690 Power Supply with Four HA238A	261.60	
SFCV98CC	Front or Rear Hide-A-Way System for 1998-2005 Crown-Vic includes CS220, Two - S30HACP with Appropriate Cable Lengths and 20' Input Cable	97.20	

ГІА	sners, Halog	EII & LED		
Univ	ersal® Halogen	& LED Flashers		
	UFM8	Eight Outlet Halogen/LED Flasher, 60 Watt per outlet, 2x2x2x2 Switching, 17 Selectable Flash	87.00	78.30
		Patterns		
	ULF28	Eight Outlet, Two Channel LED Flasher, 120 watts (60 watts per channel), Synchronize	45.00	40.50
		Feature, 4 Scan-Lock Flash Patterns with Phase 1 and Phase 2 for Alternate or Simultaneously		
		Flashing LED Lightheads and Sun/Snow/Fog Pattern.		
	ULF22	Two Outlet, Two Channel LED Flasher, 96 watts (48 watts per channel) with 5 Scan-Lock	24.90	22.41
		Flash Patterns and Steady Burn with Hi/Low.		
	AFL530	NEW Certified LED Ambulance Flasher, 5 Outlet, 30 Watts	66.00	59.40
	AFM560	NEW Certified Ambulance Flasher, 5 Outlet, 60 Watts, Replaces AF6016A/AF6012	120.00	108.00
	AFM1660	NEW Certified Ambulance Flasher, 16 Outlet, 60 Watts, Replaces AF6016	120.00	108.00
	3TERM	Two 20 Amp Output, 3-Terminal Alternating Flasher	32.40	29.16
Hea	dlight/Grille & Ta	aillight Flashers		
	SSF2150	100% Solid State, Headlight/Grille Light Flasher, 2 Outlet, 162 Watts per outlet, For Positive	38.40	34.56
		Switching Headlights		
	UHF2150A	Headlight/Grille Light Flasher with 4 Flash Patterns for Positive or Negative Headlight	31.80	28.62
		Switching (not for Chevy Impala)		
	UHF2150B	2000-03 Chevy Impala Police Package, Headlight Flasher with 4 Flash Patterns & Quick	45.60	41.04
		Disconnect Plugs		
	UHFPOS	Headlight/Grille Light Flasher for Positive Switching Headlights with 4 Flash Patterns	31.80	28.62

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red; G = Green



		11011 20011112 1712121041 172000 2000111201 22/2000		
	UHFPOSC	Headlight/Grille Light Flasher for Positive Switching Headlights with 4 Flash Patterns. Includes Mating Connectors with 18" Pigtail.	36.60	32.94
	UHFGND	Headlight/Grille Light Flasher for Negative Switching Headlights with 4 Flash Patterns.	31.80	28.62
	UHFGNDC	Headlight/Grille Light Flasher for Negative Switching Headlights with 4 Flash Patterns. Includes Mating Connectors with 18" Pigtail	36.60	32.94
	IBF5150	2004 Dodge Intrepid Police Package Taillight Flasher, with OEM Quick Disconnect Plugs.	64.20	57.78
	UBF5150	NEW 2004-50 Ford Crown Victoria Taillight Flasher	41.40	37.26
	UBF5150B	2003 Chevy Impala Police Package Taillight Flasher, with Quick Disconnect Plugs with 4 Flash Patterns. Includes Mating Connectors with 18" Pigtail	64.20	57.78
Opt	ions for LED Lig	htheads		
	LEDLOAD	In-line "Load" Resistor Kit to Interface with OEM Turn Signal Circuit	31.80	28.62
	52TRUNKT	Trunk Warning Light Installation Kit for 2-500 Series LED's (Purchased Separately) for Crown Vic, Explorer and Expedition	6.60	5.94

Lightheads, Directional Strobe, LED. Halogen & Combination, Remoto Strobe Lightheads Only Supplied with 15's Shielded Cable, unless specified. For Longer One Piece Cable see "Substitute Longer Shielded Cable, unless specified. For Longer One Piece Cable see "Substitute Longer Shielded Cable, unless specified. For Longer One Piece Cable see "Substitute Longer Shielded Cable, unless specified. For Longer One Piece Cable see "Substitute Longer Shielded Cable, unless specified. For Longer One Piece Cable see "Substitute Longer Shielded Cable, unless Specified." For Longer One Piece Cable see "Substitute Longer Shielded Cable, unless Specified. For Longer One Piece Cable see "Substitute Longer Shielded Cable, unless Specified." For Longer One Piece Cable see "Substitute Longer Shielded Cable, unless Specified. For Longer One Piece Cable see "Substitute Longer Shielded Cable, unless Specified. The Piece Specified. The Piece Specified. Part Specified.	•	LEDLOAD	In-line "Load" Resistor Kit to Interface with OEM Turn Signal Circuit	31.80	28.62
Lightheads, Directional Strobe, LED, Halogen & Combination, Remote Strobe Lightheads Only Supplied with 15 Shodded Cable, unless specified. For Longer One Picco Cable see: "Substitute Longer Shielded Cable, unless specified. For Longer One Picco Cable see: "Substitute Longer Shielded Cable," with seady June 16 June 17 Shielded Cable, unless specified. For Longer One Picco Cable see: "Substitute Longer Shielded Cable," with seady June 16 June 17 Shielded Cable," with seady June 16 June 17 Shielded Cable, with seady June 16 June 17 Shielded Cable, and the season of the Shielded Cable, and the season of the Shielded Cable, and the Shielded Cable, an				6.60	5.94
Supplied with 15 Shielded Cable, unless specified. For Longer One Piece Cable see "Substitute Longer Shielded Cable" section.					
Supplied with 15 Shielded Cable, unless specified. For Longer One Piece Cable see "Substitute Longer Shielded Cable" section.					
Supplied with 15 Shielded Cable, unless specified. For Longer One Piece Cable see "Substitute Longer Shielded Cable" section.	Lia	htheads Dire	ectional Strobe LED Halogen & Combination, Remote Strobe Lightheads On	lv	
Shielded Cable* Section 16.20 16.20 16.20 16.20 18.20 16.20 16.20 18.20 16.20 18.20 16.20 18	Cur	ntiredus, Dire	Shiolded Cable unless specified. For Langer One Diese Cable see "Substitute	Longor	
15 Marker Light Series, 6 White Steady Burn LED's mounted in a Color 1 /8" Long x 7/8" High Housing and Lens 16.20				Longer	
Text					
2° Round LED Lightheads, includes 2.5° Adapter for Customer Supplied 2.5° Grommet, 3° and 3.5° Flange Mount. Other Optional Mounting Section. 17.70° 15.93 Purchased Separately. See Optional Mounting Section. 17.70° 17.0° 12.93 12.70° 18.93 17.70° 17.0° 12.93 12.70° 18.93 17.70° 18.93 17.70° 18.93 17.70° 19.93 12.6° 20.90 22.41 17.70° 19.93 12.6° 20.90 22.41 17.70° 19.93 12.6° 20.90 22.41 17.70° 20.90 22.41 17.70° 20.90 22.41 17.70° 20.90 22.41 17.70° 20.90 22.41 17.70° 20.90 22.41 17.70° 20.70 18.70° 20.90 22.41 17.70° 20.70 18.70° 20.90 22.41 17.70° 20.70 49.00 22.41 19.00° 20.90 22.41 19.00° 20.90 22.41 19.00° 20.90 22.41 19.00° 20.90 22.41 19.00° 20.90 22.41 19.00° 20.90 22.41 19.00° 20.90 22.41 19.00° 20.90 22.41 19.00° 20.90 22.41 19.00° 20.90 22.41 19.00° 20.90 22.41 19.00° 20.90 22.41 19.00° 20.90 22.41 19.00° 20.90° 20.90 22.41 19.00° 20.90° 20.90° 20.90° 20.90° 20.90° 20.90° 20	1S N				
Purchased Separately, See Optional Mounting Section. 17.70 15.93		1SC00S*R	Amber, Blue, White or Red Housing and Lens	16.20	
Purchased Separately, See Optional Mounting Section. 17.70 15.93	2" R	ound LED Light	heads, Includes 2.5" Adapter for Customer Supplied 2.5" Grommet, 3" and 3.5" Flange Mount. Other	r Optional Mounting	
T0700FR				, ,	
T000M7R		T0*00F*R	LED, Red or Amber, 1 Flash Pattern	17.70	15.93
Total Content Total Compartment Light, Intensity Level 3 24.90 22.41		T0*00F*R	LED, Blue or White, 1 Flash Pattern	24.90	22.41
Optional Mounting for 2" Round Series TFLANGED Flange Kit, Surface Mount, Chrome 7.50 6.75 TFLANGEC Flange Kit, Surface Mount, Chrome 7.50 6.75 TGROM2 2" Grommet 3.00 3.01 4" Round Super-LED® Lightheads. 5 Scan-Lock™ Flash Patterns (with Phase 1 and Phase 2) and Steady Burn with Synchronize Feature. Includes Adapter for PAR36 Applications. Requires Optional Mounting Purchased Separately, See Optional Mounting Section. 2F 002.7R Flat Lens, Super-LED. Synchronizable, White 106.20 95.58 2F 002.7R Extended Lens, Super-LED. Synchronizable, Blue, Red and/or Amber 96.60 86.94 2F 002.7R Extended Lens, Super-LED. Synchronizable, White 106.20 95.58 2F 002.7R Extended Lens, Super-LED. Synchronizable, White 106.20 95.58 4" Round Strobe & LED Lightheads (DIRECTIONAL) Requires Optional Mounting Purchased Separately, See Optional Mounting Section. 106.20 95.58 4" Round Strobe & LED. Beld or Amber, with 14 Flash Patterns 54.60 49.14 20000FR LED, Rive, with 14 Flash Patterns 55.20 49.68 20000FR LED, White, with 14 Flash Patterns 153.00 <td< td=""><td></td><td>T0*00M*R</td><td>LED Clearance Light, Amber or Red</td><td>14.10</td><td>12.69</td></td<>		T0*00M*R	LED Clearance Light, Amber or Red	14.10	12.69
Optional Mounting for 2" Round Series TFLANGED Flange Kit, Surface Mount, Chrome 7.50 6.75 TFLANGEC Flange Kit, Surface Mount, Chrome 7.50 6.75 TGROM2 2" Grommet 3.00 3.01 4" Round Super-LED® Lightheads. 5 Scan-Lock™ Flash Patterns (with Phase 1 and Phase 2) and Steady Burn with Synchronize Feature. Includes Adapter for PAR36 Applications. Requires Optional Mounting Purchased Separately, See Optional Mounting Section. 2F 002.7R Flat Lens, Super-LED. Synchronizable, White 106.20 95.58 2F 002.7R Extended Lens, Super-LED. Synchronizable, Blue, Red and/or Amber 96.60 86.94 2F 002.7R Extended Lens, Super-LED. Synchronizable, White 106.20 95.58 2F 002.7R Extended Lens, Super-LED. Synchronizable, White 106.20 95.58 4" Round Strobe & LED Lightheads (DIRECTIONAL) Requires Optional Mounting Purchased Separately, See Optional Mounting Section. 106.20 95.58 4" Round Strobe & LED. Beld or Amber, with 14 Flash Patterns 54.60 49.14 20000FR LED, Rive, with 14 Flash Patterns 55.20 49.68 20000FR LED, White, with 14 Flash Patterns 153.00 <td< td=""><td></td><td>T0CACCCR</td><td>LED Compartment Light, Intensity Level 3</td><td>24.90</td><td>22.41</td></td<>		T0CACCCR	LED Compartment Light, Intensity Level 3	24.90	22.41
TEAMSEC Islange Kit, Surface Mount, Chrome TGROM2 2' Grommet 3,30 3,51 4''Round Super-LED® Lightheads, 5 Scan-Lock™ Flash Patterns (with Phase 1 and Phase 2) and Steady Burn with Synchronize Feature, Includes Adapter for PAR36 Applications. Requires Optional Mounting Purchased Separately, See Optional Mounting Section. 2F'002'R Flat Lens, Super-LED, Synchronizable, White 106,20 95,58 2F'002'R Extended Lens, Super-LED, Synchronizable, Blue, Red and/or Amber 96,60 86,94 2FC002'R Extended Lens, Super-LED, Synchronizable, White 106,20 95,58 2F'002'R Extended Lens, Super-LED, Synchronizable, White 106,20 95,58 2F'002'R Extended Lens, Super-LED, Synchronizable, White 106,20 95,58 2F'002'R Extended Lens, Super-LED, Synchronizable, Blue, Red and/or Amber 20100000000000000000000000000000000000	Opti	ional Mounting f			
TELANGEC Flange Kil, Surface Mount, Chrome 7.50 6.75	•	TFLANGEB	Flange Kit, Surface Mount, Black	5.10	4.59
TGROM2 2° Grommet 3.90 3.51		TFLANGEC		7.50	6.75
A**Round Super-LED® Lightheads, 5 Scan-Lock™ Eash Patterns (with Phase 1 and Phase 2) and Steady Burn with Synchronize Feature, Includes Adapted for PAR36 Applications. Requires Optional Mounting Purchased Separately, See Optional Mounting Section. 2F'002'R		TGROM2		3.90	3.51
2F*002*R Flat Lens, Super-LED, Synchronizable, Blue, Red and/or Amber 96.60 86.94 2F*002*CR Extended Lens, Super-LED, Synchronizable, Blue, Red and/or Amber 96.60 86.94 2E*002*CR Extended Lens, Super-LED, Synchronizable, Blue, Red and/or Amber 96.60 86.94 2E*000*CR Extended Lens, Super-LED, Synchronizable, White 106.20 95.58 4* Round Strobe & LED Lightheads (DIRECTIONAL) Requires Optional Mounting Purchased Separately, See Optional Mounting Section. 201000*U Strobe, Round, Flat Lens 54.60 49.14 20*000*FR LED, Red or Amber, with 14 Flash Patterns 55.20 49.68 20800*FBR LED, Blue, with 14 Flash Patterns 99.00 89.10 20000*FCR LED, White, with 14 Flash Patterns 99.00 89.10 20000*FCR LED, White, with 14 Flash Patterns 99.00 89.10 20000*FCR LED, Blue, with 14 Flash Patterns 153.00 137.70 20000*FCR LED, Brake/Turn/Tail, Maximum Intensity 43.80 39.42 20000*FCR LED, Brake/Turn/Tail, Maximum Intensity 58.80 52.92 20000*FCR LED, Brake/Turn/Tail, Maximum Intensity 58.80 52.92 20000*FCR LED, Brake/Turn/Tail, Maximum Intensity 58.80 52.92 20000*FCR LED, Brake/Turn/Tail, Maximum Intensity 14.700 132.30 2000ACCR LED, Compartment Light, Intensity Level 1, White 49.20 44.28 2000BCCC LED, Compartment Light, Intensity Level 3, White 49.20 44.28 2000BCC LED, Compartment Light, Intensity Level 3, White 124.20 111.78 2FLANGEC Chrome Surface Mount Trim Ring Kit (For LED Models Only) 7.50 6.75 2FLANGEC Chrome Surface Mount Trim Ring Kit (For LED Models Only) 7.50 6.75 2FCANGEB Black Surface Mount Trim Ring Kit (For LED Models Only) 7.50 6.75 2FCANGEB Black Surface Mount Trim Ring Kit (For LED Models Only) 7.50 6.75 2FCANGEB Rick Surface Mount Trim Ring Kit (For LED Models Only) 7.50 6.75 2FCANGEB Rick Surface Mount Trim Ring Kit (For LED Models Only) 7.50 6.75 2FCANGEB Rick Surface Mount Trim Ring Kit (For LED Models Only) 7.50 6.75 2FCA	4" R	ound Super-LEI	D® Lightheads, 5 Scan-Lock™ Flash Patterns (with Phase 1 and Phase 2) and Steady Burn with Sy	nchronize Feature,	
PECODZCR	Inclu	des Adapter for F	PAR36 Applications. Requires Optional Mounting Purchased Separately, See Optional Mounting Sec	tion.	
Extended Lens, Super-LED, Synchronizable, White 106.20 95.58		2F*00Z*R	Flat Lens, Super-LED, Synchronizable, Blue, Red and/or Amber	96.60	86.94
2E*1002*TR		2FC00ZCR	Flat Lens, Super-LED, Synchronizable, White	106.20	95.58
### Round Strobe & LED Lightheads (DIRECTIONAL) Requires Optional Mounting Purchased Separately, See Optional Mounting Section. 201000°U Strobe, Round, Flat Lens 54.60 49.14 207005°FR LED, Red or Amber, with 14 Flash Patterns 55.20 49.68 208005FBR LED, Blue, with 14 Flash Patterns 99.00 89.10 2020005FCR LED, White, with 14 Flash Patterns 99.00 89.10 2020005FCR LED, White, with 14 Flash Patterns 153.00 137.70 20R00BRR LED, Brake/Turn/Tal, Minimum Intensity 43.80 39.42 20R008RR LED, Brake/Turn/Tal, Minimum Intensity 58.80 52.92 20A00AAR LED, Brake/Turn/Tal, Maximum Intensity 58.80 52.92 20A00AACR LED, Brake/Turn/Tal, Minimum Intensity 147.00 132.30 20C00MCCR LED, Compartment Light, Intensity Level 2, White 49.20 44.28 20C00BCCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C00CCC LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20FLANGEB Black Surface Mount Trim Ring Kit (For LED Models Only) 7.50 6.75 2FLANGEB Black Surface Mount Trim Ring Kit (For LED Models Only) 7.50 6.75 2GROMMET Grommet Mounting Kit (For Strobe or LED Models Only) 7.50 6.75 2GROMBET Grommet Mounting Kit (For Strobe or LED Models Only) 7.50 6.75 2GROMBET Grommet Mounting Kit (For Strobe or LED Models Only) 7.50 6.75 2GROMBET MEW 2G Super-LED® Brake/Turn/Tail, Meets SAE Requirements 17.40 15.66 4*Round, 2G Series Super-LED® Brake/Turn/Tail, Meets SAE Requirements 17.40 15.60 4*Round, 2G Series Super-LED® Brake/Turn/Tail, Meets SAE Requirements, Includes Industry Standard 18.30 16.47 Connector 400 Series Linear Strobe & Combination Linear Strobe/Halogen or Linear Strobe/LED, DIRECTIONAL, Requires Optional Mounting Purchased Separately, See Optional Mounting Section. 402000°U Strobe with a Duplex ED Brake/Turn/Tail, Meets SAE Requirements, Includes Industry Standard 18.30 16.47 CONDITIONAL 200.00 200.00 200.00 200.00 200.00 200.00 20		2E*00Z*R		96.60	86.94
A		2EC00ZCR	Extended Lens, Super-LED, Synchronizable, White	106.20	95.58
201000"U Strobe, Round, Flat Lens 54,60 49,14	4" R	ound Strobe & L	ED Lightheads (DIRECTIONAL) Requires Optional Mounting Purchased Separately, See Optional	Mounting Section.	
20'00F'R LED, Red or Amber, with 14 Flash Patterns 55.20 49,68					49.14
20C00FCR			LED, Red or Amber, with 14 Flash Patterns	55.20	49.68
20R00BRR LED, Brake/Turn/Tail, Minimum Intensity 20R00XRR LED, Brake/Turn/Tail, Maximum Intensity 58.80 52.92 20R00XRR LED, Brake/Turn/Tail, Maximum Intensity 58.80 52.92 20A00AAR LED, Amber Turn 52.80 47.52 20C00WCR LED, Compartment Light, Intensity Level 1, White 147.00 132.30 20C0ACCR LED, Compartment Light, Intensity Level 2, White 20C0ACCR LED, Compartment Light, Intensity Level 3, White 80.40 72.36 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White LED 20C0ACCR LED, Compartment Light, Intensity Level 3, White LED, Level 4, William Level 4, Leve		20B00FBR	LED, Blue, with 14 Flash Patterns	99.00	89.10
20R00BRR LED, Brake/Turn/Tail, Minimum Intensity 20R00KR LED, Brake/Turn/Tail, Maximum Intensity 58.80 52.92 20R00ARR LED, Brake/Turn/Tail, Maximum Intensity 55.80 47.52 20C00WCR LED, Amber Turn 52.80 47.52 20C00WCR LED, Compartment Light, Intensity Level 1, White 147.00 132.30 20C0ACCR LED, Compartment Light, Intensity Level 2, White 20C0ACCR LED, Compartment Light, Intensity Level 3, White 80.40 72.36 20C0BCCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0ACCR LED, Compartment Light, Intensity Level 3, White 136.60 124.74 20C0ACCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 111.79		20C00FCR		153.00	137.70
20A00AAR LED, Amber Turn 52.80 47.52		20R00BRR	LED, Brake/Turn/Tail, Minimum Intensity	43.80	39.42
20A00AAR		20R00XRR		58.80	52.92
20C0ACCR LED, Compartment Light, Intensity Level 1, White 20C0BCCR LED, Compartment Light, Intensity Level 2, White 80.40 72.36 20C0CCCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0CCCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0CCCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0CCCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0CCCR LED, Compartment Light, Intensity Level 3, White 124.20 111.78 20C0CCCR LED, Compartment Light, Intensity Level 3, White 20C0CCCR LED, Compartment Mounting for 4" Round Series 22FLANGED Black Surface Mount Trim Ring Kit (For LED Models Only) 7.50 6.75 22FLANGED Chrome Surface Mount Irim Ring Kit (For LED Models Only) 7.50 6.75 22FLANGED Chrome Surface Mount Includes Grommet, No Other Mounting Options Available 22GR01BRR NEW 2G Super-LED® Brake/Turn/Tail, Meets SAE Requirements 1.74 15.66 22GR01BRR NEW 2G Super-LED® Brake/Turn/Tail, Meets SAE Requirements, Includes Industry Standard 18.30 16.47 20C0Concctor 1.74 NEW 2G Super-LED® Brake/Turn/Tail, Meets SAE Requirements, Includes Industry Standard 18.30 16.47 20C0CONCCTOR 18.30 16.47 20C0CTOR 18.30		20A00AAR		52.80	47.52
20C0BCCR LED, Compartment Light, Intensity Level 2, White 124.20 111.78		20C00WCR	LED, Back-up	147.00	132.30
20C0BCCR LED, Compartment Light, Intensity Level 2, White 124.20 111.78		20C0ACCR	LED, Compartment Light, Intensity Level 1, White	49.20	44.28
Optional Mounting for 4" Round Series 2FLANGEB Black Surface Mount Trim Ring Kit (For LED Models Only) 5.10 4.59 2FLANGEC Chrome Surface Mount Trim Ring Kit (For LED Models Only) 7.50 6.75 2GROMMET Grommet Mounting Kit (For Strobe or LED Models) 3.90 3.51 4" Round, 2G Series Super-LED® Grommet Mount Includes Grommet, No Other Mounting Options Available 2GR01BRR NEW 2G Super-LED® Brake/Turn/Tail, Meets SAE Requirements 17.40 15.66 2GR01BRT NEW 2G Super-LED® Brake/Turn/Tail, Meets SAE Requirements, Includes Industry Standard 18.30 16.47 Connector 400 Series Linear Strobe & Combination Linear Strobe/Halogen or Linear Strobe/LED, DIRECTIONAL, Requires Optional Mounting Purchased Separately, See Optional Mounting Section. 402000*U Strobe, Without Flange 58.20 52.38 402000#U Strobe, Without Flange, Split Lens 81.00 72.90 402HIU0*U Duplex Strobe with a Duplex Snap-in Halogen, Without Flange with Red Lens 97.80 88.02 402*U0*U Duplex Strobe with a Duplex LED Brake/Tail/Turn Panel, Without Flange with Red Lens 97.80 88.02 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), w/Amber or Red LED 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), with Blue LED 400 Series Linear-LED® Super-LED®, Six Super-LED over Six Super-LED with Individual Controls of Upper and Lower Level. Requires Remote Flasher, Purchased Separately (NOT TO BE USED AS A STEADY BURN LIGHT). 40*SSCR Blue, Red and/or Amber 128.40 115.56 40*SSCR 1 Blue, Red and/or Amber 124.74		20C0BCCR	LED, Compartment Light, Intensity Level 2, White	80.40	72.36
2FLANGEB Black Surface Mount Trim Ring Kit (For LED Models Only) 2FLANGEC Chrome Surface Mount Trim Ring Kit (For LED Models Only) 2GROMMET Grommet Mounting Kit (For Strobe or LED Models) 3.90 3.51 4" Round, 2G Series Super-LED® Grommet Mount Includes Grommet, No Other Mounting Options Available 2GRO1BRR NEW 2G Super-LED® Brake/Turn/Tail, Meets SAE Requirements 2GR01BRT NEW 2G Super-LED® Brake/Turn/Tail, Meets SAE Requirements, Includes Industry Standard Connector 400 Series Linear Strobe & Combination Linear Strobe/Halogen or Linear Strobe/LED, DIRECTIONAL, Requires Optional Mounting Purchased Separately, See Optional Mounting Section. 402000*U Strobe, Without Flange, Split Lens 402000*U Strobe, Without Flange, Split Lens 4020HU0*U Duplex Strobe with a Duplex Snap-in Halogen, Without Flange with Red Lens 402RUXRU Duplex Strobe with a Duplex LED Brake/Tail/Turn Panel, Without Flange with Red Lens 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), W/Amber or Red LED 400*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), with Blue LED 400*Series Linear-LED® Super-LED®, Six Super-LED over Six Super-LED with Individual Controls of Upper and Lower Level. Requires Remote Flasher, Purchased Separately (NOT TO BE USED AS A STEADY BURN LIGHT). 40*SSCR Blue, Red and/or Amber 40*SSCR Blue, Red and/or Amber 128.40 115.56 40*SSCR 1 Blue, Red or Amber and 1 White		20C0CCCR	LED, Compartment Light, Intensity Level 3, White	124.20	111.78
2FLANGEB Black Surface Mount Trim Ring Kit (For LED Models Only) 2FLANGEC Chrome Surface Mount Trim Ring Kit (For LED Models Only) 2GROMMET Grommet Mounting Kit (For Strobe or LED Models) 3.90 3.51 4" Round, 2G Series Super-LED® Grommet Mount Includes Grommet, No Other Mounting Options Available 2GRO1BRR NEW 2G Super-LED® Brake/Turn/Tail, Meets SAE Requirements 2GR01BRT NEW 2G Super-LED® Brake/Turn/Tail, Meets SAE Requirements, Includes Industry Standard Connector 400 Series Linear Strobe & Combination Linear Strobe/Halogen or Linear Strobe/LED, DIRECTIONAL, Requires Optional Mounting Purchased Separately, See Optional Mounting Section. 402000*U Strobe, Without Flange, Split Lens 402000*U Strobe, Without Flange, Split Lens 4020HU0*U Duplex Strobe with a Duplex Snap-in Halogen, Without Flange with Red Lens 402RUXRU Duplex Strobe with a Duplex LED Brake/Tail/Turn Panel, Without Flange with Red Lens 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), W/Amber or Red LED 400*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), with Blue LED 400*Series Linear-LED® Super-LED®, Six Super-LED over Six Super-LED with Individual Controls of Upper and Lower Level. Requires Remote Flasher, Purchased Separately (NOT TO BE USED AS A STEADY BURN LIGHT). 40*SSCR Blue, Red and/or Amber 40*SSCR Blue, Red and/or Amber 128.40 115.56 40*SSCR 1 Blue, Red or Amber and 1 White	Opti	ional Mounting f	or 4" Round Series		
2GROMMET Grommet Mounting Kit (For Strobe or LED Models) 4" Round, 2G Series Super-LED® Grommet Mount Includes Grommet, No Other Mounting Options Available 2GR01BRR NEW 2G Super-LED® Brake/Turn/Tail, Meets SAE Requirements 2GR01BRT NEW 2G Super-LED® Brake/Turn/Tail, Meets SAE Requirements, Includes Industry Standard Connector 400 Series Linear Strobe & Combination Linear Strobe/Halogen or Linear Strobe/LED, DIRECTIONAL, Requires Optional Mounting Purchased Separately, See Optional Mounting Section. 402000"U Strobe, Without Flange 58.20 52.38 402000#U Strobe, Without Flange, Split Lens 81.00 72.90 402HU0"U Duplex Strobe with a Duplex Snap-in Halogen, Without Flange with Red Lens 97.80 88.02 402*U0"U Duplex Strobe with a Duplex LED Brake/Tail/Turn Panel, Without Flange with Red Lens 97.80 88.02 402*U0"U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), w/Amber or Red LED 402*U0"U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), with Blue LED 400 Series Linear-LED® Super-LED®, Six Super-LED over Six Super-LED with Individual Controls of Upper and Lower Level. Requires Remote Flasher, Purchased Separately (NOT TO BE USED AS A STEADY BURN LIGHT). 40**SSCR Blue, Red and/or Amber 128.40 115.56 40**SSCR 1 Blue, Red or Amber and 1 White	•	2FLANGEB	Black Surface Mount Trim Ring Kit (For LED Models Only)	5.10	4.59
4" Round, 2G Series Super-LED® Grommet Mount Includes Grommet, No Other Mounting Options Available 2GR01BRR NEW 2G Super-LED® Brake/Turn/Tail, Meets SAE Requirements 17.40 15.66 2GR01BRT NEW 2G Super-LED® Brake/Turn/Tail, Meets SAE Requirements, Includes Industry Standard 18.30 16.47 400 Series Linear Strobe & Combination Linear Strobe/Halogen or Linear Strobe/LED, DIRECTIONAL, Requires Optional Mounting Purchased Separately, See Optional Mounting Section. 402000*U Strobe, Without Flange 58.20 52.38 402000#U Strobe, Without Flange, Split Lens 81.00 72.90 402HU0*U Duplex Strobe with a Duplex Snap-in Halogen, Without Flange 78.60 70.74 402RUXRU Duplex Strobe with a Duplex LED Brake/Tail/Turn Panel, Without Flange with Red Lens 97.80 88.02 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), 94.80 85.32 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), 206.40 185.76 with Blue LED 400 Series Linear-LED® Super-LED®, Six Super-LED over Six Super-LED with Individual Controls of Upper and Lower Level. Requires Remote Flasher, Purchased Separately (NOT TO BE USED AS A STEADY BURN LIGHT). 40*SSCR Blue, Red and/or Amber 128.40 115.56 40*SSCR 1 Blue, Red or Amber and 1 White		2FLANGEC	Chrome Surface Mount Trim Ring Kit (For LED Models Only)	7.50	6.75
2GR01BRR NEW 2G Super-LED® Brake/Turn/Tail, Meets SAE Requirements 17.40 15.66 2GR01BRT NEW 2G Super-LED® Brake/Turn/Tail, Meets SAE Requirements, Includes Industry Standard Connector 400 Series Linear Strobe & Combination Linear Strobe/Halogen or Linear Strobe/LED, DIRECTIONAL, Requires Optional Mounting Purchased Separately, See Optional Mounting Section. 402000°U Strobe, Without Flange 58.20 52.38 402000#U Strobe, Without Flange, Split Lens 81.00 72.90 402HU0°U Duplex Strobe with a Duplex Snap-in Halogen, Without Flange 78.60 70.74 402RUXRU Duplex Strobe with a Duplex LED Brake/Tail/Turn Panel, Without Flange with Red Lens 97.80 88.02 402*U0°U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), w/Amber or Red LED 402*U0°U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), with Blue LED 400 Series Linear-LED® Super-LED®, Six Super-LED over Six Super-LED with Individual Controls of Upper and Lower Level. Requires Remote Flasher, Purchased Separately (NOT TO BE USED AS A STEADY BURN LIGHT).		2GROMMET	Grommet Mounting Kit (For Strobe or LED Models)	3.90	3.51
2GR01BRT NEW 2G Super-LED® Brake/Turn/Tail, Meets SAE Requirements, Includes Industry Standard Connector 400 Series Linear Strobe & Combination Linear Strobe/Halogen or Linear Strobe/LED, DIRECTIONAL, Requires Optional Mounting Purchased Separately, See Optional Mounting Section. 402000*U Strobe, Without Flange 58.20 52.38 402000#U Strobe, Without Flange, Split Lens 81.00 72.90 402HU0*U Duplex Strobe with a Duplex Snap-in Halogen, Without Flange with Red Lens 97.80 88.02 402*U0*U Duplex Strobe with a Duplex LED Brake/Tail/Turn Panel, Without Flange with Red Lens 97.80 88.02 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), W/Amber or Red LED Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), with Blue LED 400 Series Linear-LED® Super-LED®, Six Super-LED over Six Super-LED with Individual Controls of Upper and Lower Level. Requires Remote Flasher, Purchased Separately (NOT TO BE USED AS A STEADY BURN LIGHT). 40*SCR Blue, Red and/or Amber 128.40 115.56 40*SCR 1 Blue, Red or Amber and 1 White 138.60 124.74	4" R	ound, 2G Series	Super-LED® Grommet Mount Includes Grommet, No Other Mounting Options Available		
Connector 400 Series Linear Strobe & Combination Linear Strobe/Halogen or Linear Strobe/LED, DIRECTIONAL, Requires Optional Mounting Purchased Separately, See Optional Mounting Section. 402000*U Strobe, Without Flange 58.20 52.38 402000#U Strobe, Without Flange, Split Lens 81.00 72.90 402HU0*U Duplex Strobe with a Duplex Snap-in Halogen, Without Flange with Red Lens 97.80 88.02 402*U0*U Duplex Strobe with a Duplex LED Brake/Tail/Turn Panel, Without Flange with Red Lens 97.80 88.02 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), w/Amber or Red LED 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), with Blue LED 400 Series Linear-LED® Super-LED®, Six Super-LED over Six Super-LED with Individual Controls of Upper and Lower Level. Requires Remote Flasher, Purchased Separately (NOT TO BE USED AS A STEADY BURN LIGHT). 40*SSCR Blue, Red and/or Amber 128.40 115.56 40*SCR 1 Blue, Red or Amber and 1 White 138.60 124.74		2GR01BRR	NEW 2G Super-LED® Brake/Turn/Tail, Meets SAE Requirements	17.40	15.66
400 Series Linear Strobe & Combination Linear Strobe/Halogen or Linear Strobe/LED, DIRECTIONAL, Requires Optional Mounting Purchased Separately, See Optional Mounting Section. 402000*U Strobe, Without Flange 58.20 52.38 402000#U Strobe, Without Flange, Split Lens 81.00 72.90 402HU0*U Duplex Strobe with a Duplex Snap-in Halogen, Without Flange 78.60 70.74 402RUXRU Duplex Strobe with a Duplex LED Brake/Tail/Turn Panel, Without Flange with Red Lens 97.80 88.02 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), 94.80 85.32 W/Amber or Red LED Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), 206.40 185.76 with Blue LED 400 Series Linear-LED® Super-LED®, Six Super-LED over Six Super-LED with Individual Controls of Upper and Lower Level. Requires Remote Flasher, Purchased Separately (NOT TO BE USED AS A STEADY BURN LIGHT). 40*SSCR Blue, Red and/or Amber 128.40 115.56 40*SCR 1 Blue, Red or Amber and 1 White 138.60 124.74		2GR01BRT	NEW 2G Super-LED® Brake/Turn/Tail, Meets SAE Requirements, Includes Industry Standard	18.30	16.47
Purchased Separately, See Optional Mounting Section. 402000*U Strobe, Without Flange 58.20 52.38 402000#U Strobe, Without Flange, Split Lens 81.00 72.90 402HU0*U Duplex Strobe with a Duplex Snap-in Halogen, Without Flange 78.60 70.74 402RUXRU Duplex Strobe with a Duplex LED Brake/Tail/Turn Panel, Without Flange with Red Lens 97.80 88.02 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), 94.80 85.32 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), 206.40 185.76 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), 206.40 185.76 400 Series Linear-LED® Super-LED®, Six Super-LED over Six Super-LED with Individual Controls of Upper and Lower Level. Requires Remote Flasher, Purchased Separately (NOT TO BE USED AS A STEADY BURN LIGHT). 40**SSCR Blue, Red and/or Amber 128.40 115.56 40**SSCR 1 Blue, Red or Amber and 1 White 138.60 124.74					
402000*U Strobe, Without Flange 58.20 52.38 402000#U Strobe, Without Flange, Split Lens 81.00 72.90 402HU0*U Duplex Strobe with a Duplex Snap-in Halogen, Without Flange 78.60 70.74 402RUXRU Duplex Strobe with a Duplex LED Brake/Tail/Turn Panel, Without Flange with Red Lens 97.80 88.02 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), 94.80 85.32 W/Amber or Red LED 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), 94.80 85.32 W/Amber or Red LED 400 Series Linear-LED® Super-LED®, Six Super-LED over Six Super-LED with Individual Controls of Upper and Lower Level. Requires Remote Flasher, Purchased Separately (NOT TO BE USED AS A STEADY BURN LIGHT). 40**SSCR Blue, Red and/or Amber 128.40 115.56 40**SSCR 1 Blue, Red or Amber and 1 White 138.60 124.74	400	Series Linear St	robe & Combination Linear Strobe/Halogen or Linear Strobe/LED, DIRECTIONAL, Requires Op	tional Mounting	
402000#U Strobe, Without Flange, Split Lens 402HU0*U Duplex Strobe with a Duplex Snap-in Halogen, Without Flange 402RUXRU Duplex Strobe with a Duplex LED Brake/Tail/Turn Panel, Without Flange with Red Lens 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), W/Amber or Red LED 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), W/Amber or Red LED 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), With Blue LED 400 Series Linear-LED® Super-LED®, Six Super-LED over Six Super-LED with Individual Controls of Upper and Lower Level. Requires Remote Flasher, Purchased Separately (NOT TO BE USED AS A STEADY BURN LIGHT). 40**5SCR Blue, Red and/or Amber 128.40 115.56 40**5SCR 1 Blue, Red or Amber and 1 White	Purc				
402HU0*U Duplex Strobe with a Duplex Snap-in Halogen, Without Flange 78.60 70.74 402RUXRU Duplex Strobe with a Duplex LED Brake/Tail/Turn Panel, Without Flange with Red Lens 97.80 88.02 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), 94.80 85.32 W/Amber or Red LED 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), 206.40 185.76 with Blue LED 400 Series Linear-LED® Super-LED®, Six Super-LED over Six Super-LED with Individual Controls of Upper and Lower Level. Requires Remote Flasher, Purchased Separately (NOT TO BE USED AS A STEADY BURN LIGHT). 40**SSCR Blue, Red and/or Amber 128.40 115.56 40**SSCR 1 Blue, Red or Amber and 1 White 138.60 124.74				58.20	52.38
402RUXRU Duplex Strobe with a Duplex LED Brake/Tail/Turn Panel, Without Flange with Red Lens 97.80 88.02 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), 94.80 85.32 W/Amber or Red LED 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), with Blue LED 400 Series Linear-LED® Super-LED®, Six Super-LED over Six Super-LED with Individual Controls of Upper and Lower Level. Requires Remote Flasher, Purchased Separately (NOT TO BE USED AS A STEADY BURN LIGHT). 40**5SCR Blue, Red and/or Amber 128.40 115.56 40**5SCR 1 Blue, Red or Amber and 1 White 138.60 124.74					
402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), W/Amber or Red LED 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), with Blue LED 400 Series Linear-LED® Super-LED®, Six Super-LED over Six Super-LED with Individual Controls of Upper and Lower Level. Requires Remote Flasher, Purchased Separately (NOT TO BE USED AS A STEADY BURN LIGHT). 40**5SCR Blue, Red and/or Amber 128.40 115.56 40**5SCR 1 Blue, Red or Amber and 1 White				78.60	
w/Amber or Red LED 402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), with Blue LED 400 Series Linear-LED® Super-LED®, Six Super-LED over Six Super-LED with Individual Controls of Upper and Lower Level. Requires Remote Flasher, Purchased Separately (NOT TO BE USED AS A STEADY BURN LIGHT). 40**5SCR Blue, Red and/or Amber 40**5SCR 1 Blue, Red or Amber and 1 White 138.60 124.74				97.80	
402*U0*U Duplex Strobe with a Duplex LED Panel, without Flange (Color LED with Color Outer Lens), with Blue LED 400 Series Linear-LED® Super-LED®, Six Super-LED over Six Super-LED with Individual Controls of Upper and Lower Level. Requires Remote Flasher, Purchased Separately (NOT TO BE USED AS A STEADY BURN LIGHT). 40**5SCR Blue, Red and/or Amber 128.40 115.56 40**5SCR 1 Blue, Red or Amber and 1 White		402*U0*U		94.80	85.32
with Blue LED 400 Series Linear-LED® Super-LED®, Six Super-LED over Six Super-LED with Individual Controls of Upper and Lower Level. Requires Remote Flasher, Purchased Separately (NOT TO BE USED AS A STEADY BURN LIGHT). 40**5SCR Blue, Red and/or Amber 128.40 115.56 40**5SCR 1 Blue, Red or Amber and 1 White 138.60 124.74					
400 Series Linear-LED® Super-LED®, Six Super-LED over Six Super-LED with Individual Controls of Upper and Lower Level. RequiresRemote Flasher, Purchased Separately (NOT TO BE USED AS A STEADY BURN LIGHT).128.40115.5640**5SCRBlue, Red and/or Amber128.40115.5640**5SCR1 Blue, Red or Amber and 1 White138.60124.74		402*U0*U		206.40	185.76
Remote Flasher, Purchased Separately (NOT TO BE USED AS A STEADY BURN LIGHT). 40**5SCR Blue, Red and/or Amber 128.40 115.56 40**5SCR 1 Blue, Red or Amber and 1 White 138.60 124.74					
40**5SCR Blue, Red and/or Amber 128.40 115.56 40**5SCR 1 Blue, Red or Amber and 1 White 138.60 124.74				Level. Requires	
40**5SCR 1 Blue, Red or Amber and 1 White 138.60 124.74	Rem				
			•		
40CC5SCR White 148.80 133.92					
		40CC5SCR	White	148.80	133.92

400 Series Single Level Linear-LED® Super-LED®, Includes 5 Scan-Lock Flash Patterns (with Phase 1 and Phase 2) and Steady Burn with Sychronize Feature

with Sychronize Feat	ure	•	
40*02Z*R	NEW Amber, Blue or Red	68.40	61.56
40C02ZCR	NEW White	80.40	72.36
400 Series LED, Bra	ike/Tail/Turn, Combination LED/Halogen & Combination Flashing/Steady Burn, Surface Mount, v	vith 14 Flash	
	eady Burn. Color LED'S with Color Outer Lens. Requires Optional Mounting Purchased Separately, So		
40*00F*R	LED, Red or Amber with 14 Flash Patterns	55.20	49.68
40B00FBR	LED, Blue with 14 Flash Patterns	124.20	111.78
40C00FCR	LED, White with 14 Flash Patterns	136.80	123.12
40R00XRR	LED, Brake/Tail/Turn with 2 Flash Patterns Maximum Intensity	61.80	55.62
40A00AAR	LED, Turn Light Amber	72.60	65.34
40C00VCR	LED, Interior/Back-up light, Minimum Intensity	93.00	83.70
40*HU0*U	Duplex LED Panel with a Duplex Snap-in Halogen, without Flange (Color LED with Color Outer	91.80	82.62
40*HU0*U	Lens), w/Amber or Red LED (For Use with 4EFLANGE Only) Duplex LED Panel with a Duplex Snap-in Halogen, without Flange (Color LED with Color Outer Lens), w/Blue or White LED (For Use with 4EFLANGE Only)	203.40	183.06
400 Series Snap-In I	Halogen, Requires Optional Mounting Purchased Separately, See OptionaAdvantedge® Mounting Se	ection.	
40J000*R	Without Flange	49.20	44.28
40J000#R	Without Flange, Split Lens	72.00	64.80
Options for 400 Seri			
4FLANGEB	Black Flange Kit for 400 Series (not for use with Linear-LED Super-LED)	5.10	4.59
4TSMAB	Black Super-LED Surface Mount Adapter, Linear-LED Super-LED Only	5.10	4.59
4TSMAC	Chrome Plated Super-LED Surface Mount Adapter, Linear-LED Super-LED Only	7.50	6.75
4EFLANGE	Chrome Plated Flange Kit for 400 Series (Not for use with Linear-LED Super-LED)	7.50	6.75
GE4KT4LP	Surface Mount Housing for 2004-2005 Ford E350/450 Chassis, 400 Series Driver Side, For Under Headlight	45.60	41.04
GE4KT4RP	Surface Mount Housing for 2004-2005 Ford E350/450 Chassis, 400 Series Passenger Side, For Under Headlight	45.60	41.04
GE4KT3LP	Grille Light Kit for Ford E Series, Driver Side 2003, No Grille Modification Required	45.60	41.04
GE4KT3RP	Grille Light Kit for Ford E Series, Passenger Side 2003, No Grille Modification Required	45.60	41.04
GF4KT9LP	Grille Light Kit for Ford F Series (For F250 and Up), Driver Side 1999-2003, No Grille Modification Required	36.60	32.94
GF4KT9RP	Grille Light Kit for Ford F Series (For F250 and Up), Passenger Side 1999-2003, No Grille Modification Required	36.60	32.94
4EGRILP			31.86
4EGRILB	Grille-Master™ Black Housing with Swivel Bracket for 400 Series. Not for use with LED/Halogen Combination Models	32.40	29.16
4ILKT1	Polished Intersection Housing Kit, Sold in Pairs, 4300/4400 International® Chassis Only	87.00	78.30
	trobe, DIRECTIONAL, Requires Optional Mounting Purchased Separately, See Optional Mounting Se		
502000*U	\$ Strobe	55.80	50.22
502000#U	\$ Strobe, Split Lens	73.80	66.42
500 Series Super-LE	ED® Lightheads, Color LED's with Color Outer Lens, 5 Scan-Lock™ Flash Patterns (with Phase 1 an	d Phase 2), Steady	
	e Wire. Requires Optional Mounting Purchased Separately, See Optional Mounting Section.		
50*02Z*R	Blue, Red or Amber, For Horizontal Mounting	90.00	81.00
50C02ZCR	White, For Horizontal Mounting	100.80	90.72
5V*02Z*R	Amber, Blue or Red, For Vertical Mounting	90.00	81.00
5VC02ZCR	White, For Vertical Mounting	100.80	90.72
	uper-LED®, Color LED's with Color Outer Lens, Six Super-LED's (per panel). 5 Scan-Lock™ Flash P. 2), Steady Burn and Synchronize Wire. Requires Optional Mounting Purchased Separately, See Option		
50*03Z*R	Blue, Red and/or Amber	91.80	82.62
50C03ZCR	White	100.20	90.18
	face Mount, Color LED's with Color Outer Lens. No Mounting Required.		
5S*00F*R	Red or Amber, with 14 Flash Patterns	49.20	44.28
5S*00F*R	Blue or White, with 14 Flash Patterns	93.00	83.70
5SC000ZR	Gradient Opti-Scenelight™	111.60	100.44
5SR00XRR	Brake/Tail/Turn, with 2 Flash Patterns	49.20	44.28
5SC00WCR	Back-up	93.00	83.70
5SA00MAR	Clearance, Amber	17.40	15.66
5SR00MRR	Clearance, Red	17.40	15.66
E001000	Compartment Light, Clear Lens	106.80	96.12
5SCA0CCR	or LED's with Color Outer Lens. Requires Optional Mounting Purchased Separately, See Optional Mo	unting Section.	
		40.20	44.28
	Red or Amber with 14 Flash Patterns	49.20	
500 Series LED, Col	Red or Amber with 14 Flash Patterns Blue or White with 14 Flash Patterns	93.00	83.70
Series LED, Colo 50*00F*R			
500 Series LED, Colo 50*00F*R 50*00F*R	Blue or White with 14 Flash Patterns	93.00	83.70
500 Series LED, Cole 50*00F*R 50*00F*R 50C000ZR	Blue or White with 14 Flash Patterns Gradient Opti-Scenelight™	93.00 111.60	83.70 100.44
500 Series LED, Cole 50*00F*R 50*00F*R 50C000ZR 50R00XRR	Blue or White with 14 Flash Patterns Gradient Opti-Scenelight™ Brake/Tail/Turn, with 2 Flash Patterns	93.00 111.60 49.20	83.70 100.44 44.28



Whelen Engineering Company, Inc. No. PL05.1WD VALID: July 1, 2005 - December 22, 2005 Marriag Durchard Screenbly See Ordered Marriag Scatters

50K000*R	Halogen, Requires Optional Mounting Purchased Separately, See Optional Mounting Section. Halogen	40.80	36.7
50X000RR	Brake/Tail/Turn	34.80	31.3
		34.00	31.3
	es (For all 500 Series Lightheads, Except 5S Surface Mount Models)	F 10	4.5
5FLANGEB	Black Trim Ring, Kit	5.10	4.5
5FLANGEC	Chrome Plated Trim Ring, Kit	7.50	6.7
5FLANGEP	Polished Aluminum Flange	18.90	17.0
5GROMMET	Grommet Mount Kit	3.90	3.
52SMAB	Black Surface Mount Adapter, Strobe Only, Requires Flange Purchased Separately	5.10	4.
5TSMAB	Black Super-LED Surface Mount Adapter, TIR6 Super-LED Only	5.10	4.
5HSGB1	7/8" to 1" Round Bar Mount Kit, Includes Housing and Flange	90.00	81.
5TSMAC	Chrome Plated Super-LED Surface Mount Adapter, TIR6 Super-LED Only	7.50	6.
5BRUSH	Aluminum Brush Guard, Includes Surface Mount Adapter for Super-LED Series Only. 5mm	13.50	12.
	Requires Optional Flange Purchased Separately		
5HSGB125	1.25" Round Bar Mount Kit, Includes Housing and Flange	90.00	81.
5HSGPED	Pedestal Swivel Mount Kit, Includes Housing and Flange	90.00	81.
52TRUNKT	Trunk Warning Light Installation Kit for 2-500 Series LED's (Purchased Separately) for Crown Vic, Explorer and Expedition	6.60	5.
5BKT1	Mounting Bracket for 500 Series Super-LED, 2004 Ford Crown Victoria Only	6.30	5.
	Strobe, Surface Mount (DIRECTIONAL)	0.30	<u>J.</u>
	Strobe	102.40	92.
58EC20*U		102.60	
58EC20#U	Strobe, Split Lens	127.80	115.
508TRIM	Chrome Plated Flange Cover	7.50	6.
	able Halogen Lights, Surface Mount (Less Cable)		
580CAA*R	Dual Halogen	95.40	85.
580CAA#R	Dual Halogen, Split Lens	119.40	107.
580CAAZR	8-32 Degree Halogen Scenelight	95.40	85.
508TRIM	Chrome Plated Flange Cover	7.50	6.
Series Super-LEI	D® and LED Grommet Mount Lightheads Includes Grommet, No Other Mounting Options Available		
5G*00F*R	NEW LED Warning Light, Amber or Red with 14 Flash Patterns	40.80	36.
5GR01BRR	Super-LED Brake/Turn/Tail, Meets SAE Requirementst	21.30	19.
5GR01BRT	Super-LED Brake/Turn/Tail, Meets SAE RequirementsIncludes, Industry Standard Connector	23.10	20.
	robe, Lightheads, DIRECTIONAL, Requires Optional Mounting Purchased Separately, See Optional Mounting		20.
602000*U	Without Flange	78.60	70.
602000#U	Without Flange, Split Lens	100.80	90.
uires Optional Mo	theads, Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Openiting Purchased Separately, See Optional Mounting Section.		
60*00F*R	Flashing, without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn	106.20	95.
60*00F*R	Flashing, without Flange, Blue or White, with 14 Flash Patterns including Steady Burn	248.40	223.
60A00TAR	Amber Turn Signal, Populated Arrow shape w/out Flange, w/multiple Flash Patterns	91.80	82.
60A00AAR	Turn Light, Amber	121.80	109.
60R00BRR	Brake/Taillight without Flange, with 2 Flash Patterns, Meets SAE Requirements	61.80	55.
60R00XRR	Brake/Taillight without Flange, with 2 Flash Patterns, Exceeds SAE Requirements	102.60	92.
60C00VCR	Interior/Back-up light, Minimum Intensity	78.00	70.
60C00WCR	Interior/Back-up light, Maximum Intensity	295.80	266.
60ARSFCR	1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn).	109.20	98.
60RRSFRR	1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn).	109.20	98.
	D® Lightheads, Surface Mount, Color LED's with Color Outer Lens (Unless Specified). Requires Optional y, See Optional Mounting Section.	l Mounting	
60*02S*R	Amber, Blue or Red, Without Flange, Requires LED Flasher Purchased Separately	117.60	105.
60C02SCR	White, Without Flange, Requires LED Flasher Purchased Separately	142.80	128.
60*02F*R	Amber, Blue or Red, Includes Internal Flasher with Flash Patterns, Steady Burn and Hi/Low Power	124.20	111.
60C02FCR	White, Includes Internal Flasher with Flash Patterns, Steady Burn and Hi/Low Power	149.40	134.
60RA6FCR	1/2 Red, 1/2 Amber, Side By Side with Clear Outer Lens with 20 Scan-Lock Flash Patterns	124.20	111.
(ADD/EAD	and Independent On/Off Control of Each Side	104.00	111
60BR6FCR	1/2 Red, 1/2 Blue, Side By Side with Clear Outer Lens with 20 Scan-Lock Flash Patterns and Independent On/Off Control of Each Side	124.20	111.
60RC6FCR	1/2 Red, 1/2 White, Side By Side with Clear Outer Lens with 20 Scan-Lock Flash Patterns and Independent On/Off Control of Each Side	136.80	123.
	Halogen Lightheads, Requires Optional Mounting Purchased Separately, See Optional Mounting Section.		
Series Snap-In F	Without Flange	52.80	47.
Series Snap-In F 60F000*R			
		76.20	
60F000*R 60F000#R	Without Flange, Split Lens	76.20 69.60	68.
60F000*R 60F000#R 60K000YR	Without Flange, Split Lens 13 Degree Opti-Scenelight™, without Flange	69.60	68. 62.
60F000*R 60F000#R 60K000YR 60K000XR	Without Flange, Split Lens 13 Degree Opti-Scenelight™, without Flange 26 Degree Opti-Scenelight™, without Flange	69.60 69.60	68. 62. 62.
60F000*R 60F000#R 60K000YR 60K000XR 60K000YR	Without Flange, Split Lens 13 Degree Opti-Scenelight™, without Flange 26 Degree Opti-Scenelight™, without Flange 13 Degree Opti-Scenelight™, without Flange	69.60 69.60 69.60	68. 62. 62. 62.
60F000*R 60F000#R 60K000YR 60K000XR 60K000YR 60J000CR	Without Flange, Split Lens 13 Degree Opti-Scenelight™, without Flange 26 Degree Opti-Scenelight™, without Flange 13 Degree Opti-Scenelight™, without Flange Back-up Light without Flange	69.60 69.60 69.60 52.80	68. 62. 62. 62. 47.
60F000*R 60F000#R 60K000YR 60K000XR 60K000YR 60J000CR 60X000QR	Without Flange, Split Lens 13 Degree Opti-Scenelight™, without Flange 26 Degree Opti-Scenelight™, without Flange 13 Degree Opti-Scenelight™, without Flange Back-up Light without Flange Red Arrow, Left/Right	69.60 69.60 69.60 52.80 55.80	68. 62. 62. 62. 47. 50.
60F000*R 60F000#R 60K000YR 60K000XR 60K000YR 60J000CR	Without Flange, Split Lens 13 Degree Opti-Scenelight™, without Flange 26 Degree Opti-Scenelight™, without Flange 13 Degree Opti-Scenelight™, without Flange Back-up Light without Flange	69.60 69.60 69.60 52.80	68. 62. 62. 62. 47.

ons for 600 Ser 64FKIT	Mounting Kit to convert 600 Series to fit in Old Style 64 Series Hole Cutouts	3.00	2
6FLANGEB	Black Flange Kit for 600 Series	5.10	
6EFLANGE	Chrome Plated Flange Kit for 600 Series	7.50	- (
6EHDLTMK	Headlight Mounting Kit includes Bracket & Hardware. For ATI & KD Housing, (Lighthead	15.00	13
OLIDLINK	Purchased Separately)	15.00	1.
PLAST3V	Composite Housing for Vertical Mounting, Three Lamp	79.80	7
PLAST4V	Composite Housing for Vertical Mounting, Three Earlip Composite Housing for Vertical Mounting, Four Lamp	112.80	10
CAST1L	Polished Cast Aluminum Housing, for Horizontal Mounting, 1 Lamp	57.00	5
CAST3	Polished Cast Aluminum Housing, for Vertical Mounting, 3 Lamp	99.00	8
CAST3H	Polished Cast Aluminum Housing, for Horizontal Mounting, 3 Lamp	99.00	8
CAST4V	Polished Cast Aluminum Housing, for Vertical Mounting, 4 Lamp	131.40	118
	trobe Lightheads, DIRECTIONAL, Requires Optional Mounting Purchased Separately, See Optional	Mounting Section.	
702000*U	Without Flange	73.20	6
702000#U	Without Flange, Split Lens	94.80	8
702*S0*U	700 Series Linear Strobe with LED Combination (Amber or Red)	93.60	8
	ED® Lightheads, Surface Mount, Color LED's with Color Outer Lens (Unless Specified). Requires Op-		
	y, See Optional Mounting Section.	Juonai Wounting	
		117 / 0	10
70*02S*R	Amber, Blue or Red, Without Flange, Requires LED Flasher Purchased Separately	117.60	10
70C02SCR	White, Requires LED Flasher Purchased Separately	142.80	12
70*02F*R	Amber, Blue or Red, Includes Internal Flasher with Flash Patterns, Steady Burn and Hi/Low	124.20	11
	Power		
70C02FCR	White, Includes Internal Flasher with Flash Patterns, Steady Burn and Hi/Low Power	149.40	13
70RA6FCR	1/2 Red, 1/2 Amber, Side By Side with Clear Outer Lens with 20 Scan-Lock Flash Patterns	124.20	11
7010101 010	and Independent On/Off Control of Each Side	124.20	
70004500		124.20	11
70BR6FCR	1/2 Red, 1/2 Blue, Side By Side with Clear Outer Lens with 20 Scan-Lock Flash Patterns and	124.20	11
	Independent On/Off Control of Each Side		
70RC6FCR	1/2 Red, 1/2 White, Side By Side with Clear Outer Lens with 20 Scan-Lock Flash Patterns and	136.80	12
	Independent On/Off Control of Each Side		
Series LED Ligi	ntheads, Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Co	olor Outer Lens.	
	ounting Purchased Separately, See Optional Mounting Section.		
70*00F*R	Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn	93.00	8
70*00F*R	Without Flange, Blue or White, with 14 Flash Patterns including Steady Burn	208.80	18
70A00ZAR	700 Series LED, Amber with Signal Alert™ Flash Pattern and Synchronize Feature.	109.20	9
70RBSFJR	Without Flange, Split Red/Blue with Split Red/Blue Lens, with 21 Flash Patterns and California	147.60	13
	Red Steady Burn		
70RCSFDR	Without Flange, Split Red/White with Split Red/White Lens, with 21 Flash Patterns and	147.60	13
	California Red Steady Burn		
70R00BRR	Brake/Tail/Turn, without Flange, Meets SAE Requirements, with 2 Flash Patterns	61.80	5
70R00XRR	Brake/Tail/Turn, without Flange, Exceeds SAE Requirements, with 2 Flash Patterns	87.00	7
70C00VCR	Interior/Back-up light, Minimum Intensity	84.60	7
70C00WCR	Interior/Back-up light, Maximum Intensity, with 14 Flash Patterns	233.40	21
70A00AAR	Amber Turn, Less Arrow, with 2 Flash Patterns	78.00	7
70A00TAR	Amber Turn Signal, Sequential Chevron Arrow without Flange with Multi-Flash Pattern	78.00	7
70ARSFCR	1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off	97.80	8
	and Pattern of Each Side (1 Flash Pattern and Steady Burn).		
Series Snan-In	Halogen Lightheads, Requires Optional Mounting Purchased Separately, See Optional Mounting Se	oction	
70F000*R	Without Flange	47.40	4
70F000#R	Without Flange, Split Lens	75.00	6
70K000ZR	8-32 Degree Opti-Scenelight™, without Flange	59.40	5
70J000CR	27 Watt Back-up Light, without Flange	47.40	4
70X000QR	Red Arrow, Left/Right	52.80	4
70X000RR	Brake/Tail/Turn	49.20	4
70X000TR	Amber Arrow, Left/Right	52.80	4
ons for 700 Ser		1 1 1 1	
	Black Flange Kit for 700 Series	5.10	
	3		
7FLANGEB	Change Distant Floring Witter 700 Coultry		
7EFLANGE	Chrome Plated Flange Kit for 700 Series	7.50	
7EFLANGE 7CAST1	Polished Cast Aluminum Housing for 700 Series, 1 Lamp (Not for use with 702*S0*U)	55.20	4
7EFLANGE 7CAST1 7CAST3	Polished Cast Aluminum Housing for 700 Series, 1 Lamp (Not for use with 702*S0*U) Polished Cast Aluminum Housing for 700 Series, 3 Lamps (Not for use with 702*S0*U)		4
7EFLANGE 7CAST1	Polished Cast Aluminum Housing for 700 Series, 1 Lamp (Not for use with 702*S0*U)	55.20	8
7EFLANGE 7CAST1 7CAST3 GEKT98LP	Polished Cast Aluminum Housing for 700 Series, 1 Lamp (Not for use with 702*S0*U) Polished Cast Aluminum Housing for 700 Series, 3 Lamps (Not for use with 702*S0*U) † Grille Light Kit for Ford E Series Driver Side, 1997-2001	55.20 96.00	4 8 3
7EFLANGE 7CAST1 7CAST3 GEKT98LP GEKT98RP	Polished Cast Aluminum Housing for 700 Series, 1 Lamp (Not for use with 702*S0*U) Polished Cast Aluminum Housing for 700 Series, 3 Lamps (Not for use with 702*S0*U) † Grille Light Kit for Ford E Series Driver Side, 1997-2001 † Grille Light Kit for Ford E Series Passenger Side, 1997-2001	55.20 96.00 36.60 36.60	4 8 3 3
7EFLANGE 7CAST1 7CAST3 GEKT98LP	Polished Cast Aluminum Housing for 700 Series, 1 Lamp (Not for use with 702*S0*U) Polished Cast Aluminum Housing for 700 Series, 3 Lamps (Not for use with 702*S0*U) † Grille Light Kit for Ford E Series Driver Side, 1997-2001 † Grille Light Kit for Ford E Series Passenger Side, 1997-2001 Grille-Master™ Chrome Housing Kit with Swivel Bracket for 700 Series Linear Strobe & LED	55.20 96.00 36.60	4 8 3 3
7EFLANGE 7CAST1 7CAST3 GEKT98LP GEKT98RP 7EGRILP	Polished Cast Aluminum Housing for 700 Series, 1 Lamp (Not for use with 702*S0*U) Polished Cast Aluminum Housing for 700 Series, 3 Lamps (Not for use with 702*S0*U) † Grille Light Kit for Ford E Series Driver Side, 1997-2001 † Grille Light Kit for Ford E Series Passenger Side, 1997-2001 Grille-Master™ Chrome Housing Kit with Swivel Bracket for 700 Series Linear Strobe & LED Only	55.20 96.00 36.60 36.60 35.40	4 8 3 3
7EFLANGE 7CAST1 7CAST3 GEKT98LP GEKT98RP 7EGRILP	Polished Cast Aluminum Housing for 700 Series, 1 Lamp (Not for use with 702*S0*U) Polished Cast Aluminum Housing for 700 Series, 3 Lamps (Not for use with 702*S0*U) † Grille Light Kit for Ford E Series Driver Side, 1997-2001 † Grille Light Kit for Ford E Series Passenger Side, 1997-2001 Grille-Master™ Chrome Housing Kit with Swivel Bracket for 700 Series Linear Strobe & LED Only Grille-Master™ Black Housing Kit with Swivel Bracket for 700 Series Linear Strobe & LED Only	55.20 96.00 36.60 36.60 35.40	4 8 3 3 3
7EFLANGE 7CAST1 7CAST3 GEKT98LP GEKT98RP 7EGRILP 7EGRILB 73FKIT	Polished Cast Aluminum Housing for 700 Series, 1 Lamp (Not for use with 702*So*U) Polished Cast Aluminum Housing for 700 Series, 3 Lamps (Not for use with 702*So*U) † Grille Light Kit for Ford E Series Driver Side, 1997-2001 † Grille Light Kit for Ford E Series Passenger Side, 1997-2001 Grille-Master™ Chrome Housing Kit with Swivel Bracket for 700 Series Linear Strobe & LED Only Grille-Master™ Black Housing Kit with Swivel Bracket for 700 Series Linear Strobe & LED Only Mounting Kit to convert 700 Series to fit in Old Style 73 Series Hole Cutouts	55.20 96.00 36.60 36.60 35.40 32.40 3.00	4 8 3 3 3 2
7EFLANGE 7CAST1 7CAST3 GEKT98LP GEKT98RP 7EGRILP	Polished Cast Aluminum Housing for 700 Series, 1 Lamp (Not for use with 702*So*U) Polished Cast Aluminum Housing for 700 Series, 3 Lamps (Not for use with 702*So*U) † Grille Light Kit for Ford E Series Driver Side, 1997-2001 † Grille Light Kit for Ford E Series Passenger Side, 1997-2001 Grille-Master™ Chrome Housing Kit with Swivel Bracket for 700 Series Linear Strobe & LED Only Grille-Master™ Black Housing Kit with Swivel Bracket for 700 Series Linear Strobe & LED Only Mounting Kit to convert 700 Series to fit in Old Style 73 Series Hole Cutouts Polished Grille Housing Kit, Sold in Pairs, 4300/4400 International® Chassis Only. No grille	55.20 96.00 36.60 36.60 35.40	3 3 3 2
7EFLANGE 7CAST1 7CAST3 GEKT98LP GEKT98RP 7EGRILP 7EGRILB 73FKIT	Polished Cast Aluminum Housing for 700 Series, 1 Lamp (Not for use with 702*So*U) Polished Cast Aluminum Housing for 700 Series, 3 Lamps (Not for use with 702*So*U) † Grille Light Kit for Ford E Series Driver Side, 1997-2001 † Grille Light Kit for Ford E Series Passenger Side, 1997-2001 Grille-Master™ Chrome Housing Kit with Swivel Bracket for 700 Series Linear Strobe & LED Only Grille-Master™ Black Housing Kit with Swivel Bracket for 700 Series Linear Strobe & LED Only Mounting Kit to convert 700 Series to fit in Old Style 73 Series Hole Cutouts	55.20 96.00 36.60 36.60 35.40 32.40 3.00	4 8 3 3 3 2
7EFLANGE 7CAST1 7CAST3 GEKT98LP GEKT98RP 7EGRILP 7EGRILB 73FKIT 7GIKT1	Polished Cast Aluminum Housing for 700 Series, 1 Lamp (Not for use with 702*So*U) Polished Cast Aluminum Housing for 700 Series, 3 Lamps (Not for use with 702*So*U) † Grille Light Kit for Ford E Series Driver Side, 1997-2001 † Grille Light Kit for Ford E Series Passenger Side, 1997-2001 Grille-Master™ Chrome Housing Kit with Swivel Bracket for 700 Series Linear Strobe & LED Only Grille-Master™ Black Housing Kit with Swivel Bracket for 700 Series Linear Strobe & LED Only Mounting Kit to convert 700 Series to fit in Old Style 73 Series Hole Cutouts Polished Grille Housing Kit, Sold in Pairs, 4300/4400 International® Chassis Only. No grille modification required.	55.20 96.00 36.60 36.60 35.40 32.40 3.00	4 8 3 3 3 2
7EFLANGE 7CAST1 7CAST3 GEKT98LP GEKT98RP 7EGRILP 7EGRILB 73FKIT	Polished Cast Aluminum Housing for 700 Series, 1 Lamp (Not for use with 702*So*U) Polished Cast Aluminum Housing for 700 Series, 3 Lamps (Not for use with 702*So*U) † Grille Light Kit for Ford E Series Driver Side, 1997-2001 † Grille Light Kit for Ford E Series Passenger Side, 1997-2001 Grille-Master™ Chrome Housing Kit with Swivel Bracket for 700 Series Linear Strobe & LED Only Grille-Master™ Black Housing Kit with Swivel Bracket for 700 Series Linear Strobe & LED Only Mounting Kit to convert 700 Series to fit in Old Style 73 Series Hole Cutouts Polished Grille Housing Kit, Sold in Pairs, 4300/4400 International® Chassis Only. No grille modification required. Polished Grille Housing Kit for LED Models ONLY, Sold in Pairs, 4300/4400 International®	55.20 96.00 36.60 36.60 35.40 32.40 3.00 162.00	4 8 3 3 3 2
7EFLANGE 7CAST1 7CAST3 GEKT98LP GEKT98RP 7EGRILP 7EGRILB 73FKIT 7GIKT1	Polished Cast Aluminum Housing for 700 Series, 1 Lamp (Not for use with 702*So*U) Polished Cast Aluminum Housing for 700 Series, 3 Lamps (Not for use with 702*So*U) † Grille Light Kit for Ford E Series Driver Side, 1997-2001 † Grille-Master™ Chrome Housing Kit with Swivel Bracket for 700 Series Linear Strobe & LED Only Grille-Master™ Black Housing Kit with Swivel Bracket for 700 Series Linear Strobe & LED Only Mounting Kit to convert 700 Series to fit in Old Style 73 Series Hole Cutouts Polished Grille Housing Kit, Sold in Pairs, 4300/4400 International® Chassis Only. No grille modification required. Polished Grille Housing Kit for LED Models ONLY, Sold in Pairs, 4300/4400 International® Chassis Only. No grille modification required.	55.20 96.00 36.60 36.60 35.40 32.40 3.00 162.00	4 8 3 3 3 2 14
7EFLANGE 7CAST1 7CAST3 GEKT98LP GEKT98RP 7EGRILP 7EGRILB 73FKIT 7GIKT1	Polished Cast Aluminum Housing for 700 Series, 1 Lamp (Not for use with 702*So*U) Polished Cast Aluminum Housing for 700 Series, 3 Lamps (Not for use with 702*So*U) † Grille Light Kit for Ford E Series Driver Side, 1997-2001 † Grille Light Kit for Ford E Series Passenger Side, 1997-2001 Grille-Master™ Chrome Housing Kit with Swivel Bracket for 700 Series Linear Strobe & LED Only Grille-Master™ Black Housing Kit with Swivel Bracket for 700 Series Linear Strobe & LED Only Mounting Kit to convert 700 Series to fit in Old Style 73 Series Hole Cutouts Polished Grille Housing Kit, Sold in Pairs, 4300/4400 International® Chassis Only. No grille modification required. Polished Grille Housing Kit for LED Models ONLY, Sold in Pairs, 4300/4400 International® Chassis Only. No grille modification required. Polished Grille Housing Kit, Sold in Pairs, 4300/4400 International® Chassis with Stationary	55.20 96.00 36.60 36.60 35.40 32.40 3.00 162.00	4 8 3 3 3 2 14
7EFLANGE 7CAST1 7CAST3 GEKT98LP GEKT98RP 7EGRILP 7EGRILB 73FKIT 7GIKT1 7GIKT1	Polished Cast Aluminum Housing for 700 Series, 1 Lamp (Not for use with 702*So*U) Polished Cast Aluminum Housing for 700 Series, 3 Lamps (Not for use with 702*So*U) † Grille Light Kit for Ford E Series Driver Side, 1997-2001 † Grille Light Kit for Ford E Series Passenger Side, 1997-2001 Grille-Master™ Chrome Housing Kit with Swivel Bracket for 700 Series Linear Strobe & LED Only Grille-Master™ Black Housing Kit with Swivel Bracket for 700 Series Linear Strobe & LED Only Mounting Kit to convert 700 Series to fit in Old Style 73 Series Hole Cutouts Polished Grille Housing Kit, Sold in Pairs, 4300/4400 International® Chassis Only. No grille modification required. Polished Grille Housing Kit for LED Models ONLY, Sold in Pairs, 4300/4400 International® Chassis Only. No grille modification required. Polished Grille Housing Kit, Sold in Pairs, 4300/4400 International® Chassis with Stationary Grilles Only. No grille modification required.	55.20 96.00 36.60 36.60 35.40 32.40 3.00 162.00 115.80	44 88 33 33 33 22 14 10 14
7EFLANGE 7CAST1 7CAST3 GEKT98LP GEKT98RP 7EGRILP 7EGRILB 73FKIT 7GIKT1	Polished Cast Aluminum Housing for 700 Series, 1 Lamp (Not for use with 702*So*U) Polished Cast Aluminum Housing for 700 Series, 3 Lamps (Not for use with 702*So*U) † Grille Light Kit for Ford E Series Driver Side, 1997-2001 † Grille Light Kit for Ford E Series Passenger Side, 1997-2001 Grille-Master™ Chrome Housing Kit with Swivel Bracket for 700 Series Linear Strobe & LED Only Grille-Master™ Black Housing Kit with Swivel Bracket for 700 Series Linear Strobe & LED Only Mounting Kit to convert 700 Series to fit in Old Style 73 Series Hole Cutouts Polished Grille Housing Kit, Sold in Pairs, 4300/4400 International® Chassis Only. No grille modification required. Polished Grille Housing Kit for LED Models ONLY, Sold in Pairs, 4300/4400 International® Chassis Only. No grille modification required. Polished Grille Housing Kit, Sold in Pairs, 4300/4400 International® Chassis with Stationary	55.20 96.00 36.60 36.60 35.40 32.40 3.00 162.00	4 8 3 3 3 3 14



AF Carias Limasu			
81E Series - Linear 81EC20*U	Strobe Lightheads, Surface Mount (DIRECTIONAL) Strobe	102.60	92.34
81EC20#U	Strobe, Split Lens	127.80	115.02
810TRIM	Chrome Plated Flange Cover	7.50	6.75
	able Halogen Lightheads, Surface Mount (Less Cable)	7.00	0.70
810CAA*R	Dual Halogen	95.40	85.86
810CAA#R	Dual Halogen, Split Lens	120.00	108.00
8103***R	Triple Halogen, Brake/Tail/Turn/Back-up Light, 3 Individual lens	95.40	85.86
810CA0ZR	8-32 Degree Halogen Scenelight	95.40	85.86
810TRIM	Chrome Plated Flange Cover	7.50	6.75
	able Single Halogen Lightheads, Surface Mount (Less Cable)		
830CA0CR	27 Watt Scenelight™/Back-up/Compartment Light (Not for Perimeter Lighting)	50.40	45.36
830CX0RR	Brake/Tail Light, Incandescent	50.40	45.36
830CX0AR	Amber Turn Signal Light, No Arrow	50.40	45.36
835TRIM	Chrome Plated Flange Cover	7.50	6.75
901000*U	ightheads, DIRECTIONAL, Optional Mounting Purchased Separately, See Optional Mounting Section. Non-Linear Strobe without Flange	76.20	68.58
901000 U	Non-Linear Strobe without Flange, Split Lens	100.80	90.72
902000*U	Linear Strobe without Flange	76.20	68.58
902000#U	Linear Strobe without Flange, Split Lens	100.80	90.72
	D® Lightheads, Surface Mount, Color LED's with Color Outer Lens (Unless Specified). Requires Optional		70.72
	urchased Separately.	ar mounting	
90**5S*R	Amber, Blue or Red (Single Color Only), Without Flange, Requires LED Flasher Purchased Separately	223.20	200.88
90CC5SCR	White (Single Color Only), Requires LED Flasher Purchased Separately	273.60	246.24
90**5F*R	Amber, Blue or Red Single Color Only, Includes Internal Flasher with Flash Patterns, Steady Burn and Hi/Low Power	229.80	206.82
90CC5FCR	White (Single Color Only), Includes Internal Flasher with Flash Patterns, Steady Burn and Hi/Low Power	279.60	251.64
90RA5FCR	1/2 Red, 1/2 Amber, Over/Under with Clear Outer Lens with Scan-Lock Flash Patterns, Independent On/Off Control of Each Level and Hi/Low Power	229.80	206.82
90RB5FCR	1/2 Red, 1/2 Blue, Over/Under with Clear Outer Lens with Scan-Lock Flash Patterns, Independent On/Off Control of Each Level and Hi/Low Power	229.80	206.82
90RC5FCR	1/2 Red, 1/2 White, Over/Under with Clear Outer Lens with Scan-Lock Flash Patterns, Independent On/Off Control of Each Level and Hi/Low Power	255.00	229.50
OUEL VIICE		E 10	4 50
	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only theads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color C	5.10 7.50 Outer Lens.	
90FLANGC 00 Series LED Ligh	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only Itheads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn	7.50	6.75
90FLANGC 00 Series LED Ligh Requires Optional Mo 90*00F*R	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only Itheads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn	7.50 Outer Lens. 211.20 388.80 621.00	6.75 190.08 349.92 558.90
90FLANGC 900 Series LED Light Requires Optional Model of the Series of	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only Itheads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow	7.50 Outer Lens. 211.20 388.80 621.00 178.80	190.08 349.92 558.90 160.92
90FLANGC 00 Series LED Light Requires Optional Me 90*00F*R 90B00FBR 90C00FCR 90A00TAR 90R00BRR	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only Itheads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements	7.50 Outer Lens. 211.20 388.80 621.00 178.80 111.60	190.08 349.92 558.90 160.92
90FLANGC 00 Series LED Ligh Requires Optional Mr 90*00F*R 90800FBR 90C00FCR 90A00TAR 90R00BRR 90R008RR	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only Itheads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements	7.50 Outer Lens. 211.20 388.80 621.00 178.80 111.60 196.20	190.08 349.92 558.90 160.92 100.44 176.58
90FLANGC 00 Series LED Light Requires Optional Mr 90*00F*R 90B00FBR 90C00FCR 90A00TAR 90R00BRR 90R00XRR 90C00WCR	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only Itheads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements Interior/Back-up light, Maximum Intensity	7.50 Outer Lens. 211.20 388.80 621.00 178.80 111.60 196.20 652.80	190.08 349.92 558.90 160.92 100.44 176.58 587.52
90FLANGC 00 Series LED Ligh Requires Optional Mr 90*00F*R 90800FBR 90C00FCR 90A00TAR 90R00BRR 90R008RR	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only Itheads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements Interior/Back-up light, Maximum Intensity 1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn).	7.50 Outer Lens. 211.20 388.80 621.00 178.80 111.60 196.20	190.08 349.92 558.90 160.92 100.44 176.58 587.52 244.62
90FLANGC 00 Series LED Ligh Requires Optional Me 90*00F*R 90B00FBR 90C00FCR 90A00TAR 90R00BRR 90R00BRR 90R00WCR 90C00WCR 90ARSFCR	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only Itheads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements Interior/Back-up light, Maximum Intensity 1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). Halogen Lightheads, Optional Mounting Purchased Separately, See Optional Mounting Section.	7.50 Outer Lens. 211.20 388.80 621.00 178.80 111.60 196.20 652.80 271.80	190.08 349.92 558.90 160.92 100.44 176.58 587.52 244.62
90FLANGC 00 Series LED Ligh Requires Optional Me 90*00F*R 90B00FBR 90C00FCR 90A00TAR 90R00BRR 90R00XRR 90R00WCR 90ARSFCR 90ARSFCR 90RRSFRR 00 Series Snap-In 90F000*R	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only Itheads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements Interior/Back-up light, Maximum Intensity 1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). Halogen Lightheads, Optional Mounting Purchased Separately, See Optional Mounting Section. Without Flange	7.50 Outer Lens. 211.20 388.80 621.00 178.80 111.60 196.20 652.80 271.80 49.80	190.08 349.92 558.90 160.92 100.44 176.58 587.52 244.62 44.82
90FLANGC 100 Series LED Ligh Requires Optional Me 90*00F*R 90B00FBR 90C00FCR 90A00TAR 90R00BRR 90R00XRR 90R00WCR 90ARSFCR 90ARSFCR 90RRSFRR 100 Series Snap-In 90F000*R 90F000#R	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only Itheads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements Interior/Back-up light, Maximum Intensity 1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). Halogen Lightheads, Optional Mounting Purchased Separately, See Optional Mounting Section. Without Flange Without Flange, Split Lens	7.50 Outer Lens. 211.20 388.80 621.00 178.80 111.60 196.20 652.80 271.80 49.80 75.60	4.59 6.75 190.08 349.92 558.90 160.92 100.44 176.58 587.52 244.62 244.62
90FLANGC 100 Series LED Ligh Requires Optional Me 90*00F*R 90B00FBR 90C00FCR 90A00TAR 90R00BRR 90R00XRR 90C00WCR 90ARSFCR 90ARSFCR 90RRSFRR 100 Series Snap-In 90F000*R 90F000#R 90E000ZR	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only Itheads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements Interior/Back-up light, Maximum Intensity 1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 4alogen Lightheads, Optional Mounting Purchased Separately, See Optional Mounting Section. Without Flange Without Flange, Split Lens Gradient Opti-Scenelight™, Replaces 90K000YR/XR Models	7.50 Outer Lens. 211.20 388.80 621.00 178.80 111.60 196.20 652.80 271.80 271.80 49.80 75.60 70.20	190.08 349.92 558.90 160.92 100.44 176.58 587.52 244.62 44.82 68.04 63.18
90FLANGC 00 Series LED Light Requires Optional Me 90*00F*R 90B00FBR 90C00FCR 90A00TAR 90R00BRR 90R00XRR 90C00WCR 90ARSFCR 90ARSFCR 00 Series Snap-In 90F000*R 90F000#R 90E000ZR 90J000CR	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only Itheads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements Interior/Back-up light, Maximum Intensity 1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 4alogen Lightheads, Optional Mounting Purchased Separately, See Optional Mounting Section. Without Flange Without Flange Without Flange, Split Lens Gradient Opti-Scenelight™, Replaces 90K000YR/XR Models 27 Watt Back-Up Light, without Flange	7.50 Outer Lens. 211.20 388.80 621.00 178.80 111.60 196.20 652.80 271.80 271.80 49.80 75.60 70.20 49.80	190.08 349.92 558.90 160.92 100.44 176.58 587.52 244.62 44.82 68.04 63.18 44.82
90FLANGC 100 Series LED Ligh Requires Optional Me 90*00F*R 90B00FBR 90C00FCR 90A00TAR 90R00BRR 90R00XRR 90C00WCR 90ARSFCR 90ARSFCR 90RRSFRR 100 Series Snap-In 90F000*R 90F000ZR 90J000CR 90J000CR 90X000R	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only Itheads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements Interior/Back-up light, Maximum Intensity 1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn).	7.50 Duter Lens. 211.20 388.80 621.00 178.80 111.60 196.20 652.80 271.80 271.80 49.80 75.60 70.20 49.80 60.60	190.08 349.92 558.90 160.92 100.44 176.58 587.52 244.62 244.62 44.82 68.04 63.18 44.82 54.54
90FLANGC 00 Series LED Ligh Requires Optional Me 90*00F*R 90B00FBR 90C00FCR 90A00TAR 90R00BRR 90R00WCR 90C0WCR 90ARSFCR 90RRSFRR 00 Series Snap-In 90F000*R 90F000*R 90F000ZR 90J000CR 90X000R 90X000R	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only Itheads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements Interior/Back-up light, Maximum Intensity 1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn).	7.50 Duter Lens. 211.20 388.80 621.00 178.80 111.60 196.20 652.80 271.80 271.80 49.80 75.60 70.20 49.80 60.60 67.20	190.08 349.92 558.90 160.92 100.44 176.58 587.52 244.62 44.82 68.04 63.18 44.82 54.54 60.48
90FLANGC 00 Series LED Ligh Requires Optional Me 90*00F*R 90B00FBR 90C00FCR 90A00TAR 90R00BRR 90R00WCR 90ARSFCR 90RRSFRR 00 Series Snap-In 90F000*R 90F000*R 90F000ZR 90J000CR 90X000RR 90X000CR 90X000CR	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only Itheads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements Interior/Back-up light, Maximum Intensity 1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side wi	7.50 Duter Lens. 211.20 388.80 621.00 178.80 111.60 196.20 652.80 271.80 271.80 49.80 75.60 70.20 49.80 60.60	190.08 349.92 558.90 160.92 100.44 176.58 587.52 244.62 44.82 68.04 63.18 44.82 54.54 60.48
90FLANGC 00 Series LED Ligh Requires Optional Me 90*00F*R 90B00FBR 90C00FCR 90A00TAR 90R00BRR 90R00WCR 90ARSFCR 90RRSFRR 00 Series Snap-In 90F000*R 90F000*R 90F000*R 90F000CR	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only Itheads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements Interior/Back-up light, Maximum Intensity 1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 4alogen Lightheads, Optional Mounting Purchased Separately, See Optional Mounting Section. Without Flange Without Flange, Split Lens Gradient Opti-Scenelight™, Replaces 90K000YR/XR Models 27 Watt Back-Up Light, without Flange Brake/Tail/Turn without Flange Red Arrow, Left/Right Amber Arrow, Left/Right	7.50 Duter Lens. 211.20 388.80 621.00 178.80 111.60 196.20 652.80 271.80 271.80 49.80 75.60 70.20 49.80 60.60 67.20 67.20	190.08 349.92 558.90 160.92 100.44 176.58 587.52 244.62 44.82 68.04 63.18 44.82 54.54 60.48
90FLANGC 00 Series LED Light Requires Optional Me 90*00F*R 90B00FBR 90C00FCR 90A00TAR 90R00BRR 90R00WCR 90ARSFCR 90ARSFCR 00 Series Snap-In 90F000*R 90F000*R 90F000ZR 90J000CR	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only Itheads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements Interior/Back-up light, Maximum Intensity 1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 4alogen Lightheads, Optional Mounting Purchased Separately, See Optional Mounting Section. Without Flange Without Flange, Split Lens Gradient Opti-Scenelight™, Replaces 90K000YR/XR Models 27 Watt Back-Up Light, without Flange Brake/Tail/Turn without Flange Red Arrow, Left/Right Amber Arrow, Left/Right Black Flange Kit for 900 Series (Not for Use With 900 Super-LED Series)	7.50 Duter Lens. 211.20 388.80 621.00 178.80 111.60 196.20 652.80 271.80 271.80 49.80 75.60 70.20 49.80 60.60 67.20 67.20 5.10	190.08 349.92 558.90 160.92 100.44 176.58 587.52 244.62 244.62 44.82 68.04 63.18 44.82 54.54 60.48 60.48
90FLANGC 00 Series LED Ligh Requires Optional Me 90*00F*R 90B00FBR 90C00FCR 90A00TAR 90R00BRR 90R00WCR 90ARSFCR 90RRSFRR 00 Series Snap-In 90F000*R 90E000ZR 90J000CR 90J000CR 90X000RR 90X000RR 90X000TR 0ptions for 900 Ser 9FLANGEB 9FFLANGEB 97FKIT	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only Itheads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements Interior/Back-up light, Maximum Intensity 1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side wi	7.50 Duter Lens. 211.20 388.80 621.00 178.80 111.60 196.20 652.80 271.80 271.80 49.80 75.60 70.20 49.80 60.60 67.20 67.20	6.75 190.08 349.92 558.90 160.92 100.44 176.58 587.52 244.62 244.62 44.82 68.04 63.18 44.82 54.54 60.48 60.48 6.75
90FLANGC 00 Series LED Ligh Requires Optional Me 90*00F*R 90B00FBR 90C00FCR 90A00TAR 90R00BRR 90R00WCR 90C00WCR 90ARSFCR 00 Series Snap-In 90F000*R 90F000*R 90E000ZR 90J000CR 90J000CR 90X000RR 90X000RR 90X000TR Options for 900 Ser 9FLANGEB 9FFLANGEB 97FKIT -Head Lighthead A	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only theads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements Interior/Back-up light, Maximum Intensity 1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 4alogen Lightheads, Optional Mounting Purchased Separately, See Optional Mounting Section. Without Flange Without Flange Without Flange, Split Lens Gradient Opti-Scenelight™, Replaces 90K000YR/XR Models 27 Watt Back-Up Light, without Flange Brake/Tail/Turn without Flange Red Arrow, Left/Right Amber Arrow, Left/Right Black Flange Kit for 900 Series (Not for Use With 900 Super-LED Series) Chrome Plated Flange Kit for 900 Series to fit in Old Style 97 Series Hole Cutouts ssemblies (360°)	7.50 Duter Lens. 211.20 388.80 621.00 178.80 111.60 196.20 652.80 271.80 271.80 49.80 75.60 70.20 49.80 60.60 67.20 5.10 7.50 3.00	6.75 190.08 349.92 558.90 160.92 100.44 176.58 587.52 244.62 244.62 44.82 68.04 63.18 44.82 54.54 60.48 60.48 4.59 6.75
90FLANGC 00 Series LED Light Requires Optional Me 90*00F*R 90B00FBR 90C00FCR 90A00TAR 90R00BRR 90C00WCR 90C00WCR 90ARSFCR 00 Series Snap-In 90F000*R 90F000*R 90F000ZR 90J000CR 90X000RR 90X000RR 90X000TR 0ptions for 900 Ser 9FLANGEB 9FLANGEB 97FKIT -Head Lighthead A FHEADH*P	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only Itheads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements Interior/Back-up light, Maximum Intensity 1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2	7.50 Duter Lens. 211.20 388.80 621.00 178.80 111.60 196.20 652.80 271.80 271.80 49.80 75.60 70.20 49.80 60.60 67.20 67.20 5.10 7.50 3.00	6.75 190.08 349.92 558.90 160.92 100.44 176.58 587.52 244.62 44.82 68.04 63.18 44.82 54.54 60.48 60.48 4.59 6.75 2.70
90FLANGC 00 Series LED Ligh Requires Optional Me 90*00F*R 90B00FBR 90C00FCR 90A00TAR 90R00BRR 90C00WCR 90C00WCR 90ARSFCR 90RRSFRR 00 Series Snap-In 90F000*R 90F000ZR 90J000CR 90X000RR 90X000CR 90X000TR 0Ptions for 900 Ser 9FLANGEB 9FELANGE 97FKIT -Head Lighthead A FHEADH*P FHEADHSP	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only theads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements Interior/Back-up light, Maximum Intensity 1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side wi	7.50 Duter Lens. 211.20 388.80 621.00 178.80 111.60 196.20 652.80 271.80 271.80 49.80 75.60 70.20 49.80 60.60 67.20 67.20 5.10 7.50 3.00 84.00 109.80	6.75 190.08 349.92 558.90 160.92 100.44 176.58 587.52 244.62 44.82 68.04 63.18 44.82 54.54 60.48 60.48 4.59 6.75 2.70 75.60 98.82
90FLANGC 00 Series LED Light Requires Optional Me 90*00F*R 90B00FBR 90C00FCR 90A00TAR 90R00BRR 90C00WCR 90ARSFCR 90RRSFRR 00 Series Snap-In 90F000*R 90F000ZR 90J000CR 90X000RR 90X000CR 90X000TR 90X000TR 0ptions for 900 Ser 9FLANGE 97FKIT -Head Lighthead A FHEADH*P FHEADHSP FHEADL*P	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only theads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements Interior/Back-up light, Maximum Intensity 1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1	7.50 Duter Lens. 211.20 388.80 621.00 178.80 111.60 196.20 652.80 271.80 271.80 49.80 75.60 70.20 49.80 60.60 67.20 67.20 5.10 7.50 3.00 84.00 109.80 84.00	6.75 190.08 349.92 558.90 160.92 100.44 176.58 587.52 244.62 44.82 68.04 63.18 44.82 54.54 60.48 60.48 4.59 6.75 2.70 75.60 98.82 75.60
90FLANGC 00 Series LED Light Requires Optional Me 90*00F*R 90B00FBR 90C00FCR 90A00TAR 90R00BRR 90C00WCR 90ARSFCR 90RRSFRR 00 Series Snap-In 90F000*R 90F000*R 90F000ZR 90J000CR 90X000RR 90X000CR 90X000TR 90X000CR 90X000TR 90X000TR	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only Itheads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements Interior/Back-up light, Maximum Intensity 1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (7.50 Duter Lens. 211.20 388.80 621.00 178.80 111.60 196.20 652.80 271.80 271.80 49.80 75.60 70.20 49.80 60.60 67.20 67.20 5.10 7.50 3.00 84.00 109.80	6.75 190.08 349.92 558.90 160.92 100.44 176.58 587.52 244.62 244.62 44.82 68.04 63.18 44.82 54.54 60.48 60.48 4.59 6.75 2.70 75.60
90FLANGC 00 Series LED Light Requires Optional Me 90*00F*R 90B00FBR 90C00FCR 90A00TAR 90R00BRR 90R00WCR 90ARSFCR 90RRSFRR 00 Series Snap-In 90F000*R 90F000*R 90F000FR 90F000FFR 90F00FFR 90F00FFR 90F00FFR 90F0FFR 90FFR 90F	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only theads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements Interior/Back-up light, Maximum Intensity 1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side wit	7.50 Duter Lens. 211.20 388.80 621.00 178.80 111.60 196.20 652.80 271.80 271.80 49.80 75.60 70.20 49.80 60.60 67.20 67.20 5.10 7.50 3.00 84.00 109.80 84.00 109.80	6.75 190.08 349.92 558.90 160.92 100.44 176.58 587.52 244.62 44.82 68.04 63.18 44.82 54.54 60.48 60.48 4.59 6.75 2.70 75.60 98.82
90FLANGC 00 Series LED Ligh Requires Optional Me 90*00F*R 90B00FBR 90C00FCR 90A00TAR 90R00BRR 90R00WCR 90ARSFCR 90RRSFRR 00 Series Snap-In 90F000*R 90F000*R 90F000ZR 90J000CR 90X000TR 90X000TR 90X000TR 90X000TR 90X000TR 90X000TR 90X00F 90X000TR 90X00F 90X0F 90X00F 90X0F 90X0F 90X0F 90X00F 90X0F 90X00F 90X0F 90X0F 90X0F 90X0F 90XF 90X	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only theads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements Interior/Back-up light, Maximum Intensity 1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 4lalogen Lightheads, Optional Mounting Purchased Separately, See Optional Mounting Section. Without Flange Without Flange, Split Lens Gradient Opti-Scenelight™, Replaces 90K000YR/XR Models 27 Watt Back-Up Light, without Flange Brake/Tail/Turn Brake Brake/Tail/Turn Brake Brake/Ta	7.50 Outer Lens. 211.20 388.80 621.00 178.80 111.60 196.20 652.80 271.80 271.80 49.80 75.60 70.20 49.80 60.60 67.20 67.20 67.20 5.10 7.50 3.00 84.00 109.80 84.00 109.80	6.75 190.08 349.92 558.90 160.92 100.44 176.58 587.52 244.62 44.82 68.04 63.18 44.82 54.54 60.48 60.48 4.59 6.75 2.70 75.60 98.82 75.60 98.82 61.56
90FLANGC 900 Series LED Ligh Requires Optional Me 90*00F*R 90B00FBR 90C00FCR 90A00TAR 90R00BRR 90R00WCR 90C00WCR 90ARSFCR 90ARSFCR 90RRSFRR 90F000*R 90F000*R 90F000FR 90F1ANGEB 9FFLANGEB	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only theads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements Interior/Back-up light, Maximum Intensity 1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, 1/2 Red,	7.50 Duter Lens. 211.20 388.80 621.00 178.80 111.60 196.20 652.80 271.80 271.80 49.80 75.60 70.20 49.80 60.60 67.20 67.20 5.10 7.50 3.00 84.00 109.80 84.00 109.80	6.75 190.08 349.92 558.90 160.92 100.44 176.58 587.52 244.62 44.82 68.04 63.18 44.82 54.54 60.48 60.48 4.59 6.75 2.70 75.60 98.82 75.60 98.82 61.56
90FLANGC 900 Series LED Ligh Requires Optional Me 90°00F*R 90B00FBR 90C00FCR 90A00TAR 90R00BRR 90R00WCR 90C00WCR 90ARSFCR 90RRSFRR 90RSFRR 90F000*R 90F000*R 90F000CR 90X000CR 90X000CR 90X000CR 90X000TR 90X000TR 90F1ANGEB 9FFLANGEB 9FFLANGEB 9FFLANGEB 9FFLANGE 97FKIT F-Head Lighthead A FHEADH*P FHEADLSP FHEADLSP FHEADLSP GRLSTR*1	NEW Black Flange Kit for 900 Series Super-LED Only Chrome Plated Flange Kit for 900 Series Super-LED Only theads Brake/Tail/Turn, Combination Flashing/Steady Burn, Surface Mount, Color LED's with Color Counting Purchased Separately, See Optional Mounting Section. Without Flange, Red or Amber, with 14 Flash Patterns including Steady Burn Without Flange, Blue, with 14 Flash Patterns including Steady Burn Without Flange, White, with 14 Flash Patterns including Steady Burn Turn Signal, Populated Arrow Shape without Flange, with 17 Flash Patterns, Amber, Left/Right Arrow Brake/Tail without Flange, Meets SAE Requirements Brake/Tail without Flange, Exceeds SAE Requirements Interior/Back-up light, Maximum Intensity 1/2 Amber, 1/2 Red, Side-By-Side with Clear Outer Lens and Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, 1/2 Red, Side-By-Side with Independent Control of On/Off and Pattern of Each Side (1 Flash Pattern and Steady Burn). 1/2 Red, 1/2 Red, 1/2 Red,	7.50 Outer Lens. 211.20 388.80 621.00 178.80 111.60 196.20 652.80 271.80 271.80 49.80 75.60 70.20 49.80 60.60 67.20 67.20 67.20 5.10 7.50 3.00 84.00 109.80 84.00 109.80	6.75 190.08 349.92 558.90 160.92 100.44 176.58 587.52 244.62 244.62 44.82 68.04 63.18 44.82 54.54 60.48 60.48 6.75

e- A-Way Strobe HA239C	Clear Strobe, Soft Plug-In	33.00	29.	
HA239CD	Clear Strobe, Soft Plug-In, Deutsch® Waterproof Connectors on Lighthead and One Side of Cable.	43.80	39.	
HA239CDD	Clear Strobe, Soft Plug-In, Deutsch® Waterproof Connectors on Lighthead and Both Sides of Cable.	48.60	43.	
HA238C	Clear Strobe, Flange Mount	34.20	30	
HA238*	Color Strobe, Flange Mount	48.60	43	
HA238CD	Clear Strobe, Flange Mount, Deutsch® Waterproof Connectors on Lighthead and One Side of Cable.	45.00	40	
HA238CDD	.238CDD Clear Strobe, Flange Mount, Deutsch® Waterproof Connectors on Lighthead and Both Sides of Cable.			
HA238*D	Color Strobe, Flange Mount, Deutsch® Waterproof Connectors on Lighthead and One Side of Cable.	58.20	52	
HA238*DD	Color Strobe, Flange Mount, Deutsch® Waterproof Connectors on Lighthead and Both Sides of Cable.	64.20	57	
S30HACP	Clear Strobe Tube Only (Less Cable), Soft Plug-In	26.40	23	
S30HACPD	Clear Strobe Tube Only (Less Cable), Soft Plug-In, Deutsch® Waterproof Connector.	31.80	28	
S30HAC	Clear Strobe Tube Only (Less Cable), Flange Mount	27.60	24	
S30HA*	Color Strobe Tube Only (Less Cable), Flange Mount	40.20	36	
S30HACD	Clear Strobe Tube Only (Less Cable), Flange Mount, Deutsch® Waterproof Connector.	33.00	29	
S30HA*D	Color Strobe Tube Only (Less Cable), Flange Mount, Deutsch® Waterproof Connector.	46.20	41	
S450CCCC	CS450 Power Supply with Four HA239C	163.20		
S450AAAA	CS450 Power Supply with Four HA238A	225.00		
S660CCCC	CSP660 Power Supply with Four HA239C	183.00		
S660AAAA	CSP660 Power Supply with Four HA238A	245.40		
S690CCCC	CSP690 Power Supply with Four HA238C	204.60		
S220CC	CS220 Power Supply, Two HA239C	108.00		
S220AA	CS220 Power Supply, Two S30HAA Strobe Tubes & Two EXT5 Cables	139.20		
S225CC	CS225 Power Supply, Two S30HACP Strobe Tubes & Two EXT5 Cables	94.20		
		07.00		
SFCV98CC	Front or Rear Hide-A-Way System for 1998-2005 Crown-Vic includes CS220, 2-S30HACP with Appropriate Cable Lengths and 20' Input Cable	97.20		
	Appropriate Cable Lengths and 20' Input Cable n Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM	54.00	48	
e- A-Way Halog ei	Appropriate Cable Lengths and 20' Input Cable n Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire		48	
e- A-Way Halog ei HRCV98 H27HACP	Appropriate Cable Lengths and 20' Input Cable n Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire Clear Halogen Hide-A-Way, Less Wire	54.00		
e- A-Way Halog ei HRCV98 H27HACP	Appropriate Cable Lengths and 20' Input Cable n Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire	54.00	13	
e- A-Way Halog el HRCV98 H27HACP rior Dome Halog 8635CU	Appropriate Cable Lengths and 20' Input Cable n Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire Clear Halogen Hide-A-Way, Less Wire en Lights (Less Cable) 35 Watt Halogen Interior Dome Light, Rectangular	54.00	13	
e-A-Way Haloger HRCV98 H27HACP rior Dome Halog 8635CU CL25*	Appropriate Cable Lengths and 20' Input Cable n Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire Clear Halogen Hide-A-Way, Less Wire en Lights (Less Cable) 35 Watt Halogen Interior Dome Light, Rectangular Compartment Light, 25 Watt, Round, Surface Mount (Clear or Red Lens Only)	54.00 14.70 48.60 29.40	13 43 26	
e-A-Way Haloger HRCV98 H27HACP rior Dome Halog 8635CU CL25* CL25S*	Appropriate Cable Lengths and 20' Input Cable n Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire Clear Halogen Hide-A-Way, Less Wire en Lights (Less Cable) 35 Watt Halogen Interior Dome Light, Rectangular Compartment Light, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) Compartment Light with Switch, 25 Watt, Round, Surface Mount (Clear or Red Lens Only)	54.00 14.70 48.60 29.40 39.60	13 43 26	
e-A-Way Haloger HRCV98 H27HACP rior Dome Halog 8635CU CL25* CL25S* ro Edge® (Strob	Appropriate Cable Lengths and 20' Input Cable a Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire Clear Halogen Hide-A-Way, Less Wire en Lights (Less Cable) 35 Watt Halogen Interior Dome Light, Rectangular Compartment Light, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) Compartment Light with Switch, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) a & Super-LED®) & Micro LFL™ Lighthead Assemblies, Mirror Mount Bracket Sold Separately (with 20'	54.00 14.70 48.60 29.40 39.60 Cable).	13 43 26 35	
e-A-Way Haloger HRCV98 H27HACP rior Dome Halog 8635CU CL25* CL25S*	Appropriate Cable Lengths and 20' Input Cable n Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire Clear Halogen Hide-A-Way, Less Wire en Lights (Less Cable) 35 Watt Halogen Interior Dome Light, Rectangular Compartment Light, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) Compartment Light with Switch, 25 Watt, Round, Surface Mount (Clear or Red Lens Only)	54.00 14.70 48.60 29.40 39.60	13 43 26 35	
e-A-Way Haloger HRCV98 H27HACP rior Dome Halog 8635CU CL25* CL25S* ro Edge® (Strob MC9MED2*	Appropriate Cable Lengths and 20' Input Cable n Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire Clear Halogen Hide-A-Way, Less Wire en Lights (Less Cable) 35 Watt Halogen Interior Dome Light, Rectangular Compartment Light, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) Compartment Light with Switch, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) a Super-LED®) & Micro LFL™ Lighthead Assemblies, Mirror Mount Bracket Sold Separately (with 20' 9M, 2 Strobe Assemblies, 8.2"W x 10"D x 3.5"H, Blue, Red and/or Amber	54.00 14.70 48.60 29.40 39.60 Cable).	13 43 26 35 133 343	
e-A-Way Haloger HRCV98 H27HACP rior Dome Halog 8635CU CL25* CL25S* To Edge® (Strob MC9MED2* MCFLED2*	Appropriate Cable Lengths and 20' Input Cable a Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire Clear Halogen Hide-A-Way, Less Wire en Lights (Less Cable) 35 Watt Halogen Interior Dome Light, Rectangular Compartment Light, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) Compartment Light with Switch, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) e & Super-LED®) & Micro LFL™ Lighthead Assemblies, Mirror Mount Bracket Sold Separately (with 20' 9M, 2 Strobe Assemblies, 8.2"W x 10"D x 3.5"H Freedom, 2 Linear-LED Super-LED with a Built-in Flasher, 8.2"W x 10"D x 3.5"H, Blue, Red	54.00 14.70 48.60 29.40 39.60 Cable). 148.20 381.60	13 43 26 35 133 343	
e-A-Way Haloger HRCV98 H27HACP rior Dome Halog 8635CU CL25* CL255* To Edge® (Strob MC9MED2* MCFLED2* MCSLED2* MCSLED2*	Appropriate Cable Lengths and 20' Input Cable n Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire Clear Halogen Hide-A-Way, Less Wire en Lights (Less Cable) 35 Watt Halogen Interior Dome Light, Rectangular Compartment Light, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) Compartment Light with Switch, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) S Super-LED®) & Micro LFL™ Lighthead Assemblies, Mirror Mount Bracket Sold Separately (with 20' 9M, 2 Strobe Assemblies, 8.2"W x 10"D x 3.5"H Freedom, 2 Linear-LED Super-LED with a Built-in Flasher, 8.2"W x 10"D x 3.5"H, Blue, Red and/or Amber Micro LFL Liberty, 2-Linear-LED's with a Built-in Flasher, 9.5" L x 12"D x 2.5"H Micro LFL Liberty, 3-Linear-LED's with a Built-in Flasher, 9.5"L x 12"D x 2.5"H	54.00 14.70 48.60 29.40 39.60 Cable). 148.20 381.60 320.40 474.00	13 43 26 35 133 343 288 426	
e-A-Way Haloger HRCV98 H27HACP rior Dome Halog 8635CU CL25* CL255* ro Edge® (Strob MC9MED2* MCFLED2* MCSLED2* MCSLED3* MCSLED4*	Appropriate Cable Lengths and 20' Input Cable n Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire Clear Halogen Hide-A-Way, Less Wire en Lights (Less Cable) 35 Watt Halogen Interior Dome Light, Rectangular Compartment Light, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) Compartment Light with Switch, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) S Super-LED®) & Micro LFL™ Lighthead Assemblies, Mirror Mount Bracket Sold Separately (with 20' 9M, 2 Strobe Assemblies, 8.2"W x 10"D x 3.5"H Freedom, 2 Linear-LED Super-LED with a Built-in Flasher, 8.2"W x 10"D x 3.5"H, Blue, Red and/or Amber Micro LFL Liberty, 2-Linear-LED's with a Built-in Flasher, 9.5" L x 12"D x 2.5"H Micro LFL Liberty, 4-Linear-LED's with a Built-in Flasher, 9.5"L x 12"D x 2.5"H	14.70 48.60 29.40 39.60 Cable). 148.20 381.60 320.40 474.00 628.20	13 26 35 133 343 288 426 565	
e-A-Way Haloger HRCV98 H27HACP rior Dome Halog 8635CU CL25* CL25S* ro Edge® (Strob MC9MED2* MCFLED2* MCSLED2* MCSLED3* MCSLED4* MCSLED4*	Appropriate Cable Lengths and 20' Input Cable n Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire Clear Halogen Hide-A-Way, Less Wire en Lights (Less Cable) 35 Watt Halogen Interior Dome Light, Rectangular Compartment Light, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) Compartment Light with Switch, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) e & Super-LED®) & Micro LFL™ Lighthead Assemblies, Mirror Mount Bracket Sold Separately (with 20' 9M, 2 Strobe Assemblies, 8.2"W x 10"D x 3.5"H Freedom, 2 Linear-LED Super-LED with a Built-in Flasher, 8.2"W x 10"D x 3.5"H, Blue, Red and/or Amber Micro LFL Liberty, 2-Linear-LED's with a Built-in Flasher, 9.5" L x 12"D x 2.5"H Micro LFL Liberty, 3-Linear-LED's with a Built-in Flasher, 9.5"L x 12"D x 2.5"H Micro LFL Liberty, 4-Linear-LED's with a Built-in Flasher, 15"L x 12"D x 2.5"H Micro LFL Liberty, 4-Linear-LED's with a Built-in Flasher, 15"L x 12"D x 2.5"H Micro LFL Strobe, 2 Lamp, 9-1/2"W x 12"D x 2.5"H	14.70 48.60 29.40 39.60 Cable). 148.20 381.60 320.40 474.00 628.20 151.80	13 26 35 133 343 288 426 565 136	
e-A-Way Haloger HRCV98 H27HACP rior Dome Halog 8635CU CL25* CL25S* ro Edge® (Strob MC9MED2* MCFLED2* MCSLED2* MCSLED3* MCSLED4* MCSLED4* MCSLED4* MCSLED4* MCSLED4* MCSLED4* MCSLED4*	Appropriate Cable Lengths and 20' Input Cable n Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire Clear Halogen Hide-A-Way, Less Wire en Lights (Less Cable) 35 Watt Halogen Interior Dome Light, Rectangular Compartment Light, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) Compartment Light with Switch, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) e & Super-LED®) & Micro LFL™ Lighthead Assemblies, Mirror Mount Bracket Sold Separately (with 20' 9M, 2 Strobe Assemblies, 8.2"W x 10"D x 3.5"H Freedom, 2 Linear-LED Super-LED with a Built-in Flasher, 8.2"W x 10"D x 3.5"H, Blue, Red and/or Amber Micro LFL Liberty, 2-Linear-LED's with a Built-in Flasher, 9.5" L x 12"D x 2.5"H Micro LFL Liberty, 4-Linear-LED's with a Built-in Flasher, 15"L x 12"D x 2.5"H Micro LFL Strobe, 2 Lamp, 9-1/2"W x 12"D x 2.5"H, Amber or Red Only	148.60 29.40 39.60 Cable). 148.20 381.60 320.40 474.00 628.20 151.80 204.00	13 43 26 35 133 343 288 426 565 136	
e-A-Way Haloger HRCV98 H27HACP rior Dome Halog 8635CU CL25* CL255* ro Edge® (Strob MC9MED2* MCFLED2* MCSLED2* MCSLED3* MCSLED4* MCSLED4* MCLFL* MCLFL3* MIRRORMT Or Mounted Stro	Appropriate Cable Lengths and 20' Input Cable n Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire Clear Halogen Hide-A-Way, Less Wire en Lights (Less Cable) 35 Watt Halogen Interior Dome Light, Rectangular Compartment Light, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) Compartment Light with Switch, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) e & Super-LED®) & Micro LFL™ Lighthead Assemblies, Mirror Mount Bracket Sold Separately (with 20' 9M, 2 Strobe Assemblies, 8.2"W x 10"D x 3.5"H Freedom, 2 Linear-LED Super-LED with a Built-in Flasher, 8.2"W x 10"D x 3.5"H, Blue, Red and/or Amber Micro LFL Liberty, 2-Linear-LED's with a Built-in Flasher, 9.5" L x 12"D x 2.5"H Micro LFL Liberty, 3-Linear-LED's with a Built-in Flasher, 9.5"L x 12"D x 2.5"H Micro LFL Liberty, 4-Linear-LED's with a Built-in Flasher, 15"L x 12"D x 2.5"H Micro LFL Liberty, 4-Linear-LED's with a Built-in Flasher, 15"L x 12"D x 2.5"H Micro LFL Strobe, 2 Lamp, 9-1/2"W x 12"D x 2.5"H	14.70 48.60 29.40 39.60 Cable). 148.20 381.60 320.40 474.00 628.20 151.80 204.00 44.40	13 26 35 133 343 288 426 565 136	
e-A-Way Haloger HRCV98 H27HACP rior Dome Halog 8635CU CL25* CL255* ro Edge® (Strob MC9MED2* MCFLED2* MCSLED2* MCSLED3* MCSLED4* MCSLED4* MCLFL* MCLFL3* MIRRORMT	Appropriate Cable Lengths and 20' Input Cable n Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire Clear Halogen Hide-A-Way, Less Wire en Lights (Less Cable) 35 Watt Halogen Interior Dome Light, Rectangular Compartment Light, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) Compartment Light with Switch, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) 26 Super-LED®) & Micro LFL™ Lighthead Assemblies, Mirror Mount Bracket Sold Separately (with 20' 9M, 2 Strobe Assemblies, 8.2"W x 10"D x 3.5"H Freedom, 2 Linear-LED Super-LED with a Built-in Flasher, 8.2"W x 10"D x 3.5"H, Blue, Red and/or Amber Micro LFL Liberty, 2-Linear-LED's with a Built-in Flasher, 9.5" L x 12"D x 2.5"H Micro LFL Liberty, 4-Linear-LED's with a Built-in Flasher, 15"L x 12"D x 2.5"H Micro LFL Strobe, 2 Lamp, 9-1/2"W x 12"D x 2.5"H, Amber or Red Only West Coast Mirror Mount Bracket	14.70 48.60 29.40 39.60 Cable). 148.20 381.60 320.40 474.00 628.20 151.80 204.00 44.40	13 26 35 133 343 288 426 565 136	
e-A-Way Haloger HRCV98 H27HACP rior Dome Halog 8635CU CL25* CL25S* ro Edge® (Strob MC9MED2* MCFLED2* MCSLED2* MCSLED3* MCSLED4*	Appropriate Cable Lengths and 20' Input Cable n Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire Clear Halogen Hide-A-Way, Less Wire en Lights (Less Cable) 35 Watt Halogen Interior Dome Light, Rectangular Compartment Light, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) Compartment Light with Switch, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) e & Super-LED®) & Micro LFL™ Lighthead Assemblies, Mirror Mount Bracket Sold Separately (with 20' 9M, 2 Strobe Assemblies, 8.2"W x 10"D x 3.5"H Freedom, 2 Linear-LED Super-LED with a Built-in Flasher, 8.2"W x 10"D x 3.5"H, Blue, Red and/or Amber Micro LFL Liberty, 2-Linear-LED's with a Built-in Flasher, 9.5" L x 12"D x 2.5"H Micro LFL Liberty, 4-Linear-LED's with a Built-in Flasher, 9.5"L x 12"D x 2.5"H Micro LFL Strobe, 2 Lamp, 9-1/2"W x 12"D x 2.5"H, Amber or Red Only West Coast Mirror Mount Bracket be Lightheads (DIRECTIONAL), MIRROR BEAM™ STROBE SERIES Includes Cable (In Textured Black	14.70 48.60 29.40 39.60 Cable). 148.20 381.60 320.40 474.00 628.20 151.80 204.00 44.40 Finish, Sold	13 43 26 35 133 343 288 426 565 136	
e-A-Way Haloger HRCV98 H27HACP rior Dome Halog 8635CU CL25* CL255* TO Edge® (Strob MC9MED2* MCFLED2* MCSLED2* MCSLED3* MCSLED4* MCSLED4* MCLFL* MCLFL3* MIRRORMT Or Mounted Stroairs Only). MBCV98**	Appropriate Cable Lengths and 20' Input Cable n Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire Clear Halogen Hide-A-Way, Less Wire en Lights (Less Cable) 35 Watt Halogen Interior Dome Light, Rectangular Compartment Light, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) Compartment Light with Switch, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) 2 & Super-LED®) & Micro LFL™ Lighthead Assemblies, Mirror Mount Bracket Sold Separately (with 20' 9M, 2 Strobe Assemblies, 8.2"W x 10"D x 3.5"H Freedom, 2 Linear-LED Super-LED with a Built-in Flasher, 8.2"W x 10"D x 3.5"H, Blue, Red and/or Amber Micro LFL Liberty, 2-Linear-LED's with a Built-in Flasher, 9.5" L x 12"D x 2.5"H Micro LFL Liberty, 4-Linear-LED's with a Built-in Flasher, 9.5"L x 12"D x 2.5"H Micro LFL Strobe, 2 Lamp, 9-1/2"W x 12"D x 2.5"H Micro LFL Strobe, 3 Lamp, 9-1/2"W x 12"D x 2.5"H, Amber or Red Only West Coast Mirror Mount Bracket be Lightheads (DIRECTIONAL), MIRROR BEAM™ STROBE SERIES Includes Cable (In Textured Black \$ For 1998-2005 Ford Crown Victoria	320.40 474.00 320.40 381.60 320.40 474.00 628.20 151.80 204.00 44.40 Finish, Sold	13 43 26 35 133 343 288 426 565 136	
e-A-Way Haloger HRCV98 H27HACP rior Dome Halog 8635CU CL25* CL25S* ro Edge® (Strob MC9MED2* MCFLED2* MCSLED2* MCSLED4* MCSLED4* MCLFL3* MCLFL3* MIRRORMT or Mounted Stroairs Only). MBCV98**	Appropriate Cable Lengths and 20' Input Cable n Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire Clear Halogen Hide-A-Way, Less Wire en Lights (Less Cable) 35 Watt Halogen Interior Dome Light, Rectangular Compartment Light, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) Compartment Light with Switch, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) e & Super-LED®) & Micro LFL™ Lighthead Assemblies, Mirror Mount Bracket Sold Separately (with 20' 9M, 2 Strobe Assemblies, 8.2"W x 10"D x 3.5"H Freedom, 2 Linear-LED Super-LED with a Built-in Flasher, 8.2"W x 10"D x 3.5"H, Blue, Red and/or Amber Micro LFL Liberty, 2-Linear-LED's with a Built-in Flasher, 9.5" L x 12"D x 2.5"H Micro LFL Liberty, 4-Linear-LED's with a Built-in Flasher, 9.5"L x 12"D x 2.5"H Micro LFL Liberty, 4-Linear-LED's with a Built-in Flasher, 15"L x 12"D x 2.5"H Micro LFL Strobe, 2 Lamp, 9-1/2"W x 12"D x 2.5"H, Amber or Red Only West Coast Mirror Mount Bracket be Lightheads (DIRECTIONAL), MIRROR BEAM™ STROBE SERIES Includes Cable (In Textured Black \$ For 1998-2005 Ford Explorer with Manual Mirrors, without Puddle Lights	320.40 474.00 39.60 148.20 381.60 320.40 474.00 628.20 151.80 204.00 44.40 Finish, Sold	13 43 26 35 133 343 288 426 565 136	
e-A-Way Haloger HRCV98 H27HACP rior Dome Halog 8635CU CL25* CL255* ro Edge® (Strob MC9MED2* MCFLED2* MCSLED2* MCSLED3* MCSLED4* MCSLED4* MCLFL3* MIRRORMT Or Mounted Stroairs Only). MBCV98** MBEX98** MBCI00** MBSU00**	Appropriate Cable Length's and 20' Input Cable n Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire Clear Halogen Hide-A-Way, Less Wire en Lights (Less Cable) 35 Watt Halogen Interior Dome Light, Rectangular Compartment Light, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) Compartment Light with Switch, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) e & Super-LED®) & Micro LFL™ Lighthead Assemblies, Mirror Mount Bracket Sold Separately (with 20' 9M, 2 Strobe Assemblies, 8.2"W x 10"D x 3.5"H Freedom, 2 Linear-LED Super-LED with a Built-in Flasher, 9.5" L x 12"D x 2.5"H Micro LFL Liberty, 2-Linear-LED's with a Built-in Flasher, 9.5" L x 12"D x 2.5"H Micro LFL Liberty, 3-Linear-LED's with a Built-in Flasher, 15"L x 12"D x 2.5"H Micro LFL Liberty, 4-Linear-LED's with a Built-in Flasher, 15"L x 12"D x 2.5"H Micro LFL Strobe, 2 Lamp, 9-1/2"W x 12"D x 2.5"H Micro LFL Strobe, 3 Lamp, 9-1/2"W x 12"D x 2.5"H, Amber or Red Only West Coast Mirror Mount Bracket be Lightheads (DIRECTIONAL), MIRROR BEAM™ STROBE SERIES Includes Cable (In Textured Black \$ For 1998-2005 Ford Crown Victoria For 1998-2005 Ford Explorer with Manual Mirrors, without Puddle Lights For 2000-2005 Chevy Impala Strobe Mirror Beam, For 2000-2005 Chevy Silverado, Suburban & Tahoe (Not Z71 or Towing	320.40 474.00 329.40 381.60 474.00 628.20 151.80 204.00 44.40 Finish, Sold 87.60 195.00	13 26 35 133 343 288 426 565 136	
e-A-Way Haloger HRCV98 H27HACP rior Dome Halog 8635CU CL25* CL255* ro Edge® (Strob MC9MED2* MCFLED2* MCSLED2* MCSLED3* MCSLED4* MCSLED4* MCLFL3* MIRRORMT Or Mounted Stroairs Only). MBCV98** MBEX98** MBCI00** MBSU00**	Appropriate Cable Lengths and 20' Input Cable a Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire Clear Halogen Hide-A-Way, Less Wire en Lights (Less Cable) 35 Watt Halogen Interior Dome Light, Rectangular Compartment Light, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) Compartment Light with Switch, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) Compartment Light with Switch, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) A Super-LED®) & Micro LFL™ Lighthead Assemblies, Mirror Mount Bracket Sold Separately (with 20' 9M, 2 Strobe Assemblies, 8.2"W x 10"D x 3.5"H Freedom, 2 Linear-LED Super-LED with a Built-in Flasher, 8.2"W x 10"D x 3.5"H, Blue, Red and/or Amber Micro LFL Liberty, 2-Linear-LED's with a Built-in Flasher, 9.5" L x 12"D x 2.5"H Micro LFL Liberty, 3-Linear-LED's with a Built-in Flasher, 9.5" L x 12"D x 2.5"H Micro LFL Strobe, 2 Lamp, 9-1/2"W x 12"D x 2.5"H Micro LFL Strobe, 3 Lamp, 9-1/2"W x 12"D x 2.5"H, Amber or Red Only West Coast Mirror Mount Bracket be Lightheads (DIRECTIONAL), MIRROR BEAM™ STROBE SERIES Includes Cable (In Textured Black \$ For 1998-2005 Ford Crown Victoria For 1998-2005 Ford Explorer with Manual Mirrors, without Puddle Lights For 2000-2005 Chevy Impala Strobe Mirror Beam, For 2000-2005 Chevy Silverado, Suburban & Tahoe (Not Z71 or Towing Mirrors) & 2003-2005 Avalanche er-LED® Series Lightheads, Includes 15' Cable with AMP Connectors, Textured Black Finish , Sold in Pa	320.40 474.00 329.40 381.60 474.00 628.20 151.80 204.00 44.40 Finish, Sold 87.60 195.00	13 43 26 35 133 343 288 426 565 136	
e-A-Way Haloger HRCV98 H27HACP rior Dome Halog 8635CU CL25* CL255* TO Edge® (Strob MC9MED2* MCFLED2* MCSLED2* MCSLED3* MCSLED4* MCSLED4* MCSLED4* MCSLED4* MCSLED4* MCHFL3* MIRRORMT Or Mounted Stroairs Only). MBCV98** MBCV98** MBCI00** MBSU00** or Mounted Sup M & MBR Series).	Appropriate Cable Lengths and 20' Input Cable 1 Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire Clear Halogen Hide-A-Way, Less Wire en Lights (Less Cable) 35 Watt Halogen Interior Dome Light, Rectangular Compartment Light, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) Compartment Light with Switch, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) e & Super-LED®) & Micro LFL™ Lighthead Assemblies, Mirror Mount Bracket Sold Separately (with 20' 9M, 2 Strobe Assemblies, 8.2"W x 10"D x 3.5"H Freedom, 2 Linear-LED Super-LED with a Built-in Flasher, 8.2"W x 10"D x 3.5"H, Blue, Red and/or Amber Micro LFL Liberty, 2-Linear-LED's with a Built-in Flasher, 9.5" L x 12"D x 2.5"H Micro LFL Liberty, 3-Linear-LED's with a Built-in Flasher, 9.5" L x 12"D x 2.5"H Micro LFL Strobe, 2 Lamp, 9-1/2"W x 12"D x 2.5"H Micro LFL Strobe, 3 Lamp, 9-1/2"W x 12"D x 2.5"H, Amber or Red Only West Coast Mirror Mount Bracket be Lightheads (DIRECTIONAL), MIRROR BEAM™ STROBE SERIES Includes Cable (In Textured Black \$ For 1998-2005 Ford Explorer with Manual Mirrors, without Puddle Lights For 2000-2005 Chevy Impala Strobe Mirror Beam, For 2000-2005 Chevy Silverado, Suburban & Tahoe (Not Z71 or Towing Mirrors) & 2003-2005 Avalanche er-LED® Series Lightheads, Includes 15' Cable with AMP Connectors, Textured Black Finish , Sold in Pa For White Super-LEDS®, Contact Factory for Pricing. \$ For 1998-2005 Ford Explorer, with Manual Mirrors, without Puddle Lights (Blue, Red and/or For White Super-LEDS®). Contact Factory for Pricing.	\$48.60 29.40 39.60 Cable). 148.20 381.60 320.40 474.00 628.20 151.80 204.00 44.40 Finish, Sold 87.60 195.00 139.20 195.00 airs (Replaces		
e-A-Way Haloger HRCV98 H27HACP rior Dome Halog 8635CU CL25* CL25S* ro Edge® (Strob MC9MED2* MCFLED2* MCSLED2* MCSLED3* MCSLED4* MCSLED4* MCSLED4* MCFLS* MIRRORMT or Mounted Stroairs Only). MBCV98** MBCI00** MBCI00** MBCU01**	Appropriate Cable Lengths and 20' Input Cable n Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire Clear Halogen Hide-A-Way, Less Wire en Lights (Less Cable) 35 Watt Halogen Interior Dome Light, Rectangular Compartment Light, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) Compartment Light with Switch, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) 2 & Super-LED®) & Micro LFL™ Lighthead Assemblies, Mirror Mount Bracket Sold Separately (with 20' 9M, 2 Strobe Assemblies, 8.2"W x 10"D x 3.5"H Freedom, 2 Linear-LED Super-LED with a Built-in Flasher, 8.2"W x 10"D x 3.5"H, Blue, Red and/or Amber Micro LFL Liberty, 2-Linear-LED's with a Built-in Flasher, 9.5"L x 12"D x 2.5"H Micro LFL Liberty, 3-Linear-LED's with a Built-in Flasher, 9.5"L x 12"D x 2.5"H Micro LFL Liberty, 4-Linear-LED's with a Built-in Flasher, 15"L x 12"D x 2.5"H Micro LFL Strobe, 2 Lamp, 9-1/2"W x 12"D x 2.5"H Micro LFL Strobe, 3 Lamp, 9-1/2"W x 12"D x 2.5"H, Amber or Red Only West Coast Mirror Mount Bracket be Lightheads (DIRECTIONAL), MIRROR BEAM™ STROBE SERIES Includes Cable (In Textured Black \$ For 1998-2005 Ford Explorer with Manual Mirrors, without Puddle Lights For 2000-2005 Chevy Impala Strobe Mirror Beam, For 2000-2005 Chevy Silverado, Suburban & Tahoe (Not Z71 or Towing Mirrors) & 2003-2005 Avalanche er-LED® Series Lightheads, Includes 15' Cable with AMP Connectors, Textured Black Finish , Sold in Pa For White Super-LEDs®, Contact Factory for Pricing. \$ For 1998-2005 Ford Crown Victoria (Blue, Red and/or Amber)	14.70 48.60 29.40 39.60 148.20 381.60 320.40 474.00 628.20 151.80 204.00 44.40 Finish, Sold 87.60 195.00 139.20 195.00 airs (Replaces	13 43 26 35 133 343 288 426 565 136	
e-A-Way Haloger HRCV98 H27HACP rior Dome Halog 8635CU CL25* TO Edge® (Strob MC9MED2* MCFLED2* MCSLED2* MCSLED3* MCSLED4* MCSLED4* MCLFL3* MIRRORMT Or Mounted Stroirs MBCV98** MBCI00** MBCU00** MBCU00** MBCU00** MBCU00** MBCU00** MBR Series) MBPC98** MBPC98** MBPC98**	Appropriate Cable Lengths and 20' Input Cable 1 Bulbs & System Kits (Waterproof Connectors are Highly Recommended on this Bulb & System) Rear Halogen Soft Plug-In Hide-A-Way System for 1998-2005 Crown Vic, includes 3TERM Flasher with appropriate Wire Lengths for Halogen Hide-A-Ways & 20' input Wire Clear Halogen Hide-A-Way, Less Wire en Lights (Less Cable) 35 Watt Halogen Interior Dome Light, Rectangular Compartment Light, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) Compartment Light with Switch, 25 Watt, Round, Surface Mount (Clear or Red Lens Only) 2	\$48.60 29.40 39.60 Cable). 148.20 381.60 320.40 474.00 628.20 151.80 204.00 44.40 Finish, Sold 87.60 195.00 139.20 195.00 139.20 195.00 187.20 295.80	13 43 26 35 133 343 288 426 565 136	



Whelen Engineering Company, Inc.

No. PL05.1WD VALID: July 1, 2005 - December 22, 2005

Mirror Mounted LED Lightheads (DIRECTIONAL), MIRROR BEAM™ LED SERIES. Includes Internal Flasher with 14 Flash Patterns, Cable & Clear Lenses for Stealth Look (In Textured Black Finish, Sold in Pairs Only). Add Remote Model 3TERM Flasher (Purchased Spangashly). For White LEDs. Contest Factor for Plains Separately). For White LEDs, Contact Factory for Pricing.

MBLC98**	e LEDs, Contact Factory for Pricing. \$ For 1998-2005 Ford Crown Victoria, Red and/or Amber	105.60			
MBLC98*B	\$ For 1998-2005 Ford Crown Victoria, 1 Red or Amber & 1 Blue	136.20			
MBLC98BB	\$ For 1998-2005 Ford Crown Victoria, Blue	166.20			
MBLX98**	For 1995-2005 Ford Explorer, with Manual Mirrors, without Puddle Lights, Red and/or Amber	215.40			
	,				
MBLX98*B	For 1995-2005 Ford Explorer, with Manual Mirrors, without Puddle Lights, 1 Red or Amber & 1 Blue	250.20			
MBLX98**	For 1995-2005 Ford Explorer, with Manual Mirrors, without Puddle Lights, Blue	283.80			
MBLI00**	For 2000-2005 Chevy Impala, Red and/or Amber	160.20			
MBLI00**	For 2000-2005 Chevy Impala, 1 Red or Amber, & 1 Blue	193.80			
MBLI00BB	For 2000-2005 Chevy Impala, Blue 228.0				
MBLS00**	S00** For 2000-2005 Chevy Silverado, Suburban & Tahoe (Not Z71 or Towing Mirrors) & 2003-2005 Avalanche. Red and/or Amber				
MBLS00*B					
MBLS00BB	For 2000-2005 Chevy Silverado, Suburban & Tahoe (Not Z71 or Towing Mirrors) & 2003-2005 Avalanche, Blue	283.80			
50LENSL*	500 Series Color Lens for Mirror Beams Series (Customer Installed)	4.20	3.78		
3TERM	3-Terminal Flasher	32.40	29.16		
PAR36FS*	ed Beam Strobe Lightheads (DIRECTIONAL) Strobe, Round, Flat Lens	58.20	52.38		
PAR36ES*	Strobe, Round, Flat Lens Strobe, Round, Wide-angle Extended Lens	58.20	52.38		
RBRHSG1	Rubber Swivel Housing for PAR36 Series	19.80	17.82		
	ed Beam LED Lightheads (DIRECTIONAL)	17.00	17.02		
PAR36L*	LED, 14 Flash Patterns including Steady Burn, Round, Red or Amber	80.40	72.36		
PAR36L*	LED, 14 Flash Patterns including Steady Burn, Round, Blue or White	186.00	167.40		
360CLXRR	LED, Brake/Tail/Turn, Maximum Intensity, with 2 Flash Patterns	80.40	72.36		
360CLMRR	LED, Clearance Light, Red	30.60	27.54		
RBRHSG1	Rubber Swivel Housing for PAR36 Series	19.80	17.82		
AR 36 Round Seale	ed Beam Halogen Lightheads (DIRECTIONAL)				
PAR36FH*	Halogen, Round, Flat Lens	48.00	43.20		
PAR36EH*	Halogen, Round, Wide-angle Extended Lens	48.00	43.20		
RBRHSG1	Rubber Swivel Housing for PAR36 Series	19.80	17.82		
1	ies, Surface Mount, Color LED's with Color Outer Lens	(4.00	FF /6		
PS*00F*R	Amber or Red, 14 Flash Patterns including Steady Burn	61.80	55.62		
PSB00FBR	Blue, 14 Flash Patterns including Steady Burn	111.60	100.44		
PSC00FCR	White, 14 Flash Patterns including Steady Burn	174.00	156.60		
PSR00XRR	Brake/Tail/Turn, with 2 Flash Patterns	61.80	55.62		
PSCABCCR	Compartment Light, Intensity Level 2, Clear Lens	74.40	66.96		
PSCACCCR PSTANK	Compartment Light, Intensity Level 3, Clear Lens Water Tank Status Light, Steady Burn Green, Blue, Amber & Flashing Red LEDs, Requires	130.80 142.20	117.72 127.98		
	Customer Supplied Sensors.				
ecial Application	Surface Mount Directional Lightheads				
ECAPTT*	Edge® Cap, Linear Strobe	120.60	108.54		
ECAPTTS	Edge® Cap, Linear Strobe, Split Lens	144.00	129.60		
9802M*	Edge+Plus™ Style, Flush Mount	180.00	162.00		
9802MS	Edge+Plus™ Style, Flush Mount, Split Lens	202.80	182.52		
HELS*	Heavy Equipment Light, 180 Degree Remote Strobe Head, Horizontal Mount.	113.40	102.06		
DOT180A	Headboard-LED™, Three 400 Series Super-LED's, Includes Internal Flasher, Mounted in a Surface Mount Cast Aluminum Housing, 15" L x 5.31" H x 6.30" D	432.00	388.80		
18BRUSH	NEW Brush Guard for DOT180	84.00			
uper Strobe® 360°	Strobe Lighthead Assemblies				
SS361*	Perm/Pipe Mount	119.40	107.46		
SS361S	Perm/Pipe Mount, Split Dome	147.00	132.30		
SS363*	Branch Guard Mount	149.40	134.46		
SS363S	Branch Guard Mount, Split Dome	174.60	157.14		
	-LED® Lightheads and Options, Surface Mount, Color Super-LEDs® with Clear Outer Lens, 3.5" \	V x 1.1" H x 1.2" D.			
cludes Black Flange RS*03ZCR	5 Scan-Lock with Flash Pattern and Steady Burn with Synchronize Feature, For Horizontal	57.00	51.30		
	Mounting, Blue, Red and/or Amber	07.00	31.00		
RSC03ZCR	5 Scan-Lock with Flash Pattern and Steady Burn with Synchronize Feature, For Horizontal Mounting, White	64.20	57.78		
RV*03ZCR	5 Scan-Lock with Flash Pattern and Steady Burn with Synchronize Feature, For Vertical Mounting, Blue, Red and/or Amber	57.00	51.30		
	5 Scan-Lock with Flash Pattern and Steady Burn with Synchronize Feature, For Vertical Mounting, White	64.20	57.78		
RVC03ZCR	Mounting, write		, 75		
RVC03ZCR RFLANGEC		7.50	6.75		
	Optional Chrome Plated Trim Ring Optional Cast Aluminum Brush Guard Mounting Flange Kit.	7.50 12.00			
RFLANGEC	Optional Chrome Plated Trim Ring		6.75 10.80 5.40		

RBKT1	Optional Mounting Bracket for One RS TIR3 Lighthead (not for use with RV series)	5.70	5.1
RBKT2	Optional Mounting Bracket for Two TIR3 Lightheads (not for use with RV series)	9.90	8.9
RBKT3 RBKTHD1	NEW Optional Crown Vic Trunk Mount Bracket for two TIR3's, Pair Harley Side Windshield Mounting Bracket Kit, for use with One RV TIR3, Stainless Steel,	9.00	10.5 8.1
RBKTHD2	Includes RFLANGEC EACH Harley Side (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with Two RS TIR3,	15.60	14.0
DDIVILIDA	Stainless Steel, Includes RFLANG2C EACH	19.60	
RBKTHD3	Harley Rear (Saddle Bag) Crash Bar Mounting Bracket Kit, for use with Two RS TIR3, Stainless Steel, Includes RFLANG2C EACH	18.60	16.7
DDVTUDAL	Harlay Under Dadia Day Mauriting Product Vit for use with One DC TID2 Stainless Steel	0.00	0.1
RBKTHD4L	Harley Under Radio Box Mounting Bracket Kit, for use with One RS TIR3, Stainless Steel, Includes RFLANGEC, Road Side EACH	9.00	8.1
RBKTHD4R	Harley Under Radio Box Mounting Bracket Kit, for use with One RS TIR3, Stainless Steel, Includes RFLANGEC, Curb Side EACH	9.00	8.1
RBKTHD5	Harley Under Headlight Mounting Bracket Kit, for use with One RS TIR3, Stainless Steel, Includes RFLANGEC	12.60	11.3
RBKTHD6	NEW Harley Passing/Fog Light Mounting Bracket Kit, for use with One RS TIR3, Stainless Steel, Includes RFLANGEC	9.00	8.1
Side Beam™ S	Series - Strobe Lightheads (DIRECTIONAL)		
TS200S*	Strobe	91.20	82.0
TS200S#	Strobe, Split Lens	112.80	101.5
TS200SI*	Strobe, Intersector™, Chrome Housing	114.60	103.1
TS200SI#	Strobe, Intersector, Chrome Housing, Split Lens	138.60	124.7
TS200SG*	Strobe, Grille-Master™, Chrome Housing	121.80	109.6
TS200SG#	Strobe, Grille-Master™, Chrome Housing, Split Lens	145.20	130.6
TS201SG*	Strobe, Grille-Master™, Black Housing	118.20	106.3
TS201SG#	Strobe, Grille-Master™, Black Housing, Split Lens	141.60	127.4
TS200SE*	Strobe, Edge® Cap	123.00	110.7
TS200SES	Strobe, Edge® Cap, Split Lens	147.00	132.3
MNIL*	Optional 1/2 Inner color lens (Customer installed option, for use with Clear Outer Lens only)	3.60	3.2
Side Beam™ S	Series - Halogen Lightheads (DIRECTIONAL) with 6" Pigtail (Replaces Mini-Max Beam Halogen Serie	s).	
TS200H*	Halogen	76.20	.88
TS200H#	Halogen, Split Lens	97.80	88.0
TS200HI*	Halogen, Intersector™, Chrome Housing	99.00	89.
TS200HI#	Halogen, Intersector, Chrome Housing, Split Lens	120.60	108.5
TS200HG*	Halogen, Grille-Master™, Chrome Housing	106.20	95.
TS200HG#	Halogen, Grille-Master™, Chrome Housing, Split Lens	128.40	115.5
TS201HG*	Halogen, Grille-Master™, Black Housing	102.60	92.3
TS201HG#	Halogen, Grille-Master™, Black Housing, Split Lens	124.20	111.
TS200HE*	Halogen, Edge® Cap	109.20	98.2
TS200HES	Halogen, Edge® Cap, Split Lens	132.00	118.8
MNIL*	Optional 1/2 Inner color lens (Customer installed option, for use with Clear Outer Lens Only)	3.60	3.2
	Series - Combination Lightheads, Strobe & Halogen (DIRECTIONAL) Halogen Lamps have 6" Pigta	il.	
TS200C*	Combination	84.00	75.6
TS200C#	Combination, Split Lens	105.60	95.0
TS200CI*	Combination, Intersector, Chrome Housing	106.80	96.
TS200CI#	Combination, Intersector, Chrome Housing, Split Lens	129.00	116.
TS200CG*	Combination, Grille-Master™, Chrome Housing	114.60	103.1
TS200CG#	Combination, Grille-Master™, Chrome Housing, Split Lens	138.00	124.2
TS201CG*	Combination, Grille-Master™, Black Housing	111.00	99.0
TS201CG#	Combination, Grille-Master™, Black Housing, Split Lens	131.40	118.2
TS200CE*	Combination, Edge® Cap	117.60	105.8
TS200CES	Combination, Edge® Cap, Split Lens	141.00	126.9
MNIL*	Optional 1/2 Inner color lens (Customer installed option, for use with Clear Outer Lens only)	3.60	3.2
	BE LIGHTHEAD ASSEMBLIES (360°) (Includes Internal Cable with Pigtail)		
XHEAD*	Adjustable Carbon Fiber Pole Mount	298.80	268.9
XHEADS	Adjustable Carbon Fiber Pole Mount, Split Lens	322.80	290.5
	e Lighthead Assemblies		
VHEAD*	Flat Mount	60.60	54.5
VHEADS	Flat Mount, Split Dome	84.00	75.6
	ons And Connector Kits		
Ided Three Cor EXT5	hductor Extension Cables Five Foot Extension Cable with Amp Connectors	9.30	8.3
EXT10	Ten Foot Extension Cable with Amp Connectors	13.20	11.8
EXT10	Fifteen Foot Extension Cable with Amp Connectors	16.80	15.1
EXT15	Twenty Foot Extension Cable with Amp Connectors	20.10	18.0
EXT25	Twenty-Five Foot Extension Cable with Amp Connectors Twenty-Five Foot Extension Cable with Amp Connectors	25.20	22.6
EXT30	Thirty Foot Extension Cable with Amp Connectors	28.80	25.9
EXT40	Fourty Foot Extension Cable with Amp Connectors Fourty Foot Extension Cable with Amp Connectors	35.40	31.8
EA 14U	FOURTY FOOLEXIERSION CADIE WITH AMD CONNECTORS	35.40	31.8

Fourty Foot Extension Cable with Amp Connectors

35.40

31.86

EXT40



Whelen Engineering Company, Inc.

EXT5WD	Iductor Extension Cables , With Deutsch Waterproof Connectors on Lighthead Side of Cable Five Foot Extension Cable with Deutsch® Connector on Lighthead Side of Cable	14.70	13.2
EXT10WD	Ten Foot Extension Cable with Deutsch® Connector on Lighthead Side of Cable	17.10	15.3
EXT10WD EXT15WD	Fifteen Foot Extension Cable with Deutsch® Connector on Lighthead Side of Cable	21.00	18.9
EXT13WD	Twenty Foot Extension Cable with Deutsch® Connector on Lighthead Side of Cable		
EXT20WD	Twenty Five Foot Extension Cable with Deutsch® Connector on Lighthead Side of Cable Twenty Five Foot Extension Cable with Deutsch® Connector on Lighthead Side of Cable	25.20 28.80	22.6 25.9
EXT23WD	,	33.00	29.7
EXT40WD	Thirty Foot Extension Cable with Deutsch® Connector on Lighthead Side of Cable	39.00	35.1
	Forty Foot Extension Cable with Deutsch® Connector on Lighthead Side of Cable Shielded Cables, For Standard 15' Cable, Where Applicable	39.00	35. I
		4.20	2.7
SEXT20 SEXT25	Substitute Twenty Foot Cable for Standard Fifteen Foot Cable Substitute Twenty-Five Foot Cable for Standard Fifteen Foot Cable	4.20	3.7 6.7
SEXT30	Substitute Thirty Foot Cable for Standard Fifteen Foot Cable Substitute Thirty Foot Cable for Standard Fifteen Foot Cable	7.50 12.00	10.8
	Substitute Thirty-Five Foot Cable for Standard Fifteen Foot Cable Substitute Thirty-Five Foot Cable for Standard Fifteen Foot Cable	15.60	14.0
SEXT35 SEXT40	J	18.90	17.0
	Substitute Forty Foot Cable for Standard Fifteen Foot Cable		
SEXT45	Substitute Forty-Five Foot Cable for Standard Fifteen Foot Cable	23.40	21.0
SEXT50	Substitute Fifty Foot Cable for Standard Fifteen Foot Cable	27.00	24.3
	Shielded Cables, For Standard 15' Cable with Waterproof Connector on Lighthead Side of Cable, Where Ap	ррисавіе.	
	of Lighthead & Cable with Deutsch Waterproof Connector on Lighthead Side)	4.00	0 -
SEXT20D	Substitute Twenty Foot Cable for Standard Fifteen Foot Cable, Deutsch® Waterproof	4.20	3.7
051/7050	Connectors on Lighthead Side of Cable Only.	7.50	
SEXT25D	Substitute Twenty-Five Foot Cable for Standard Fifteen Foot Cable, Deutsch® Waterproof	7.50	6.7
051/7000	Connectors on Lighthead Side of Cable Only.	40.00	
SEXT30D	Substitute Thirty Foot Cable for Standard Fifteen Foot Cable, Deutsch® Waterproof	12.00	10.8
	Connectors on Lighthead Side of Cable Only.		
SEXT35D	Substitute Thirty-Five Foot Cable for Standard Fifteen Foot Cable, Deutsch® Waterproof	15.60	14.0
	Connectors on Lighthead Side of Cable Only.		
stitute Longer S	Shielded Cables, For Standard 15' Cable with Waterproof Connector, Both Ends of Cable, Where Applicable	le. (Requires	
	nd & Cable with Deutsch Waterproof Connectors on Lighthead & Both Sides of Cable)		
SEXT20DD	Substitute Twenty Foot Cable for Standard Fifteen Foot Cable, Deutsch® Waterproof	4.20	3.7
	Connectors on Both Sides of Cable.		
SEXT25DD	Substitute Twenty-Five Foot Cable for Standard Fifteen Foot Cable, Deutsch® Waterproof	7.50	6.
	Connectors on Both Sides of Cable.		
SEXT30DD	Substitute Thirty Foot Cable for Standard Fifteen Foot Cable, Deutsch® Waterproof	12.00	10.8
	Connectors on Both Sides of Cable.		
SEXT35DD	Substitute Thirty-Five Foot Cable for Standard Fifteen Foot Cable, Deutsch® Waterproof	15.60	14.0
	Connectors on Both Sides of Cable.		
	or Linear-LED® Super-LED® Lightheads with Amp Connectors, 2 Conductor with Amp Connectors		
EXT2C05A	Five Foot Cable	8.10	7.2
EXT2C10A	Ten Foot Cable	13.20	11.8
EXT2C15A	Fifteen Foot Cable	15.60	14.0
EXT2C20A	Twenty Foot Cable	18.90	17.0
EXT2C25A	Twenty-Five Foot Cable	24.00	21.0
EXT2C30A	Thirty Foot Cable	27.60	24.8
e Assemblies fo	or Linear-LED® Super-LED® Lightheads with Deutsch Connectors, 2 Conductor with Deutsch Connect	tors	
EXT2C05D	Five Foot Cable	18.60	16.7
EXT2C10D	Ten Foot Cable	23.40	21.0
EXT2C15D	Fifteen Foot Cable	25.80	23.2
EXT2C20D	Twenty Foot Cable	29.10	26.
EXT2C25D	Twenty-Five Foot Cable	34.20	30.
EXT2C30D	Thirty Foot Cable	37.80	34.0
nector Kits	, , , , , , , , , , , , , , , , , , , ,		
A441A	3 Pins and Connector AMP MATE-N-LOK® (Cap)	1.80	1.0
A442A	3 Sockets and Connector AMP MATE-N-LOK (Plug)	1.80	1.0
A444A	2 Pins and Connector AMP MATE-N-LOK (Cap)	1.80	1.0
A446A	2 Sockets and Connector AMP MATE-N-LOK (Plug)	1.80	1.0
W441D	3 Pins and Connector Kit, Waterproof (Deutsch®)	4.20	3.
W441D14	3 Pins and Connector Kit, Waterproof Deutsch® for DOT TPR Cable	4.20	3.
W441D14 W442D	3 Sockets and Connector Kit, Waterproof (Deutsch®)	4.20	3.
v 4 + + / 1 /	2 Pins and Connector Kit, Waterproof (Deutsch®)	3.00	2.
W444D			
W444D W446D	2 Sockets and Connector Kit, Waterproof (Deutsch®)	3.00	2.
W444D W446D	2 Sockets and Connector Kit, Waterproof (Deutsch®) tor Kits, Installed, OPTIONAL, Substituted for AMP MATE-N-LOCK® Connectors Deutsch® 3 Pins and Connector Kit, Waterproof (Installed on Cable)	6.60	5.

Tools, Crimpers And Extractors	5
Tools	

Crimping Tool for Deutsch® Metal Terminals	126.00	
Crimping Tool for Amp Standard Terminals	73.80	
Crimping Tool for Barrel Style Terminals	66.60	
Economical Extractor for both Pins and Sockets	29.40	
Heavy Duty Extractor for Amp Pins	73.80	
Heavy Duty Extractor for Amp Sockets	73.80	
	Crimping Tool for Amp Standard Terminals Crimping Tool for Barrel Style Terminals Economical Extractor for both Pins and Sockets Heavy Duty Extractor for Amp Pins	Crimping Tool for Amp Standard Terminals 73.80 Crimping Tool for Barrel Style Terminals 66.60 Economical Extractor for both Pins and Sockets 29.40 Heavy Duty Extractor for Amp Pins 73.80

	45. 60.11 11.1 0 10.1		
	Is with 15' of Cable, Unless Specified.	172.00	155
VP220**	VP220 Strobe System, 4" Round Grommet Mount	172.80	155
VP228**	VP228 Strobe System, 5" x 2" Strobe, Oval Grommet Mount	172.80	155
VP230**	VP230 Strobe System, Mirror Mounted Strobe Beacons w/20' Cable, Less Switch	259.20	233
VP231**	VP231 Strobe System, Strobe Beacons w/15' Cable, Less Switch	226.20	203
	les CS450 Power Supply with 2 Remote Heads and 15' of Cable, Unless Specified.		
VP20**	VP-20 Strobe System, 4" Round Grommet Mount	204.00	183
VP21**	VP-21 Strobe System, Par 36 Flat Lens Rubber Housing	204.00	183
VP22**	VP-22 Strobe System, Par 36 Extended Lens, Rubber Housing	204.00	183
VP23**	VP-23 Strobe System, Par 36 Flat Lens, Chrome Housing	204.00	183
VP24**	VP-24 Strobe System, Par 36 Extended Lens, Chrome Housing	204.00	183
VP26**	VP-26 Strobe System, 360° High Dome	254.40	228
VP27**	VP-27 Strobe System, 360° Low Dome	254.40	228
VP28**	VP-28 Strobe System, 5" x 2" Strobe, Oval Grommet Mount	204.00	183
VP29**	VP-29 Strobe System, 5" x 2" Strobe, Oval Flange Mount	204.00	183
Series Acces			
320G10*U	VP-20 Style Remote Head Only, with 15' cable	58.20	52
VP21HD*	VP-21 Style Remote Head Only, with 15' cable	54.00	48
VP22HD*	VP-22 Style Remote Head Only, with 15' cable	54.00	48
VP23HD*	VP-23 Remote Par 36 Flat Lens, Chrome Housing Only, with 15' cable	54.00	48
VP24HD*	VP-24 Remote Par 36 Extended Lens, Chrome Housing Only, with 15' cable	54.00	48
VP26HD*	VP-26 Remote 360° Beacon, High Dome Only, with 15' cable	76.20	68
VP27HD*	VP-27 Remote 360° Beacon, Low Dome Only, with 15' cable	76.20	68
VP28HD*	VP-28 Style Remote Head Only, with 15' cable	58.20	52
VP29HD*	VP-29 Style Remote Head Only, with 15' cable	58.20	52
CS220	Two Outlet, 20 Watt Output (27 Watts Input), Hi Power Only.	61.20	
CS450	Four Outlet, 50 Watt Output (67 Watts Input)	84.60	
CSP660	Six Outlet, 60 Watt Output (75 Watts Input) with Ten Flash Patterns, 12 VDC Only	104.40	
Series Truck	Systems, CS450 Power Supply with Linear Strobe and Waterproof Connectors Standard		
VP31	3 Light System, includes 2 Oval Grommet Mount Lightheads with 30' Cable	337.20	303
VP32	3 Light System, includes 2 Oval Flange Mount Lightheads with 30' Cable	337.20	303
VPBOXSD	Steel (Welded) Box for VP32 System	70.20	63

		_		
Va.	HΑ	Prod	licts	H

LP Systems - Includes 2 Amber LED Lightheads, each with 14 Flash Patterns, including Steady Burn (Unless Noted) & Pigtails for Customer supplied wires.

Supplied Wiles.			
LP21**	Two PAR36L's with Rubber Housings, Red and/or Amber	181.20	163.08
LP21**	Two PAR36L's with Rubber Housings, 1 Red or Amber & 1 Blue or White	304.20	273.78
LP21**	Two PAR36L's with Rubber Housings, Blue and/or White	420.60	378.54
LP28AA	Two 5SA00FAR Amber Self/Surface Mount Lightheads	102.60	92.34
LPG20AA	Two 20A00FAR LED Lightheads with Grommets	148.20	133.38
LPF20AA	Two 20A00FAR LED Lightheads with Black Flanges, (Replaces LP20AA)	151.20	136.08
LPG29AA	Two 50A00FAR LED Lightheads with Grommets, (Replaces LP29AA)	111.00	99.90
LPF29AA	Two 50A00FAR LED Lightheads with Black Flanges	113.40	102.06
LP7WAA	Two 70A00FAR Amber LED Lighthead	201.60	181.44
LP7HSGN	Shallow 8 Gage Steel Housing for use with LP7WAA Only	94.20	84.78
3TERM	3-Terminal Flasher for Alternating or Simultaneous Flash Pattern	32.40	29.16
LP Systems, Super	-LED® - Includes 2 Amber Super-LED® Lightheads with Pigtails for Customer supplied wires.		
LPG40AA	Two 2EA00ZAR Super-LED Lightheads with Grommets & Extended Lens	200.40	180.36
LPF40AA	Two 2EA00ZAR Super-LED Lightheads with Black Flanges & Extended Lens (Replaces	202.80	182.52
	LP40AA)		
LPG40FAA	Two 2FA00ZAR Super-LED Lightheads with Grommets & Flat Lens	200.40	180.36
LPF40FAA	Two 2FA00ZAR Super-LED Lightheads with Black Flanges & Flat Lens	202.80	182.52
LPG49AA	Two 50A03ZAR Super-LED Lightheads with Grommets	190.20	171.18
LPF49AA	Two 50A03ZAR Super-LED Lightheads with Surface Mount Adapters and Black Flanges,	202.80	182.52
	(Replaces LP49AA)		
LPG59AAD	Two 50A020AD Linear-LED Super-LED Lightheads with Grommets, 15' Cables, CSL2D LED	353.40	318.06
	Power Supply and Waterproof Connectors		
LPF59AAD	Two 50A020AD Linear-LED Super-LED Lightheads with Black Flanges, 15' Cables, CSL2D	355.80	320.22
	LED Power Supply and Waterproof Connectors, (Replaces LP59AAD)		
LPS34AAA	Two 50A03ZAR Super-LED Lightheads with Surface Mount Adapters, Black Flanges and One	294.00	264.60

Hide-A-Way Strobe Systems

Systems, Hide-A-Way Strobe(Waterproof Connectors are Highly Recommended on this Bulb & System)

S225CC CS225 Power Supply, Two S30HACP Strobe Tubes & Two EXT5 Cables 94.20 S220AA CS220 Power Supply, Two S30HAA Strobe Tubes & Two EXT5 Cables 139.20

18

2022HCA Strobe Beacon

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red; G = Green



Whelen Engineering Company, Inc.

No. PL05.1WD VALID: July 1, 2005 - December 22, 2005

	11011 20011112 1712121041 2000 2000111201 22/2000		
S450CCCC	CS450 Power Supply with Four HA239C	163.20	
S450AAAA	CS450 Power Supply with Four HA238A	225.00	
S660CCCC	CSP660 Power Supply with Four HA239C	183.00	
S690CCCC	CSP690 Power Supply with Four HA238C	204.60	
S660AAAA	CSP660 Power Supply with Four HA238A	245.40	
SFCV98CC	Front or Rear Hide-A-Way System for 1998-2005 Crown-Vic includes CS220, 2-S30HACP with Appropriate Cable Lengths and 20' Input Cable	97.20	

Packer™ Waste Truck Systems, All Systems Include: Super-LED® Directional Warning Lights, Electronic Flasher, Stainless Steel Housing, 2/C 25' TPR Cable with Strain Relief Tubing and Deutsch® **Waterproof Connectors**

Packer[™] Waste Truck Systems

PKRSYS1	Super-LED Warning Light System for Front Loader Waste Trucks	1053.00
PKRSYS2	Super-LED Warning Light System for Roll-Off/Recycle Waste Trucks	1053.00
PKRTA6	6 Super-LED Directional Warning Light Array, 40" Length, for Rear Loader Waste Trucks	991.20
PKRTA8	8 Super-LED Directional Warning Light Array, 54" Length, for Rear Loader Waste Trucks	1239.60

HD Pro™ Series, Directional Warning Light Array, All Systems Include: Electronic Flasher, Stainless Steel Housing, Deutsch® Waterproof Connectors and 5FLANGEB's (Lightheads Purchased Separately)

HD Pro™ Lightbar System

•	i i Liginibai 3	Jacon		
	LAC47	NEW 47" Long Housing, For Six 500 Series Lightheads Purchased Separately	572.40	
	LAC54	NEW 53.75" Long Housing, For Eight 500 Series Lightheads Purchased Separately	633.00	

DOT Wing Plow Super-LED® Lightheads

_		Capor EED Eighthodas		
Win	g Plow Super-LE	D® Lightheads, Includes TIR3™ Super-LED® Encapsulated in a Cast Housing and 20' Cable		
	WPLOW1A	Amber, for use when Wing Plow is in Use	109.80	
	WPLOW2A	Amber for use when Wing Plow is Stowed	109.80	
	WPLOW3AA	Includes 1-WPLOW1A and 1-WPLOW2A	205.20	

DOT3® Super-LED®, Choose one option from each of the following category to achieve the Lighting System Number

וטטו	-LED® System,	Category One, Enter Into the First 3 Digits of the Lighting System Number.		
	000	No Micro Edges Supplied	0.00	
	21T	Two 2-Lamp Micro LFL Liberty's	640.20	
	11F	One 4-Lamp Micro LFL Liberty	628.20	
	22T	Two 2-Lamp Micro Freedom's	762.00	
	12F	One 4-Lamp Micro Freedom	736.80	
	23F	NEW Two 4-Lamp Mircro 400's	1290.00	
	23H	Two 3-Lamp Micro 400's	1049.40	
	150	NEW One L31HAF with TPR Cable	383.40	
	250	NEW Two L31HAF's with TPR Cable	765.60	
	160	NEW One L32LAF with TPR Cable	233.40	
	260	NEW 2 Each L31LAF with TPR Cable	466.80	
	17H	NEW One 3-Lamp Headboard-LED Lighthead	427.80	
	27H	NEW Two 3-Lamp Headboard-LED Lighthead	855.60	
DOT	-LED® System,	Category Two, Enter Into the 4th Digit of the Lighting System Number.		
	0	No Mirror Mount Bracket	0.00	

0	No Mirror Mount Bracket	0.00	
3	2-West Coast Mirror Mount Brackets	88.20	
4	2-Navistar Mirror Mount Brackets	88.20	

DOT-LED® System, Category Three (sold in pairs), Enter Into the 5th & 6th Digits of the Lighting System Number

U	-LLD Jysicili,	Category Trifee (sold in pairs), Enter into the 5th & oth Digits of the Eighting System Number.		
	00	No Rear Lightheads	0.00	
	5A	400 Series A Style Rear Lightheads, Super-LED Warning	288.60	
	5B	400 Series B Style Rear Lightheads, Super-LED Warning and LED Brake/Tail/Turn	417.00	
	5D	400 Series D Style Rear Lightheads, Super-LED Warning, LED Brake/Tail/Turn and LED Back- up	576.00	
	5M	NEW 400 Series D Style Rear Lighthead With Side Mounted TIR Amber lighthead, Super-LED Warning, LED Brake/Tail/Turn, LED Back-Up Light, Available in Stainless Steel Housing Only	703.80	
	5K	NEW 400 Series B Style Rear Lighthead With Side Mounted TIR Amber lighthead, Super-LED Warning, LED Brake/Tail/Turn, Available in Stainless Steel Housing Only	544.80	
	SUB4HBU	NEW Substitute 400 Series Halogen Back-up for Standard LED Back-up in 5D Series Only, DEDUCT	84.00	
	6A	500 Series A Style Rear Lightheads, Super-LED Warning	288.60	

6B	500 Series B Style Rear Lightheads, Super-LED Warning and LED Brake/Tail/Turn	417.00
6D	500 Series D Style Rear Lightheads, Super-LED Warning, LED Brake/Tail/Turn and LED Back- up	576.00
SUB5HBU	NEW Substitute 500 Series Halogen Back-up for Standard LED Back-up in 6D Series Only, DEDUCT	84.00
7A	700 Series Square A Style Rear Lightheads, Super-LED Warning	352.80
7B	700 Series Square B Style Rear Lightheads, Super-LED Warning and LED Brake/Tail/Turn	512.40
7D	700 Series Square D Style Rear Lightheads, Super-LED Warning, LED Brake/Tail/Turn and LED Back-up	960.00
SUB7HBU	NEW Substitute 700 Series Halogen Back-up for Standard LED Back-upin 7D and 8D Series Only, DEDUCT	84.00
8A	700 Series Angled A Style Rear Lightheads, Super-LED Warning	352.80
8B	700 Series Angled B Style Rear Lightheads, Super-LED Warning and LED Brake/Tail/Turn	512.40
8D	700 Series Angled D Style Rear Lightheads, Super-LED Warning, LED Brake/Tail/Turn and LED Back-up	960.00
T-LED® Syster	n, Category Four, Enter Into the 7th Digit of the Lighting System Number.	
A	2-Single Hole Aluminum Rear Housing	70.80
Α	2-Dual Hole Aluminum Rear Housing	104.40
Α	2-Triple Hole Aluminum Rear Housing	104.40
S	2-Steel Rear Housing, Price Included In Category Three	0.00
Р	2-Single Hole Stainless Steel Rear Housing	70.80
Р	2-Dual Hole Stainless Steel Rear Housing	104.40
Р	2-Triple Hole Stainless Steel Rear Housing	104.40
T-LED® Syster	n, Category Five, Enter Into the 8th Digit of the Lighting System Number.	
0	Installation Kit and 20' Cable to Micro Edge(s) and 30' Cable to Rear Lightheads, if Applicable	192.60
S	Installation Kit and Special Cable Length, Contact Factory	

DOT Strobeplus+™, Includes Diagnostix™ Combination Strobe & Halogen Supply, Indicator Panel, & Waterproof Connectors, STD. For Aluminum or Stainless Steel Housings for Rear Heads, Contact Factory for Price & Availability.

SSNF101A StrobePlus+™ System 101-A 1176.60 SSNF101B StrobePlus+™ System 101-B w/LED Brake/Tail/Turn 1306.80 SSNF101D StrobePlus+™ System 101-D w/LED Brake/Tail/Turn 1414.80 DOT1LEDB Substitute Two 70C00VCR LED Back-up Lights in place of Halogen Back-up Lights 123.00 MIRRORMT West Coast Mirror Mount Bracket 44.40 MIRRORIH NaviStar® Mirror Mount Bracket 44.40 StrobePlus+™ System 102 SSNF102A StrobePlus+™ System 102-A 850.20 SSNF102B StrobePlus+™ System 102-B w/LED Brake/Tail/Turn 979.80 SSNF102D StrobePlus+™ System 102-D w/LED Brake/Tail/Turn 1086.60 DOT1LEDB Substitute Two 70C00VCR LED Back-up Lights in place of Halogen Back-up Lights 123.00 DOT6HBG Optional Branch Guard for DOT Cab Strobe 33.00 StrobePlus+™ System 103 SSNF103 StrobePlus+™ System 103 MIRRORIH NaviStar® Mirror Mount Bracket 44.40 MIRRORMT West Coast Mirror Mount Bracket 44.40 MIRRORMT West Coast Mirror Mount Bracket 44.40	
SSNF101D StrobePlus+™ System 101-D w/LED Brake/Tail/Turn 123.00 DOT1LEDB Substitute Two 70C00VCR LED Back-up Lights in place of Halogen Back-up Lights 123.00 MIRRORMT West Coast Mirror Mount Bracket 44.40 MIRRORIH NaviStar® Mirror Mount Bracket 44.40 StrobePlus+™ System 102 SSNF102A StrobePlus+™ System 102-A 850.20 SSNF102B StrobePlus+™ System 102-B w/LED Brake/Tail/Turn 979.80 SSNF102D StrobePlus+™ System 102-D w/LED Brake/Tail/Turn 1086.60 DOT1LEDB Substitute Two 70C00VCR LED Back-up Lights in place of Halogen Back-up Lights 123.00 DOT6HBG Optional Branch Guard for DOT Cab Strobe 33.00 StrobePlus+™ System 103 SSNF103 StrobePlus+™ System 103 MIRRORIH NaviStar® Mirror Mount Bracket 44.40	
DOT1LEDB Substitute Two 70C00VCR LED Back-up Lights in place of Halogen Back-up Lights 123.00 MIRRORMT West Coast Mirror Mount Bracket 44.40 MIRRORIH NaviStar® Mirror Mount Bracket 44.40 StrobePlus+™ System 102 SSNF102A StrobePlus+™ System 102-A 850.20 SSNF102B StrobePlus+™ System 102-B w/LED Brake/Tail/Turn 979.80 SSNF102D StrobePlus+™ System 102-D w/LED Brake/Tail/Turn 1086.60 DOT1LEDB Substitute Two 70C00VCR LED Back-up Lights in place of Halogen Back-up Lights 123.00 DOT6HBG Optional Branch Guard for DOT Cab Strobe 33.00 StrobePlus+™ System 103 SSNF103 StrobePlus+™ System 103 701.40 MIRRORIH NaviStar® Mirror Mount Bracket 44.40	-
MIRRORMT West Coast Mirror Mount Bracket 44.40 MIRRORIH NaviStar® Mirror Mount Bracket 44.40 StrobePlus+™ System 102 SSNF102A StrobePlus+™ System 102-A 850.20 SSNF102B StrobePlus+™ System 102-B w/LED Brake/Tail/Turn 979.80 SSNF102D StrobePlus+™ System 102-D w/LED Brake/Tail/Turn 1086.60 DOT1LEDB Substitute Two 70C00VCR LED Back-up Lights in place of Halogen Back-up Lights 123.00 DOT6HBG Optional Branch Guard for DOT Cab Strobe 33.00 StrobePlus+™ System 103 SSNF103 StrobePlus+™ System 103 701.40 MIRRORIH NaviStar® Mirror Mount Bracket 44.40	
MIRRORIH NaviStar® Mirror Mount Bracket 44.40 StrobePlus+™ System 102 SSNF102A StrobePlus+™ System 102-A 850.20 SSNF102B StrobePlus+™ System 102-B w/LED Brake/Tail/Turn 979.80 SSNF102D StrobePlus+™ System 102-D w/LED Brake/Tail/Turn 1086.60 DOT1LEDB Substitute Two 70C00VCR LED Back-up Lights in place of Halogen Back-up Lights 123.00 DOT6HBG Optional Branch Guard for DOT Cab Strobe 33.00 StrobePlus+™ System 103 33.00 SSNF103 StrobePlus+™ System 103 701.40 MIRRORIH NaviStar® Mirror Mount Bracket 44.40	-
StrobePlus+™ System 102 SSNF102A StrobePlus+™ System 102-A 850.20 SSNF102B StrobePlus+™ System 102-B w/LED Brake/Tail/Turn 979.80 SSNF102D StrobePlus+™ System 102-D w/LED Brake/Tail/Turn 1086.60 DOT1LEDB Substitute Two 70C00VCR LED Back-up Lights in place of Halogen Back-up Lights 123.00 DOT6HBG Optional Branch Guard for DOT Cab Strobe 33.00 StrobePlus+™ System 103 SSNF103 StrobePlus+™ System 103 701.40 MIRRORIH NaviStar® Mirror Mount Bracket 44.40	-
SSNF102A StrobePlus+™ System 102-A 850.20 SSNF102B StrobePlus+™ System 102-B w/LED Brake/Tail/Turn 979.80 SSNF102D StrobePlus+™ System 102-D w/LED Brake/Tail/Turn 1086.60 DOT1LEDB Substitute Two 70C00VCR LED Back-up Lights in place of Halogen Back-up Lights 123.00 DOT6HBG Optional Branch Guard for DOT Cab Strobe 33.00 StrobePlus+™ System 103 SSNF103 StrobePlus+™ System 103 701.40 MIRRORIH NaviStar® Mirror Mount Bracket 44.40	-
SSNF102A StrobePlus+™ System 102-A 850.20 SSNF102B StrobePlus+™ System 102-B w/LED Brake/Tail/Turn 979.80 SSNF102D StrobePlus+™ System 102-D w/LED Brake/Tail/Turn 1086.60 DOT1LEDB Substitute Two 70C00VCR LED Back-up Lights in place of Halogen Back-up Lights 123.00 DOT6HBG Optional Branch Guard for DOT Cab Strobe 33.00 StrobePlus+™ System 103 SSNF103 StrobePlus+™ System 103 701.40 MIRRORIH NaviStar® Mirror Mount Bracket 44.40	
SSNF102D StrobePlus+™ System 102-D w/LED Brake/Tail/Turn 1086.60 DOT1LEDB Substitute Two 70C00VCR LED Back-up Lights in place of Halogen Back-up Lights 123.00 DOT6HBG Optional Branch Guard for DOT Cab Strobe 33.00 StrobePlus+™ System 103 SSNF103 StrobePlus+™ System 103 701.40 MIRRORIH NaviStar® Mirror Mount Bracket 44.40	
DOT1LEDB Substitute Two 70C00VCR LED Back-up Lights in place of Halogen Back-up Lights 123.00 DOT6HBG Optional Branch Guard for DOT Cab Strobe 33.00 StrobePlus+™ System 103 SSNF103 StrobePlus+™ System 103 701.40 MIRRORIH NaviStar® Mirror Mount Bracket 44.40	-
DOT6HBG Optional Branch Guard for DOT Cab Strobe 33.00 StrobePlus+™ System 103 SSNF103 StrobePlus+™ System 103 701.40 MIRRORIH NaviStar® Mirror Mount Bracket 44.40	-
StrobePlus+™ System 103 SSNF103 StrobePlus+™ System 103 701.40 MIRRORIH NaviStar® Mirror Mount Bracket 44.40	-
SSNF103 StrobePlus+™ System 103 701.40 MIRRORIH NaviStar® Mirror Mount Bracket 44.40	-
MIRRORIH NaviStar® Mirror Mount Bracket 44.40	
MIRRORMT West Coast Mirror Mount Bracket 44.40	-
	-
StrobePlus+™ System 104	
SSNF104A StrobePlus+™ System 104-A 732.60	
SSNF104B StrobePlus+™ System 104-B w/LED Brake/Tail/Turn 873.00	-
SSNF104D StrobePlus+™ System 104-D w/LED Brake/Tail/Turn 979.80	-
DOT1LEDB Substitute Two 70C00VCR LED Back-up Lights in place of Halogen Back-up Lights 123.00	-
StrobePlus+™ System 106	
SSNF106A StrobePlus+™ System 106-A 1206.00	
SSNF106B StrobePlus+™ System 106-B w/LED Brake/Tail/Turn 1336.20	-
SSNF106D StrobePlus+™ System 106-D w/LED Brake/Tail/Turn 1442.40	
DOT1LEDB Substitute Two 70C00VCR LED Back-up Lights in place of Halogen Back-up Lights 123.00	
DOT6HBG Optional Branch Guard for StrobePlus™ Cab Strobe 33.00	



DOT3® Strobe, Includes Diagnostix Power Supply, Indicator Panel, and Waterproof Connectors, Standard. For Aluminum or Stainless Steel Housings for Rear Strobe Heads, Contact Factory for Price

and Availability.	duminum of Staniess Steel Housings for Real Strobe Heads, Contact Factory for Pr	ice
DOT3® System 10	1	
DOT3101A	DOT3 System 101-A	1108.80
DOT3101B	DOT3 System 101-B w/LED Brake/Tail/Turn	1239.00
DOT3101D	DOT3 System 101-D w/LED Brake/Tail/Turn	1347.00
DOT1LEDB	Substitute Two 70C00VCR LED Back-up Lights in place of Halogen Back-up Lights	123.00
MIRRORMT	West Coast Mirror Mount Bracket	44.40
DOT24V8	Optional 24 VDC (ISP18824 Substituted for ISP188). Not for use with B/T/T Models.	77.40
SOLAR1	Remote Photocell for use with Remote Power Supply and Strobe Beacons with Hi/Low Capability	64.80
DOT3® System 20		
DOT3201A	DOT3 System 201-A	1108.80
DOT3201B	DOT3 System 201-B w/LED Brake/Tail/Turn	1239.00
DOT3201D	DOT3 System 201-D w/LED Brake/Tail/Turn	1347.00
DOT2LEDB	Substitute Two 50C00WCR LED Back-up Lights in place of Halogen Back-up Lights	151.80
DOT2SMK1	Optional Shock Mount Kit for One Hole Steel Housing, Inc. One Pair of 100 Series Housings, Grommets & Brackets in place of Std. 200 Series Housings.	13.80
DOT2SMK2	Optional Shock Mount Kit for Two Hole Steel Housing, Inc. One Pair of 100 Series Housings, Grommets & Brackets in place of Std. 200 Series Housings.	27.00
DOT2SMK3	Optional Shock Mount Kit for Three Hole Steel Housing, Inc. One Pair of 100 Series Housings, Grommets & Brackets in place of Std. 200 Series Housings.	39.60
MIRRORMT	West Coast Mirror Mount Bracket	44.40
DOT24V8	Optional 24 VDC (ISP18824 Substituted for ISP188)	77.40
SOLAR1	Remote Photocell for use with Remote Power Supply and Strobe Beacons with Hi/Low Capability	64.80
DOT3® System 10 DOT3102A	DOT3 System 102-A	781.20
DOT3102A	DOT3 System 102-PA DOT3 System 102-B w/LED Brake/Tail/Turn	910.80
DOT3102D	DOT3 System 102-D w/LED Brake/Tail/Turn	1018.80
DOT3102D DOT1LEDB	Substitute Two 70C00VCR LED Back-up Lights in place of Halogen Back-up Lights	123.00
DOTTEEDS	Optional Branch Guard for DOT Cab Strobe	33.00
DOTORIBO DOT24V4	Optional 24 VDC (ISP9424 Substitute for ISP94). Not for use with B/T/T Models.	37.80
SOLAR1	Remote Photocell for use with Remote Power Supply and Strobe Beacons with Hi/Low	64.80
	Capability	
DOT3® System 20	DOT3 System 202-A	781.20
DOT3202R	DOT3 System 202-B w/LED Brake/Tail/Turn	910.80
DOT3202D	DOT3 System 202-D w/LED Brake/Tail/Turn	1018.80
DOT2LEDB	Substitute Two 50C00WCR LED Back-up Lights in place of Halogen Back-up Lights	151.80
DOT2SMK1	Optional Shock Mount Kit for One Hole Steel Housing, Inc. One Pair of 100 Series Housings,	13.80
DOT2SMK2	Grommets & Brackets in place of Std. 200 Series Housings. Optional Shock Mount Kit for Two Hole Steel Housing, Inc. One Pair of 100 Series Housings,	27.00
DOT2SMK3	Grommets & Brackets in place of Std. 200 Series Housings. Optional Shock Mount Kit for Three Hole Steel Housing, Inc. One Pair of 100 Series Housings,	39.60
DOT6HBG	Grommets & Brackets in place of Std. 200 Series Housings. Optional Branch Guard for DOT Cab Strobe	33.00
DOTORIBG DOT24V4	Optional 24 VDC (ISP9424 Substitute for ISP94). Not for use with B/T/T Models.	37.80
SOLAR1	Remote Photocell for use with Remote Power Supply and Strobe Beacons with Hi/Low	64.80
	Capability	04.00
DOT3® System 10	DOT3 System 103	633.60
MIRRORMT	West Coast Mirror Mount Bracket	44.40
DOT24V4	Optional 24 VDC (ISP9424 Substitute for ISP94). Not for use with B/T/T Models.	37.80
SOLAR1	Remote Photocell for use with Remote Power Supply and Strobe Beacons with Hi/Low	64.80
DOT3® System 10	Capability 4	
DOT3104A	DOT3 System 104-A	664.20
DOT3104B	DOT3 System 104-B w/LED Brake/Tail/Turn	804.60
DOT3104D	DOT3 System 104-D w/LED Brake/Tail/Turn	910.80

DOT24V4	Optional 24 VDC (ISP9424 Substitute for ISP94). Not for use with B/T/T Models.	37.80	
SOLAR1	Remote Photocell for use with Remote Power Supply and Strobe Beacons with Hi/Low Capability	64.80	
T3® System 204			
DOT3204A	DOT3 System 204-A	664.20	
DOT3204B	DOT3 System 204-B w/LED Brake/Tail/Turn	804.60	
DOT3204D	DOT3 System 204-D w/LED Brake/Tail/Turn	910.80	
DOT2LEDB	Substitute Two 50C00WCR LED Back-up Lights in place of Halogen Back-up Lights	151.80	
DOT2SMK1	Optional Shock Mount Kit for One Hole Steel Housing, Inc. One Pair of 100 Series Housings, Grommets & Brackets in place of Std. 200 Series Housings.	13.80	
DOT2SMK2	Optional Shock Mount Kit for Two Hole Steel Housing, Inc. One Pair of 100 Series Housings, Grommets & Brackets in place of Std. 200 Series Housings.	27.00	
DOT2SMK3	Optional Shock Mount Kit for Three Hole Steel Housing, Inc. One Pair of 100 Series Housings, Grommets & Brackets in place of Std. 200 Series Housings.	39.60	
DOT24V4	Optional 24 VDC (ISP9424 Substitute for ISP94). Not for use with B/T/T Models.	37.80	
SOLAR1	Remote Photocell for use with Remote Power Supply and Strobe Beacons with Hi/Low Capability	64.80	
T3® System 106			
DOT3106A	DOT3 System 106-A	1137.60	
DOT3106B	DOT3 System 106-B w/LED Brake/Tail/Turn	1267.80	
DOT3106D	DOT3 System 106-D w/LED Brake/Tail/Turn	1375.20	
DOT1LEDB	Substitute Two 70C00VCR LED Back-up Lights in place of Halogen Back-up Lights	123.00	
DOT6HBG	Optional Branch Guard for DOT Cab Strobe	33.00	
DOT24V4	Optional 24 VDC (ISP9424 Substitute for ISP94). Not for use with B/T/T Models.	37.80	
SOLAR1	Remote Photocell for use with Remote Power Supply and Strobe Beacons with Hi/Low Capability	64.80	
T3® System 206			
DOT3206A	DOT3 System 206-A	1137.60	
DOT3206B	DOT3 System 206-B w/LED Brake/Tail/Turn	1267.80	
DOT3206D	DOT3 System 206-D w/LED Brake/Tail/Turn	1375.20	
DOT2LEDB	Substitute Two 50C00WCR LED Back-up Lights in place of Halogen Back-up Lights	151.80	
DOT2SMK1	Optional Shock Mount Kit for One Hole Steel Housing, Inc. One Pair of 100 Series Housings, Grommets & Brackets in place of Std. 200 Series Housings.	13.80	
DOT2SMK2	Optional Shock Mount Kit for Two Hole Steel Housing, Inc. One Pair of 100 Series Housings, Grommets & Brackets in place of Std. 200 Series Housings.	27.00	
DOT2SMK3	Optional Shock Mount Kit for Three Hole Steel Housing, Inc. One Pair of 100 Series Housings, Grommets & Brackets in place of Std. 200 Series Housings.	39.60	
DOT6HBG	Optional Branch Guard for DOT Cab Strobe	33.00	
DOT24V4	Optional 24 VDC (ISP9424 Substitute for ISP94). Not for use with B/T/T Models.	37.80	
SOLAR1	Remote Photocell for use with Remote Power Supply and Strobe Beacons with Hi/Low Capability	64.80	

Ambulance

Ambulance Strobe, Combination Strobe/Halogen, LED and Combination LED/Halogen Light SystemsCertified KKK-1822E

Specification, with 4 Flash Patterns, Double, TripleFlash™, CometFlash® and ActionFlash™.

KKKESSY1	Ambulance System Meets KKK-1822E Specifications, w/14 Linear Strobe Heads (10 ea. 900 Series & 4 ea. 700 Series) and 400' Bulk Cable w/Connectors	2077.20	
AMB2EELP	Same as KKKESSY1 Less Lightheads & Cable	1152.00	
AMBSNFEP	Ambulance System for 16 Combination Strobe/Halogen Lighthead Meeting KKK-1822E Specifications (Lightheads & Cable, Purchased Separately).	1360.20	
12H4S140	Ambulance Supply (12 Halogen/4 Strobe) Meets KKK-1822E Specifications w/Appropriate Whelen Head Assemblies, Purchased Separately	408.60	
KKKELED1	LED Ambulance System, with Ten 900 Series LED Lightheads (8 Red, 1 Clear & 1 Amber), Four 700 Series LED Lightheads Red & AF6016 Flasher (Flanges Purchased Separately) Less Cable.	3409.20	
KKKELED2	LED/Halogen Ambulance System, Meets KKK-1822E Specifications, with Ten 900 Series Lightheads (8 Red LED, 1 Clear Halogen and 1 Amber Halogen), Four 700 Series LED Lightheads Red & AF6016 Flasher (Flanges Purchased Separately) Less Cable.	2372.40	

Motorcycle Warning Products" Only the items listed in the Motorcycle Warning sections are recommended for motorcycle use." The use of any other Whelen Equipment is at the sole discretion and risk of the user.

Motorcycle	Warning	Products
------------	---------	----------

UPS64LXA	Four Outlet, 75 Watt Output (90 Watt Input), with 10 Scan-Lock™ Flash Patterns and	231.00	207.90
	Synchronize Wire. 12/24VDC (Replaces UPS64LX)		

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red; G = Green # Replace symbol in model number with letter indicating SPLIT lens or LED color desired: D = Red/Clear; E = Blue/Clear; F = Amber/Clear; H = Green/Clear



	No. PL05.1WD VALID: July 1, 2005 - December 22, 2009)	
WPPSC692	Six Outlet, 90 Watts, Two Selectable Flash Patterns Std., 2x2x2 Switching, Weather Resistant	312.60	281.34
UFM8	Eight Outlet Halogen/LED Flasher, 60 Watts per outlet, 2x2x2x2 Switching, 17 Selectable	87.00	78.30
	Flash Patterns		
RS*03ZCR	TIR3 with 5 Scan-Lock with Flash Pattern and Steady Burn with Synchronize Feature For	57.00	51.30
	Horizontal Mounting, Blue, Red and/or Amber		
RSC03ZCR	TIR3 with 5 Scan-Lock with Flash Pattern and Steady Burn with Synchronize Feature For	64.20	57.78
	Horizontal Mounting, White		
RV*03ZCR	TIR3 with 5 Scan-Lock with Flash Pattern and Steady Burn with Synchronize Feature, For	57.00	51.30
	Vertical Mounting, Blue, Red and/or Amber		
RVC03ZCR	TIR3 with 5 Scan-Lock with Flash Pattern and Steady Burn with Synchronize Feature, For	64.20	57.78
	Vertical Mounting, White		
RFLANGEC	Chrome Plated Trim Ring Kit for TIR3 Lightheads	7.50	6.75
RFLANG2B	Black, Dual Surface Mount Flange Kit for Two TIR3's Lightheads	6.00	5.40
RFLANG2C	Chrome Plated, Dual Surface Mount Flange Kit for Two TIR3's Lightheads	9.00	8.10
2E*00Z*R	PAR-36 with Extended Lens, Super-LED, Blue, Red and/or Amber	96.60	86.94
2EC00ZCR	PAR-36 with Extended Lens, Super-LED, Synchronizable, White	106.20	95.58
2F*00Z*R	PAR-36 with Flat Lens, Super-LED, Blue, Red and/or Amber	96.60	86.94
2FC00ZCR	PAR-36 with Flat Lens, Super-LED, Synchronizable, White	106.20	95.58
PAR36ES*	PAR-36 Strobe, Extended Wide Angle Lens	58.20	52.38
PAR36EH*	PAR-36 Halogen, Extended Wide Angle Lens	48.00	43.20
502000*U	500 Series Strobe, Requires Optional Mounting Kit	62.40	56.16
50*00F*R	500 Series LED, Red or Amber, Requires Optional Mounting Kit	49.20	44.28
50*00F*R	500 Series LED, Red of Affiber, Requires Optional Mounting Kit	93.00	83.70
5FLANGEB	500 Series Black Trim Ring Kit	5.10	4.59
5FLANGEC	500 Series Chrome Plated Trim Ring Kit	7.50	6.75
5GROMMET	500 Series Grommet Mount Kit	3.90	3.51
5HSGB1	500 Series 7/8 to 1" Round Bar Mount Kit	90.00	81.00
5HSGB125	500 Series 1.25" Round Bar Mount Kit	90.00	81.00
5HSGPED	500 Series Pedestal Swivel Mount Kit	90.00	81.00
5S*00F*R	500 Series Self/Surface Mount Red or Amber with 14 Flash Patterns	49.20	44.28
5S*00F*R	500 Series Self/Surface Mount Blue or White with 14 Flash Patterns	93.00	83.70
5SR00XRR	500 Series Self/Surface Mount Brake/Tail/Turn	49.20	44.28
5SC00WCR	500 Series Back-up, Self/Surface Mount	93.00	83.70
9802M*	Edge+Plus™ Style, Flush Mount	180.00	162.00
9802MS	Edge+Plus™ Style, Flush Mount, Split Lens	202.80	182.52
ECAPTT*	Edge®-Cap, Linear Strobe	120.60	108.54
ECAPTTS	Edge®-Cap, Linear Strobe, Split Lens	144.00	129.60
402000*U	400 Series Without Flange	58.20	52.38
402000#U	400 Series Without Flange, Split Lens	81.00	72.90
40*00F*R	400 Series Flashing LED, without Flange, Red or Amber	55.20	49.68
40B00FBR	400 Series Flashing LED, without Flange, Blue	124.20	111.78
4EFLANGE	400 Series Optional Chrome Plated Trim Ring	7.50	6.75
TS200S*	Twin Side Beam™, Strobe	91.20	82.08
TS200S#	Twin Side Beam™, Strobe, Split Lens	112.80	101.52
TS200SI*	Twin Side Beam™, Strobe, Intersector™, Chrome Housing	114.60	103.14
TS200SI#	Twin Side Beam™, Strobe, Intersector™, Chrome Housing, Split Lens	138.60	124.74
TS200SE*	Twin Side Beam™, Strobe, Edge® Cap	123.00	110.70
TS200SES	Twin Side Beam™, Strobe, Edge® Cap, Split Lens	147.00	132.30
MNIL*	Optional 1/2 Inner Color Lens (Customer installed option, for use with Clear Outer Lens only,	3.60	3.24
	excludes Edge Caps)		
VHEAD*	Flat Mount, Strobe	60.60	54.54
VHEADS	Flat Mount, Strobe, Split Lens	84.00	75.60
XHEAD*	Adjustable Carbon Fiber Pole Mount, Strobe	298.80	268.92
XHEADS	Adjustable Carbon Fiber Pole Mount, Strobe, Split Lens	322.80	290.52
FHEADL*P	Low Dome, Strobe, Perm/Pipe Mount	84.00	75.60
FHEADLSP	Low Split Dome, Strobe, Perm/Pipe Mount	109.80	98.82
800DL*P	Low Dome, Strobe, Perm/Pipe Mount	148.80	133.92
800DL#P		173.40	156.06
	Low Split Dome, Strobe, Perm/Pipe Mount		
800DL*X	Low Dome, Strobe, Adjustable Carbon Fiber Pole Mount	322.80	290.52
800DL#X	Low Split Dome, Strobe, Adjustable Carbon Fiber Pole Mount	346.80	312.12
WPA112	Waterproof 100 Watt Siren Amplifier	222.00	
WPA1	Full Function Control Head Only, Weather Resistant for WPA Amp, includes a 7 1/2 Foot	202.80	
**1 / 1.1	Cable, for Handlebar and Surface Mounting (Motorcycle)	202.00	
		205.00	2// 22
MC221	NEW 100 Watt Siren for Harley Davidson Wiring Harness	295.80	266.22
WS321	L NIE W MUCCOPPOPO for W/S 2/1	72.00	64.80
WSMIC321	NEW Microphone for WS321		
WSMIC321	100 Watt Remote Siren (must be mounted flat), for use with Remote Switches, (Purchased	124.20	111./8
WSMIC321 ALPHA12R	100 Watt Remote Siren (must be mounted flat), for use with Remote Switches, (Purchased Separately)		
WSMIC321	100 Watt Remote Siren (must be mounted flat), for use with Remote Switches, (Purchased		
WSMIC321 ALPHA12R	100 Watt Remote Siren (must be mounted flat), for use with Remote Switches, (Purchased Separately)	124.20	133.38
WSMIC321 ALPHA12R BETA112R	100 Watt Remote Siren (must be mounted flat), for use with Remote Switches, (Purchased Separately) 100 Watt Full Function Remote Siren (must be mounted flat), for use with Remote Switches, (Purchased Separately)	124.20 148.20	133.38
WSMIC321 ALPHA12R	100 Watt Remote Siren (must be mounted flat), for use with Remote Switches, (Purchased Separately) 100 Watt Full Function Remote Siren (must be mounted flat), for use with Remote Switches,	124.20	

Motorcycle Systems, All Systems Include: Molded Box, Battery Charger, Terminal Block with Fuses, Marine Grade 120 VAC and 12 VDC Receptacles, Battery Hold-Down (Battery Not Included), Siren, Speaker, 1-50R00XRR w/ 5FLANGEB, 2-50*03Z*R with Fender Mounting Brackets, 2-2E*00Z*R, 4-40**5SCR w/ Flasher. Choose one option from each of the following category to achieve the Lighting **System Number**

One	-Standard Motor	cycle System, Enter into the First Two Digits of the Lighting System Number	-	
	M1	Motorcycle System Designed for Harley Davidson Police Motorcycle	2719.80	
Two	-Fender Lighting	g, Enter into the Third Digit of the Lighting System Number	'	
	*	Insert Letter For Color of LED's Required, Two 50*03Z*R, A = Amber, B = Blue, C = White, R =		
		Red, J = 1 Red/1 Blue, D = 1 Red/1 White or E = 1Blue/1 White		
Thre	ee-Fairing Lightii	ng, Enter into the Fourth Digit of the Lighting System Number		
	*	Insert Letter For Color of LED's Required, Two 2E*0OZ*R, A = Amber, B = Blue, C = White, R		
		= Red, J = 1 Red/1 Blue, D = 1 Red/1 White or E = 1 Blue/1 White		
Fou	r-Box Lighting, E	Enter into the Fifth Digit of the Lighting System Number, Colors are from Left to Right.		
	****	Insert Letter For Color of LED's Required, Four 40**5SCR, A = Amber, B = Blue, R = Red or J		
		= Split Red/ Blue		
	****	Insert Letter For Color of LED's Required, Four 40**5SCR, Two A = Amber, B = Blue, R = Red	20.40	
		and/or J = Split Red/ Blue and Two E = Split Blue/White and/or D = Split Red/White - ADD		
	****	Insert Letter For Color of LED's Required, Four 40**5SCR, Two A = Amber, B = Blue, R = Red	40.80	
		and/or J = Split Red/ Blue and Two C = White - ADD		
	CCCC	Four 40CC5SCR, White ADD	82.20	
Opti	ions for Motorcy	cle Systems		
	M1BATT	Motorcycle Gel Battery	178.20	
	DLWS320	Delete WS320 Siren - DEDUCT	75.00	
	DLSA350M	Delete SA350MH Siren Speaker - DEDUCT	75.00	

Switches And Control Boxes

wer Control Cer	nters and Switches		
PCCS9R	Switch Control with Built-in Relays (Standard Switching)	208.20	187.38
PCCS9R1	Switch Control with Built-in Relays, with all 6 Push-On/Push-Off Switches	208.20	187.38
PCCS9NP	Programmable Switch Control for Delta, 9M, Ultra™, LFL™ PATRIOT™ & Ultra Freedom	149.40	134.46
	Lightbars. (Low Current Switching) Replaces PCCS9N & PCCS9N1		
PCCHD1	Heavy Duty Switch Box, Six 25 AMP Circuit Breaker Switches	178.80	160.92
PCCHD2	Heavy Duty Switch Box, Five 25 AMP/One 40 AMP Circuit Breaker Switches	186.60	167.94
PCC6R	Switch Box with One 40 Amp Switch and Five 20 AMP SPST Switches, Lighted	103.20	92.88
PCC10	Switch Box with Ten Lighted 20 AMP SPST Switches	157.80	142.02
1SWITCH	1 Switch Bracket with Switch of Your Choice	37.20	33.48
2SWITCH	2 Switch Bracket with Switches of Your Choice	53.40	48.06
3SWITCH	3 Switch Bracket with Switches of Your Choice	67.80	61.02
4SWITCH	4 Switch Bracket with Switches of Your Choice	82.80	74.52
PC1	PC-1 Switch, Lighted SPST, 15 AMP Contacts	16.20	14.58
PC2	PC-2 Switch, Momentary SPST, 15 AMP Contacts	16.20	14.58
PC3	PC-3 Switch, Lighted SPDT, 15 AMP Contacts	16.20	14.58
PC4	PC-4 Switch, SPDT, On-On, 15 AMP Contacts	16.20	14.58
PC5	PC-5 Switch, DPDT, 15 AMP Contacts	16.20	14.58
PC5S	PC-5S Switch, DPDT, 15 Amp Contacts, for Strobe Hi/Off/Low Operation	16.20	14.58

Siren Amplifiers, Amplifiers & Airhorns

CenCom™, Remote Siren & Control Center and Options, Amplifier Has a 5 Year Warranty.

CCSRN	Control Head with Amplifier/Relay Module, 20' Cable and Microphone with a 3' Coil Cord	718.20	646.38
CCSRNTA	CCSRN with Traffic Advisor™ Module	837.60	753.84
CCMICX20	20' Microphone Extension Cable Option, Includes Strain Relief	50.40	45.36
CCTRIM	Trim Ring Option, for Semi-Flush Mounting of Control Head	26.40	23.76
CCSWGBKT	Swing Away Bracket for CENCOM™ Control Head Only	52.20	

295HFS Hands-Free Sirens, with DIAGNOSTIX & SI TEST (Except 295HFSA7/A8/C9). All 295HFS Models Have a 5 Year Warranty, Standard. For Removable Microphones, Hi/Low Tones and/or 24 Volts DC, Contact Factory for exact Model Numbers, Price and Availability.

295HFSA1	Siren Amplifier, Now with Park Kill	223.80	201.42
295HFSM1	Similar to the 295HFSA1, Except with Electronic Mechanical Siren Tone in Replace of Piercer	268.80	241.92
	Tone.		
295HFSW1	Similar to the 295HFSA1, Except with a Power Call Type Tone in Replace of Piercer Tone.	268.80	241.92
295HFS2	Remote Siren Amplifier (Flush Mount Head)	318.60	286.74
295HFS2X	295HFS2 with Dual Amplifiers, meets California Title 13 requirements	583.20	524.88
295HFS3	Remote Siren Amplifier (Surface Mount Head)	337.80	304.02
295HFS4	Remote Siren Amp. w/9-Switch Light Control (Surface Mount Head)	447.00	402.30
SWGBKT	Swing Away Bracket for 295HFS4 only	52.20	
295HFSA5	\$ Single Unit Siren with 9-Switch Light Control and Low Current Switching now with Park Kill & Timed Out Relay	324.00	291.60

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red; G = Green

[#] Replace symbol in model number with letter indicating SPLIT lens or LED color desired: D = Red/Clear; E = Blue/Clear; F = Amber/Clear; H = Green/Clear

^{† (}to be discontinued, check availability) † (special order, check availability) J = Red/Blue; K = Red/Amber; L = Red/Green; M = Blue/Amber ! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price



295HFSM5	\$ Similar to the 295HFSA5, Except with Electronic Mechanical Siren Tone in Place of Piercer Tone.	369.00	332.10
295HFSA6	\$ Single Unit Siren with 9-Switch Light Control and Standard Switching, now w/Park Kill & Timed Out Relay	333.00	299.70
295HFSA7	Remote Dual Siren Amplifier, with Flush Mount Control Head, Meets CA. Title 13	453.60	408.24
295HFSA8	Remote Dual Siren Amplifier, with Surface Mount Control Head, Meets CA. Title 13	472.20	424.98
295HFSC9	NEW Self Contained 200 Watt Dual Amplifier Siren, with Removable Microphone	361.20	325.08
295HFSDA	Second Amplifier Kit for Dual Amplifier Siren Use (Remote Models Only, Except 295HFSA7/A8)	198.00	178.20
295COPT	California Title 13 Compliant Option for 295HFS5	36.60	32.94
295COPTR	California Title 13 Compliant Option for 295HFS2/295HFS3/295HFS4	36.60	32.94
ens, Full Functio	n Hands-Free		
295HF100	Full Function, 100 Watt, Hands-Free Siren	196.80	177.12
WS2100	Full Function (Up to two- 100 Watt Speakers) Hands-Free Siren	210.00	189.00
PA300CBL	Interconnect cable for adapting 295HF100 or WS2100 Sirens to PA300 wiring harness	6.00	5.40
WPKM1	Park Kill Connection modules, 30 Amp	29.40	26.46
ha™ Siren Serie	·		
ALPHA12S	100 Watt Self Contained Siren, with Face Plate Switches, Selectable Four Tone Hands-Free Siren.	141.00	126.90
ALPHA12R	100 Watt Remote Siren, for use with Remote Switches, (Purchased Separately), Selectable Four Tone Hands-Free Siren.	124.20	111.78
ALPHA12M	100 Watt Siren, Choose from Remote Electronic Mechanical Tone Siren and Airhorn or Wail, Power Call®, Warble & Whoop & Airhorn via Dip Switch, For use with Remote Switches, (Purchased Separately)	150.00	135.00
ALPHA22M	100/200 Watt Siren, Choose from Remote Electronic Mechanical Tone Siren and Airhorn, For use with Remote Switches, Purchased Separately.	186.00	167.40
tional Remote Sv	witches For ALPHA12R and ALPHA12M Only		
ALPHA1	Single ON/OFF Switch for use with Hands-Free Operation	16.20	14.58
ALPHA2	Single ON/OFF Hands-Free Activation Plus Momentary Switch for Air Horn	16.20	14.58
ALPHA3	TONE 1/OFF/TONE 2 Switch Operation Plus Momentary Switch for Air Horn	16.20	14.58
ALPHA4	Three Switch Operation, one ON/OFF, one TONE 1/Hands-Free/TONE 2, one Momentary Switch for Airhorn	28.20	25.38
ALPHA5	3 Position Toggle Switch, Controls 3 Siren Tones and other Warning Lights or Device Functions. Contacts Rated at 30 Amps (not for ALPHA12M)	36.00	32.40
a™ Siren Series	, Selectable Siren Tone, Radio Repeat, Public Address and Options		
BETA112R	100 Watt Full Function Remote Siren, for use with Remote Switches, (Purchased Separately)	148.20	133.38
BETA1	Full Function Control Head Only, with 15' Interconnect Harness	76.80	69.12
BETA2	Full Function Control Head Only, Weather Resistant, with 20 Ft. Cable, Surface Mount	205.20	184.68
BETA2BKT	Mounting Bracket for BETA2 and WPA1 Only, Flange Mount	18.90	17.01
BETAMIC	Remote Mic for use with BETA112 (for use with Customer Supplied Switches)	74.40	66.96
ens, Waterproof	& Options (For marine & motorcycle use)		
WPA112	Waterproof 100 Watt Siren Amplifier	222.00	
WPA1	Full Function Control Head Only, Weather Resistant, with a 7 1/2 Foot Cable, for Handlebar and Surface Mounting (motorcycle)	202.80	
BETA2BKT	Mounting Bracket for BETA2, WPA1 and WPA2 Only, Flange Mount	18.90	17.01
WPA2	Full Function Control Head Only, Weather Resistant, 20 Ft. Cable, Flush/Surface Mount (Marine)	224.40	201.96
SA350M	Motorcycle Siren Speaker, 100 Watts	281.40	253.26
WS321	NEW 100 Watt Siren for Harley Davidson Wiring Harness	295.80	266.22
WSMIC321	NEW Microphone for WS321	72.00	64.80
	ower Air Horn Plus Series and Option		
PAH112	100 Watt Air Horn Tone Only	105.60	
PAP112	100 Watt Air Horn Tone Plus Public Address, includes Microphone	122.40	
PAPEXT15	15' Microphone Extension Cable for PAP112 Only	12.00	
-			

"An	Siren Speakers, Projector™ Series, 100 Watt Bumper/Concealed/Flange Mounted Speakers. Also See "Ambulance Lighting Systems" for Additional Speakers.					
SA1	22FM Series, Ca	ast Aluminum Speaker, Flange Mount				
	SA122FMP	Polished Aluminum Finish	196.20	176.58		
SA3	14 Series, Small	er Profile (Thinner), Cast Aluminum or Composite Box Type Speaker, 6.4" H x 6.17" W x 3.14" D				
	SA314P	123dB Speaker, Nylon/Composite	138.00	124.20		
	SA314A	122dB Speaker, Natural Aluminum Finish	151.20	136.08		
	SA314B	122dB Speaker, Aluminum with Black Epoxy Coated Finish	158.40	142.56		
	SA314AH	122dB Speaker, Natural Aluminum Finish, HDP, Ten Year Driver Warranty - See Official Warranty Statement for Details	175.80	158.22		
	SA314BH	122dB Speaker, Aluminum with Black Epoxy Coated Finish, HDP, Ten Year Driver Warranty - See Official Warranty Statement for Details	183.00	164.70		
Opti	ions for SA314 S	Series				
	SACSTFMP	Polished Flange Casting only for Flat Mounting	117.00	105.30		
	SACSTCMP	Polished Flange Casting only for Contoured Bumper	117.00	105.30		

SABKT1	Universal Mounting Bracket for SA314 Speaker, Ford Explorer, 2002-05, Chevy Suburban/Tahoe, 2003-2005	16.80	15.12
SABKT3	Mounting Bracket for Chevy Impala (Not Police Package), 2000-2005	16.80	15.12
SABKT4	Mounting Bracket for Ford Explorer, 1995-2001, Ford Expedition & F150, 1997-2002, GMC Savannah, 2003	16.80	15.12
SABKT5	Mounting Bracket for Chevy Suburban/Tahoe, 2000-2003, Chevrolet Avalanche, 2002, GMC Envoy, 2004	16.80	15.12
SABKT7	Mounting Bracket for Dodge Intrepid 1998-2005	16.80	15.12
SABKT9	Universal/Swivel Bail Type Mount Bracket	16.80	15.12
SABKT10	Mounting Bracket for Ford Excursion, 2002-2005	16.80	15.12
SABKT11	Mounting Bracket for Chevy Trail Blazer, 2002-2005	16.80	15.12
SABKT13	Mounting Bracket for Ford Expedition, 2003-2004	16.80	15.12
SABKT14	Mounting Bracket for Ford Taurus with ABS, 2002-2003	16.80	15.12
SABKT16	Mounting Bracket for Chevy Impala (Police Package), 2003-2005	16.80	15.12
SABKT17	Mounting Bracket for Quick Installation for Ford Crown Victoria, 2003-2005	16.80	15.12
SABKT18	Mounting Bracket for Dodge Magnum, 2005	16.80	15.12
SABKT19	NEW Universal 4 Tab Mounting Bracket	16.80	15.12
SABKT20	NEW Mounting Bracket for Ford Escape, 2004-2005	16.80	15.12

	Other, 100 WATT and ACCESSORIES. eaker, for Ambulances, 100 WATT or 200 WATT		
SA31I01P	UnderPro™ Single Speaker for International 4300/4400 Series, 2001 (Passenger Side)	195.60	
SA31I01D	UnderPro™ Single Speaker for International 4300/4400 Series, 2001 (Driver Side)	195.60	
SA31I1PH	UnderPro™ Single Speaker for International 4300/4400 Series, 2001 (Passenger Side), HDP, Ten Year Driver Warranty - See Official Warranty Statement for Details	220.20	
SA31I1DH	UnderPro™ Single Speaker for International 4300/4400 Series, 2001 (Driver Side), HDP, Ten Year Driver Warranty - See Official Warranty Statement for Details	220.20	
SA31E04P	UnderPro™ Single Speaker for Ford E350/450 Diesel, 2004, (Passenger Side), HDP, Ten Year Driver Warranty - See Official Warranty Statement for Details	229.80	
SA31E04D	UnderPro™ Single Speaker for Ford E350/450 Diesel, 2004, (Driver Side), HDP, Ten Year Driver Warranty - See Official Warranty Statement for Details	229.80	
SA32G01	UnderPro™ Dual Speaker for GMC/Chevy Suburban, including 271 & C3500, 2000-2002, Tahoe/Siverado, 1500/2500HD & GMC 3500/Yukon, 2002	372.00	
SA32G01H	UnderPro™ Dual Speaker for GMC/Chevy Suburban, including 271 & C3500, 2000-2002, Tahoe/Siverado, 1500/2500HD & GMC 3500/Yukon, 2002, HDP, Ten Year Driver Warranty - See Official Warranty Statement for Details	421.80	
SA32F05	UnderPro™ Dual Speaker for 2005 F250/350/450/550 Super Duty	372.00	
SA32F05H	UnderPro™ Dual Speaker for 2005 F250/350/450/550 Super Duty, Ten Year Driver Warranty- See Official Warranty Statement for Details	421.80	
Speakers, Siren	'		
SA31DI02	Quick Installation UnderPro™ Speaker for 2002 Dodge Intrepid.	226.20	203.58
SA340TS	SA-340TS	151.20	136.08
SA340STS	SA-340STS	151.20	136.08
SA40	Lo-Pro™ Speaker for Edge® 9M Lightbars	222.00	199.80
SA41	Lo-Pro Speaker Kit for Customer Supplied Driver	148.20	133.38
SP123C	100 Watt Speaker Center Mounted for Centurion™ Lightbars	177.00	159.30
PROJECT	Model Project A-Flex® Speaker	277.80	250.02
PROJECTK	Project A-Flex® Kit for Customer Supplied Driver	159.00	143.10
Drivers & Diaphragi	m Kits, Replacements		
SD210RX	Replacement 100 Watt Speaker Driver for SA314 Series (Replaces SA1530)	109.20	98.28
K210	Replacement Diaphragm Kit for SD210 Driver	91.80	82.62
SD370	Replacement 100 Watt Speaker Driver with Adapter (Replaces SD500 Only)	109.20	98.28
K370	Replacement Diaphragm Kit for SD370 Driver	91.80	82.62
SD210R	Replacement 100 Watt Speaker Driver for X-ECUTOR, SA370, SA1412 & SA1515	109.20	98.28
K210R	Replacement Diaphragm Kit for SD210R Driver	91.80	82.62
Deale Ha Alama	- Flashania		

Bac	k-Up Alarms	, Electronic		
Bacl	k-Up Alarms			
	WBUA107	Back-Up Alarm, 107dB, 12-24 VDC	27.90	25.11
	WBUA97	Back-Up Alarm, 97dB, 12-24 VDC	21.30	19.17
	WBUA112	Back-Up Alarm, 87-112dB, 12-24 VDC, Self Adjust	58.80	52.92
	WBUA112C	Back-Up Alarm, 112 dB, 12-24 VDC	36.00	32.40
	WBUAR9	Back-Up Alarm, 97dB, 12-24 VDC, 4" Round Grommet Mount	34.20	30.78

Col	bra® Safety A	slert® Warning System		
Cob	ra Safety-Alert V	Varning System		
	XT1000	Cobra® Safety Alert® Warning Radar Transmitter	185.4	J
	XT100WIR	Whelen Lightbar Prewired for Cobra's XT1000 Radar Transmitter (includes Cable & Bracket).	50.4	J



Em	itters, 3M® O	pticom® Whelen Engineering Company is an authorized 3M Opticom Emitter D	ealer.	
3M€	Opticom™ Emi	tters		
	592	Remote Power Supply with Chrome Lighthead, Emitter	1282.20	
	792H	Self-Contained Emmitter with Black/Gray Painted Lighthead	1067.40	
	9592	3M® Emitter for Edge® and Edge®+Plus™ Lightbars	1067.40	
	TC120*	†† Traffic Preemption Confirmation Light, Self Contained Directional Linear Strobe	178.80	

eral Proces	sion Lighting, Models also available in other colors, Contact Factory		
ral Processior	(Purple) Lighting		
2015HCV	Strobe Beacon, Permanent/Pipe Mount, High Purple Dome, Cast Base 12/24VDC	81.00	
2015LCV	Strobe Beacon, Permanent/Pipe Mount, Low Purple Dome, Cast Base 12/24VDC	81.00	
2015LPVM	Strobe Beacon, Magnetic Mount, Low Purple Dome, Cast Base 12/24VDC	77.40	
2022HCV	Strobe Beacon, Permanent/Pipe Mount, High Purple Dome, Cast Base 12/24VDC	88.20	
2022LCV	Strobe Beacon, Permanent/Pipe Mount, Low Purple Dome, Cast Base 12/24VDC	88.20	
2022LPVM	Strobe Beacon, Magnetic Mount, Low Purple Dome, Cast Base 12/24VDC	84.60	
800DHVP	Strobe Beacon, Permanent/Pipe Mount, High Purple Dome, 12/24VDC	148.80	
800DLVP	Strobe Beacon, Permanent/Pipe Mount, Low Purple Dome, 12/24VDC	148.80	
800DLVM	Strobe Beacon, Magnetic Mount, Low Purple Dome, 12/24VDC	166.80	
S360DVP	Super Strobe® Permanent/Pipe Mount, Purple Dome, 12/24VDC	216.60	
DKPSV	Single Linear Strobe, Self-Contained Lighthead with 2 Flash Patterns, Cigar Plug, Purple Lens	119.40	
DKPSSVV	Dual Duplex Linear Strobes, Self-Contained Lighthead with 2 Flash Patterns, Cigar Plug,	212.40	
	Purple lens		
TLN1*	Blue, Red or Amber	124.20	
TLN2**	Blue, Red and/or Amber	229.80	2
TLNBKT1	Low Profile Mounting (Headliner Mount) Bracket For TLN1 Only	6.30	
TLNBKT2	Low Profile Mounting (Headliner Mount) Bracket For TLN2 Only	6.30	
TLNBKT3	Visor Mount Bracket (2 Required for TLN2) Each	6.30	
TLNBKT4	Bracket Kit, Adjustable Height Bracket for all TLN's	22.80	
TLNBKT5	Headliner Mounting Bracket for 2003-2004 Ford Crown Victoria and Dodge Intrepid, for all	7.50	
	TLN's		
DMP1SV	Single Linear Strobe Lamp, Purple Lens	118.80	_ ′
DMP2SVV	Dual Linear Strobe Lamp, Purple Lens	212.40	
MLFL17MV	Mini LFL 17.25", Magnetic Mount, Purple Lens	454.80	4
HA238V	Purple Hide-A-Way Strobe, Flange Mount (Requires Remote Power Supply)	48.60	
GRLSTRV1	Grille Light Assembly, Strobe, Purple Lens (Requires Remote Power Supply)	68.40	
CR212VM	Responder® Cadet, Dual Speed, Magnetic/Permanent Mount, Purple Dome	46.20	
RB6PVP	Rota-Beam™ 6, Single Reflector, 50 Watt Halogen, Purple Dome, Permanent Mount	45.00	
FL220VV	Dual Linear Strobe Lamp, CometFlash®, Purple lens	128.40	1

Synchronizable Products

Synchronizable Products, Strobe and LED, Allows for Multiple Power Supplies, 4" Round, 500 Series Super-LED® Series, 700 Series LED Lightheads and TIR3 Super-LED® Lightheads to be flashed in a Synchronized Pattern. For Mounting Options, See 400, 500 & 700 Series Options Pages.

000400	T 0 11 10 11 0 1 1/51 11 1 1 1 1 1 T 51 1 D 11 / 11 D1 4 1 D1	70.00	
CS240S	Two Outlet, 40 watt Output (54 watts Input) with Two Flash Patterns (with Phase 1 and Phase	72.00	
	2) & Synchronize Feature		
2F*00Z*R	4" Round Super-LED with Flat Lens, Super-LED, Blue, Red and/or Amber	96.60	86.94
2FC00ZCR	4" Round Super-LED with Flat Lens, Super-LED, Synchronizable, White	106.20	95.58
2E*00Z*R	4" Round Super-LED with Extended Lens, Super-LED, Blue, Red and/or Amber	96.60	86.94
2EC00ZCR	4" Round Super-LED with Extended Lens, Super-LED, Synchronizable, White	106.20	95.58
70A00ZAR	700 Series LED, Amber with Signal Alert™ Flash Pattern and Synchronize Feature.	109.20	98.28
50*03Z*R	500 Series Super-LED, Blue, Red and/or Amber with 5 Scan-Lock™ Flash Patterns (with	91.80	82.62
	Phase 1 and Phase 2), Steady Burn and Synchronize Wire		
50C03ZCR	500 Series Super-LED, White with 5 Scan-Lock™ Flash Patterns (with Phase 1 and Phase 2),	100.20	90.18
	Steady Burn and Synchronize Wire		
RS*03ZCR	TIR3 Super-LED with 5 Scan-Lock with Flash Pattern and Steady Burn with Synchronize	57.00	51.30
	Feature, For Horizontal Mounting, Blue, Red and/or Amber		
RSC03ZCR	TIR3 Super-LED with 5 Scan-Lock with Flash Pattern and Steady Burn with Synchronize	64.20	57.78
	Feature, For Horizontal Mounting, White		
RV*03ZCR	TIR3 Super-LED with 5 Scan-Lock with Flash Pattern and Steady Burn with Synchronize	57.00	51.30
	Feature, For Vertical Mounting, Blue, Red and/or Amber		
RVC03ZCR	TIR3 Super-LED with 5 Scan-Lock with Flash Pattern and Steady Burn with Synchronize	64.20	57.78
	Feature, For Vertical Mounting, White		

Traffic Advisor™ Series & Accessories All Models include Control Head for Light Array (Unless Specified), Programmable Flash Patterns Standard on TACTRL1A and TACTLD1, allows for Remote Activation of the "Flash Pattern" and End Lamp Enable/Disable Feature.

Dominator™ Traffic Advisor™, TIR3™ Super-LED® Low Profile, Control Head Optional, 1.74" High X 2.17" Deep Housing, Three Super-LED® s per panel.

⊦D® s per	panel.		
TAD	6 TIR3 Super-LED Traffic Advisor, 21.36" Long, Less Control Head	375.00	337.50
TAD8	8 TIR3 Super-LED Traffic Advisor, 28.36" Long, Less Control Head	477.00	429.30
TAD8	** 8 TIR3 Super-LED Traffic Advisor, 28.36" Long, with Two End Flashing LED's, Blue, Red and/or Amber, Less Control Head	483.00	434.70
TAD8	*C 8 TIR3 Super-LED Traffic Advisor, 28.36" Long, with Two End Flashing LED's, 1 Blue, Red or Amber and 1 White, Less Control Head	489.00	440.10
TAD8	CC 8 TIR3 Super-LED Traffic Advisor, 28.36" Long, with Two End Flashing LED's, White, Less Control Head	495.00	445.50
TADO	TL1 TAD Series Control Head Only	67.80	61.02
TADS	W1 On/Off Non-Lighted, SPDT 20 Amp Switch, for TADCTL1	6.00	5.40
TADS	W2 On/Off/On Non-Lighted, SPDT 20 Amp Switch, for TADCTL1	6.00	5.40
TADS	W3 Momentary Non-Lighted, SPST 20 Amp Switch, for TADCTL1	6.00	5.40
- CC! - A -I.	TIN TINOTH C	Lindonia TAOTI D1	

Traffic Advisor™, TIR3™ Super-LED® Low Profile, 1.74" High X 2.17" Deep Housing, Three Super-LED's® per panel. Includes TACTLD1. \$ 6 TIR3 Super-LED Traffic Advisor, 21.36" Long TAM63 TAM83 \$ 8 TIR3 Super-LED Traffic Advisor, 28.36 Long 561.00 TAM83CV \$ 8 TIR3 Super-LED Traffic Advisor, 43.75" Long, With Clearance Spacer Panel for Vehicle's 579.00 Third Brake Light, Includes Rear Deck Mounting Bracket for 2003-2004 Ford Crown Victoria, Mounts to Child Restraint Anchor. \$ NEW 8 TIR3 Super-LED Traffic Advisor with Two End Flashing Super-LED's, Amber, Blue TAM83C** 585.00 and/or Red, 43.75" Long, With Clearance Spacer Panel for Vehicle's Third Brake Light, Includes Rear Deck Mounting Bracket for 2003-2004 Ford Crown Victoria, Mounts to Child Restraint Anchor TAM83** \$ 8 TIR3 Super-LED Traffic Advisor, 28.36" Long, with Two End Flashing LED's, Blue, Red 567.00 and/or Amber TAM83*C \$ 8 TIR3 Super-LED Traffic Advisor, 28.36" Long, with Two End Flashing LED's, 1 Blue, Red or 573.00 Amber and 1 White TAM83CC \$ 8 TIR3 Super-LED Traffic Advisor, 28.36" Long, with Two End Flashing LED's, White 579.00

Traffic Advisor™, 5mm LED Low Profile, 2.84" High X 2.25 Deep "C" Style Housing, Includes TACTLD1. Replaces TA650/850/TALL Series.

HES.			
TAL65	\$ 6 LED Traffic Advisor, 36" Long	335.40	
TAL85	\$ 8 LED Traffic Advisor, 46.82" Long	401.40	
TAL85**	\$ 6 LED Traffic Advisor with Two End Flashing LEDs, Red and/or Amber, 46.82" Long	407.40	
TAL85**	\$ 6 LED Traffic Advisor with Two End Flashing LEDs, 1 Red or Amber and 1 Blue or White, 46.82" Long	419.40	
TAL85**	\$ 6 LED Traffic Advisor with Two End Flashing LEDs, Blue and/or White, 46.82" Long	435.00	
TAWPKT1	Waterproof Deutsch® Connector Upgrade Kit for 6 Lamp Traffic Advisors, Factory Installed	64.80	
TAWPKT2	Waterproof Deutsch® Connector Upgrade Kit for 8 Lamp Traffic Advisors, Factory Installed	87.60	

Traffic Advisor™, TIR6™ Super-LED® Low Profile, 2.84" High X 2.25 Deep Housing, Six Super-LED® s per panel, Includes TACTLD1.

ao , .aoo.	Time Cupo. 222 2011 Tomo, 2101 Tig. 77 2120 200p Troubing, Cim Cupo. 222 0 por parior me	naacc iiici Eb ii	
TAM65	6 Super-LED Traffic Advisor, 36" Long	612.00	
TAM85	8 Super-LED Traffic Advisor, 46.82" Long	785.40	
TAM85**	6 Super-LED Traffic Advisor with Two End Flashing Super-LEDs, Blue, Red and/or Amber, 46.82" Long	791.40	
TAM85*C	6 Super-LED Traffic Advisor with Two End Flashing Super-LEDs, 1 Blue, Red or Amber and 1 White, 46.82" Long	800.40	

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

^{*} Replace symbol in model number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red; G = Green # Replace symbol in model number with letter indicating SPLIT lens or LED color desired: D = Red/Clear; E = Blue/Clear; F = Amber/Clear; H = Green/Clear

^{† (}to be discontinued, check availability) † (special order, check availability) J = Red/Blue; K = Red/Amber; L = Red/Green; M = Blue/Amber ! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price



TAM85CC	6 Super-LED Traffic Advisor with Two End Flashing Super-LEDs, White, 46.82" Long	809.40	
TAWPKT1	Waterproof Deutsch® Connector Upgrade Kit for 6 Lamp Traffic Advisors, Factory Installed	64.80	
TAWPKT2	Waterproof Deutsch® Connector Upgrade Kit for 8 Lamp Traffic Advisors, Factory Installed	87.60	
ic Advisors™,	Straight Style Halogen & LED		
TA637A	500 Series, 6 Halogen Lamps, Rectangular Aluminum Housing, 33" Long	316.80	285.1
TA837A	500 Series, 8 Halogen Lamps, Rectangular Aluminum Housing	332.40	299.1
TA837AMP	500 Series, 6 Halogen Lamps, Two Strobes, Remote Power Supply Required, Rectangular	429.60	386.6
TA0271	Aluminum Housing	414.00	
TA837L	500 Series, 8 LED Panels, Rectangular Aluminum Housing	414.00	
TA837L**	500 Series, 6 LED Panels, Two End Flashing LEDs, Red and/or Amber, Aluminum Housing	420.00	
TA837L**	\$ 500 Series, 6 LED Panels, Two End Flashing LEDs, 1 Red or Amber and 1 Blue or White, Aluminum Housing	437.40	
TA837L**	\$ 500 Series, 6 LED Panels, Two End Flashing LEDs, Blue and/or White, Aluminum Housing	461.40	
TA837M	500 Series, 8 Super-LED Traffic Advisor, Rectangular Aluminum Housing	773.40	
TA837M**	500 Series, 6 Super-LED Traffic Advisor with Two End Flashing Super-LEDs, Blue, Red and/or	779.40	
	Amber, Aluminum Housing		
TA837M*C	500 Series, 6 Super-LED Traffic Advisor with Two End Flashing Super-LEDs, 1 Blue, Red or	789.00	
T	Amber and 1 White, Aluminum Housing	707.10	
TA837MCC	500 Series, 6 Super-LED Traffic Advisor with Two End Flashing Super-LEDs, White, Aluminum Housing	797.40	
TA4437A	500 Series, 8 Halogen Lamps, Rectangular Aluminum Housing, Two Piece	378.60	340.
TA4437L	500 Series, 8 LED Panels, Rectangular Aluminum Housing, Two Pieces	489.00	310
TA4437M	500 Series, 8 TIR6 Super-LED's, Rectangular Aluminum Housing, Two Pieces	869.40	
			F00
TA870A TA870L	700 Series, 8 Halogen Lamps, Edge+Plus™ Style Housing, 72" 700 Series, 8 LED Panel, Edge+Plus™ Style Housing, 72"	658.80 1050.00	592
	3 3		
TAWPKT1	Waterproof Deutsch® Connector Upgrade Kit for 6 Lamp Traffic Advisors, Factory Installed	64.80	
TAWPKT2	Waterproof Deutsch® Connector Upgrade Kit for 8 Lamp Traffic Advisors, Factory Installed	87.60	
ic Advisors™,	Arrow Head Style Halogen & LED Models, Includes TACTRL3A Unless Noted		
TA1652L	†† 500 Series,16 LED Lamps, One Piece	1074.60	
TA1652H	†† 500 Series, 16 Halogen Lamps, One Piece	696.00	
TA8852H	†† 500 Series, 16 Halogen Lamps, Two Piece	808.80	
TA1660L!	600 Series, 16 LED Lamps, One Piece, Serial Communicator, Includes TACTRL2 (Replaces TA1664L!), One 2 Conductor 20 ga. & One 2 Conductor 10 ga. Cable	2182.20	
TA1664H!	†† 600 Series, 16 Halogen Lightheads, Arrow Head style, 16 Conductor Cable	817.80	
TAWPKT3	Waterproof Deutsch® Connector Upgrade Kit for 12 Lamp Traffic Advisors, Factory Installed	129.00	
TAWPKT4	Waterproof Deutsch® Connector Upgrade Kit for 16 Lamp Traffic Advisors, Factory Installed	174.00	
ic Advisor™ Ad			
TAMMB	Magnetic Mount Kit for TA637A & TA837A	34.80	31
TABKT1	TAL & TAM Series Rear Deck Mounting Bracket for 2003-2004 Ford Crown Victoria, Mount to Child Restraint Anchor.	26.40	23
TAPVC15	Fifteen Foot Traffic Advisor Extension Cable for TA637A and TA837A	50.40	45
TAPVC25 TAPVC35	Twenty-Five Foot Traffic Advisor Extension Cable for TA637A and TA837A Thirty-Five Foot Traffic Advisor Extension Cable for TA637A and TA837A	82.20 96.60	73 86
TAPVC50	Fifty Foot Traffic Advisor Extension Cable for TA637A and TA837A	136.20	122
STAPVC30	Substitute 30' PVC Cable for Standard 15' Cable for TA837A and TA637A	42.00	37
STAPVC35	Substitute 35' PVC Cable for Standard 15' Cable for TA837A and TA637A	55.20	49
STAPVC40	Subsitute 40' PVC Cable for Standard 15' Cable for TA837A and TA637A	70.80	63
STAPVC50	Subsitute 50' PVC Cable for Standard 15' Cable for TA837A and TA637A	96.60	86
TATPR20	Twenty Foot Extension Cable for TA870A & TA870L	84.60	76
STATPR30	Substitute 30' TPR Cable for Standard 20' Cable for TA870A & TA870L	42.00	37
STATPR35	Subsitute 35' TPR Cable for Standard 20' Cable for TA870A & TA870L	66.60	59
STATPR40	Substitute 40' TPR Cable for Standard 20' Cable for TA870A & TA870L	88.20	79
STATPR50	Subsitute 50' TPR Cable for Standard 20' Cable for TA870A & TA870L Control Head Only for 5 to 8 panel LED Traffic Advisors ONLY. Includes Remote Flash Control	131.40	118
TACTLD1	and End Panel Enable/Disable Feature.	188.40	169
TACTRL1A	Control Head Only for Six and Eight Light Halogen Light Array with Remote Flash Control & End Lamp Enable/Disable Feature.	188.40	169.
TACTRL3A	Control Head Only for Sixteen Light Halogen/LED Light Array, Non Diagnostic. Meets Federal Standards.	188.40	169
DELTAC1A	Delete TACTRL1A from 6-8 light Halogen Traffic Advisor	60.00	
DELTALD1	Delete TACTALD1 from 6-8 light LED Traffic Advisor	60.00	
	Waterproof Deutsch® Connector Upgrade Kit for 6 Lamp Traffic Advisors, Factory Installed		
	waterproof Dediscris Confector Obdrage Kilitor 6 Lamb Hallic Advisors, Factory Installed	64.80	
TAWPKT1			
TAWPKT1 TAWPKT2	Waterproof Deutsch® Connector Upgrade Kit for 8 Lamp Traffic Advisors, Factory Installed	87.60	
TAWPKT1			

ntrol Head. Lightb	Built-in Messenger with 16 Characters (2 Panel), Preprogrammed with your choice of Library. All Models ar Purchased Separately.	moluuc	
MGM02F0A	\$ For 50" Edge®, Amber LED, Front Facing	785.40	
MGM02F1A	\$ For 55" Edge®, Amber LED, Front Facing	785.40	
MGM02R0A	\$ For 50" Edge®, Amber LED, Rear Facing	785.40	
MGM02R1A	\$ For 55" Edge®, Amber LED, Rear Facing	785.40	
⊥ ge®+Plus™. 16 0	haracters (2 Panel), Smart Arrow Messenger® Series Preprogrammed with your choice of Library. All	Models include	
ntrol Head.			
MGM02C0A	\$ Built-Into a 35.25" Edge+Plus™ Housing, Amber LEDs (No Strobes)	893.40	
MGM02S0A	\$ Built-Into a 48" Edge+Plus Housing, Amber LEDs, Two Remote TURB6ASY's, Specify Color of Strobes	1004.40	
ssenger® Librari GM02 Series Only	es Installed in Smart Arrow Messenger® Series, No Charge Option when purchased with a Smart Arrow I	Messenger	
MLPOL02	Police Library Installed In 16 Character (2 panel) Messenger		
MLEMS02	EMS/Fire Library Installed In 16 Character (2 panel) Messenger		
MLDOT02	DOT/Utility Library Installed in 16 Character (2 panel) Messenger		
MGC01	rrow Messenger® Control Head for Smart Arrow Messenger (Standard)	234.00	
MGC02UG	Premium Control Head Upgrade for Smart Arrow Messenger	61.80	
MGC02	Premium Control Head for Smart Arrow Messenger	294.60	
MGP02	Programming Kit for Smart Arrow Messenger Series includes MGXPORT and Software	237.60	
MLSETUP	Special Message Programming Charge, per message	15.60	14.0
MGXPORT	Messenger® Serial Communication Information Transporter	202.20	
G2M* G2P* G5M*	Two High Speed Rotators, Diamond Mirrors, Magnetic Mount Two High Speed Rotators, Diamond Mirrors, Permanent Mount Two 2022 Strobe Beacons, Diamond Mirrors, Magnetic Mount, 12/24 VDC, Color Outer Dome Two 2022 Strobe Beacons, Diamond Mirrors, Regment Mount, 12/24 VDC, Color Outer	93.00 80.40 161.40	83. 72. 145.
G5P*	Two 2022 Strobe Beacons, Diamond Mirrors, Permanent Mount, 12/24 VDC, Color Outer Dome	149.40	134.4
G5MC**	Two 2022 Strobe Beacons, Diamond Mirrors, Magnetic Mount, 12/24 VDC, Clear Outer Dome, Color Inner Domes	161.40	145.2
G5PC**	Two 2022 Strobe Beacons, Diamond Mirrors, Permanent Mount, 12/24 VDC, Clear Outer Dome, Color Inner Domes	149.40	134.4
G7M*	Two Remote Strobe Beacons & One Internal Power Supply, Diamond Mirrors, Magnetic Mount, 12/24 VDC, Color Outer Dome	150.00	135.0
G7P*	Two Remote Strobe Beacons & One Internal Power Supply, Diamond Mirrors, Permanent Mount, 12/24 VDC, Color Outer Dome	137.40	123.6
G7MC**	Two Remote Strobe Beacons & One Internal Power Supply, Diamond Mirrors, Magnetic Mount, 12/24 VDC, Clear Outer Dome, Color Inner Domes	150.00	135.0
G7PC**	Two Remote Strobe Beacons & One Internal Power Supply, Diamond Mirrors, Permanent Mount, 12/24 VDC, Clear Outer Dome, Color Inner Domes	137.40	123.6
		2.40	
tions for Guardia		3.60	3.2 21.0
KCF*	Color Filter Kit For G1 & G2 Series Only, Customer Installed - EACH	33.40	
KCF* G1MM90	90 lb. Magnetic Mount Kit with Cigar Plug for G1, G2 & G5 Series Only	23.40 23.40	21.0
KCF* G1MM90	90 lb. Magnetic Mount Kit with Cigar Plug for G1, G2 & G5 Series Only		
KCF* G1MM90 G7MM90 INSTLRDX	90 lb. Magnetic Mount Kit with Cigar Plug for G1, G2 & G5 Series Only 90 lb. Magnetic Mount Kit with Cigar Plug for G7 Series Only Installation of G1MM90 or G7MM90 on Permanent Mount Guardian Series	23.40 23.40 6.00	
KCF* G1MM90 G7MM90 INSTLRDX	90 lb. Magnetic Mount Kit with Cigar Plug for G1, G2 & G5 Series Only 90 lb. Magnetic Mount Kit with Cigar Plug for G7 Series Only Installation of G1MM90 or G7MM90 on Permanent Mount Guardian Series D" Series, Rotating, Heavy Duty	23.40	
KCF* G1MM90 G7MM90 INSTLRDX sponder® "H sponder® "HD" \$ R2HDM*	90 lb. Magnetic Mount Kit with Cigar Plug for G1, G2 & G5 Series Only 90 lb. Magnetic Mount Kit with Cigar Plug for G7 Series Only Installation of G1MM90 or G7MM90 on Permanent Mount Guardian Series D" Series, Rotating, Heavy Duty Series 2 Rotators, Diamond Mirror, Magnet Mount	23.40 6.00	5.4
KCF* G1MM90 G7MM90 INSTLRDX Sponder® "H sponder® "HD" \$ R2HDM* R2HDP*	90 lb. Magnetic Mount Kit with Cigar Plug for G1, G2 & G5 Series Only 90 lb. Magnetic Mount Kit with Cigar Plug for G7 Series Only Installation of G1MM90 or G7MM90 on Permanent Mount Guardian Series D" Series, Rotating, Heavy Duty Series 2 Rotators, Diamond Mirror, Magnet Mount 2 Rotators, Diamond Mirror, Permanent Mount	23.40 6.00 123.60 109.20	5.4 111.2 98.2
KCF* G1MM90 G7MM90 INSTLRDX sponder® "H sponder® "HD" S R2HDM* R2HDP* CF*	90 lb. Magnetic Mount Kit with Cigar Plug for G1, G2 & G5 Series Only 90 lb. Magnetic Mount Kit with Cigar Plug for G7 Series Only Installation of G1MM90 or G7MM90 on Permanent Mount Guardian Series D" Series, Rotating, Heavy Duty Series 2 Rotators, Diamond Mirror, Magnet Mount 2 Rotators, Diamond Mirror, Permanent Mount Color Filter Kit for Rotators (Customer Installed Option, Use with Clear Outer Dome Only)	23.40 6.00 123.60 109.20 3.60	21.0 5.4 111.2 98.2 3.2
KCF* G1MM90 G7MM90 INSTLRDX Sponder® "H sponder® "HD" S R2HDM* R2HDP* CF* RDXMM90	90 lb. Magnetic Mount Kit with Cigar Plug for G1, G2 & G5 Series Only 90 lb. Magnetic Mount Kit with Cigar Plug for G7 Series Only Installation of G1MM90 or G7MM90 on Permanent Mount Guardian Series D" Series, Rotating, Heavy Duty Series 2 Rotators, Diamond Mirror, Magnet Mount 2 Rotators, Diamond Mirror, Permanent Mount Color Filter Kit for Rotators (Customer Installed Option, Use with Clear Outer Dome Only) 90 lb. Pull Magnet Mount Kit with Cord & Plug	23.40 6.00 123.60 109.20 3.60 23.40	111.2 98.2 3.2 21.6
KCF* G1MM90 G7MM90 INSTLRDX sponder® "H sponder® "HD" S R2HDM* R2HDP* CF*	90 lb. Magnetic Mount Kit with Cigar Plug for G1, G2 & G5 Series Only 90 lb. Magnetic Mount Kit with Cigar Plug for G7 Series Only Installation of G1MM90 or G7MM90 on Permanent Mount Guardian Series D" Series, Rotating, Heavy Duty Series 2 Rotators, Diamond Mirror, Magnet Mount 2 Rotators, Diamond Mirror, Permanent Mount Color Filter Kit for Rotators (Customer Installed Option, Use with Clear Outer Dome Only)	23.40 6.00 123.60 109.20 3.60	111.2 98.2 3.2 21.6
KCF* G1MM90 G7MM90 INSTLRDX Sponder® "H sponder® "HD" S R2HDM* R2HDP* CF* RDXMM90 INSTLRDX	90 lb. Magnetic Mount Kit with Cigar Plug for G1, G2 & G5 Series Only 90 lb. Magnetic Mount Kit with Cigar Plug for G7 Series Only Installation of G1MM90 or G7MM90 on Permanent Mount Guardian Series D" Series, Rotating, Heavy Duty Series 2 Rotators, Diamond Mirror, Magnet Mount 2 Rotators, Diamond Mirror, Permanent Mount Color Filter Kit for Rotators (Customer Installed Option, Use with Clear Outer Dome Only) 90 lb. Pull Magnet Mount Kit with Cord & Plug Installation of RDXMM90 on Permanent Mount RHD Series	23.40 6.00 123.60 109.20 3.60 23.40	111.2 98.2 3.2 21.6
KCF* G1MM90 G7MM90 INSTLRDX Sponder® "H Sponder® "HD" S R2HDM* R2HDP* CF* RDXMM90 INSTLRDX	90 lb. Magnetic Mount Kit with Cigar Plug for G1, G2 & G5 Series Only 90 lb. Magnetic Mount Kit with Cigar Plug for G7 Series Only Installation of G1MM90 or G7MM90 on Permanent Mount Guardian Series D" Series, Rotating, Heavy Duty Series 2 Rotators, Diamond Mirror, Magnet Mount 2 Rotators, Diamond Mirror, Permanent Mount Color Filter Kit for Rotators (Customer Installed Option, Use with Clear Outer Dome Only) 90 lb. Pull Magnet Mount Kit with Cord & Plug Installation of RDXMM90 on Permanent Mount RHD Series TM Series, Strobe Series 2 VP231 Strobes, Internal CS240 Power Supply, Diamond Mirror, 12/24 VDC, Magnetic	23.40 6.00 123.60 109.20 3.60 23.40	5.4 111.2 98.2
KCF* G1MM90 G7MM90 INSTLRDX Sponder® "H sponder® "HD" S R2HDM* R2HDP* CF* RDXMM90 INSTLRDX Sponder® DXMS Sponder® DXMS	90 lb. Magnetic Mount Kit with Cigar Plug for G1, G2 & G5 Series Only 90 lb. Magnetic Mount Kit with Cigar Plug for G7 Series Only Installation of G1MM90 or G7MM90 on Permanent Mount Guardian Series D" Series, Rotating, Heavy Duty Series 2 Rotators, Diamond Mirror, Magnet Mount 2 Rotators, Diamond Mirror, Permanent Mount Color Filter Kit for Rotators (Customer Installed Option, Use with Clear Outer Dome Only) 90 lb. Pull Magnet Mount Kit with Cord & Plug Installation of RDXMM90 on Permanent Mount RHD Series	23.40 6.00 123.60 109.20 3.60 23.40 6.00	5.4 111.2 98.2 3.2 21.0 5.4





R6DXMC**	2 VP231 Strobes, Internal CS240 Power Supply, Diamond Mirror, 12/24 VDC, Magnetic	168.00	151.20	
	Mount, Clear Outer Dome with Color Inner Dome			
R6DXPC**	2 VP231 Strobes, Internal CS240 Power Supply, Diamond Mirror, 12/24 VDC, Permanent	155.40	139.86	
	Mount, Clear Outer Dome with Color Inner Dome.			

	Mount, Clear Outer Dome with Color Inner Dome.		
ini Centurion™	[™] Series Strobe & Halogen		
	conomy Series Rotating Lightbar No Options Available, with 2 Wire 6" Pigtail, for On/Off Operation O		
C200A00E	Two Rotators, One Diamond Mirror, 22" Long (No Options Available)	191.40	172.
CDA**	Centurion™ Domes for 22" Lightbar, Specify Two Colors		
MKEZ7	1-1/2" Permanent Mount / ALL		
MK8H	5" Permanent Mount (cast aluminum) / ALL / ALL	19.80	17
MK9S	Optional Slide Bolt Flat Mount Brackets (2)	19.80	17
	ries Rotating Lightbars & 360° Strobe Lightbars	17.00	
C200A000	Two Rotators, One Diamond Mirror, 22" Long	238.80	214
C002A0**	Two 22 Watt 360° Strobe Beacons, 30" Mirrors, 22" Long, Last Two Digits Indicate Color of	274.80	247
0002710	Internal 360° Strobe Lens	274.00	277
CDA**	Centurion™ Domes for 22" Lightbar, Specify Two Colors		
MKEZ7	1-1/2" Permanent Mount / ALL		
MK8H	5" Permanent Mount (cast aluminum) / ALL / ALL	19.80	17
MK9S	Optional Slide Bolt Flat Mount Brackets (2)	19.80	17
ni 9M Series,	STROBE		
ni 9M Series Ligh	tbars, Permanent Models with 15' Cable		
9MMEDGEM	Magnetic Mount, 2 Front & 2 Rear Strobes	414.00	372
9MMEDGEP	Permanent Mount, 2 Front & 2 Rear Strobes	414.00	372
9MMEDG6M	Magnetic Mount, 4 Front & 2 Rear Strobes	517.80	466
9MMEDG6P	Permanent Mount, 4 Front & 2 Rear Strobes	517.80	466
9MMEDFFD	Permanent Mount, 4 Front Strobes Only	522.00	469
tions for Mini Ed	ge® 9M Series Lightbars, Permanent Mount Models Only		
9MTD2	Two Halogen Take-Down Lights	48.60	43
9MALY	Two Halogen Alley Lights	48.60	43
9MFFI	Two Halogen Flashing Lights, Front Facing	81.00	72
9MRFI	Two Halogen Flashing Lights, Rear Facing	81.00	72
9MFFL**	Two LED Flashing Panels, Front Facing, Amber and/or Red	174.00	156
9MFFL**	Two LED Flashing Panels, Front Facing, 1 Amber or Red and 1 Blue or White	286.80	258
9MFFL**	Two LED Flashing Panels, Front Facing, Blue and/or White	399.60	359
9MRFL**	Two LED Flashing Panels, Profit Leding, Bute distribution white Two LED Flashing Panels, Rear Facing, Amber and/or Red	174.00	156
9MRFL**	Two LED Flashing Panels, Rear Facing, 1 Amber or Red and 1 Blue or White	286.80	258
9MRFL**	Two LED Flashing Panels, Real Facing, Paniber of Red and Fibide of White	399.60	359
///// L	The LES Flacking Fallow, floar Facing, Slack and of Thinks	077100	- 007
ni Edgo® Illtr	a Freedom Series, LED		
	eedom Series Lightbars, 28.25" Long with 4- Linear-LED's®, Permanent Mount Models with 15' Pas	soonger Cide Coble	
FT8****P			679
	Permanent Mount, Blue, Red and/or Amber	755.40	
FT8***CP	Permanent Mount, 3 Blue, Red and/or Amber & 1 White	787.80	709
FT8**CCP	Permanent Mount, 2 Blue, Red and/or Amber & 2 White	820.20	738
FT8*CCCP	Permanent Mount, 1 Blue, Red or Amber & 3 White	853.20	767
FT8CCCCP	Permanent Mount, White	885.60	797
FT8****M	Magnetic Mount, Blue, Red and/or Amber	755.40	679
FT8***CM	Magnetic Mount, 3 Blue, Red and/or Amber & 1 White	787.80	709
FT8**CCM	Magnetic Mount, 2 Blue, Red and/or Amber & 2 White	820.20	738
FT8*CCCM	Magnetic Mount, 1 Blue, Red or Amber & 3 White	853.20	767
FT8CCCCM	Magnetic Mount, White	885.60	797
ni Edge® Ultra Fr	eedom Front Facing Series Lightbars, 28.25" Long with 4 - Linear-LED's®. Permanent Mount Mode	els with 15'	
ssenger Side Cabl	e. Insert Colors from Driverside to Passenger Side.		
FT8****F	Front Facing, Permanent Mount, Blue, Red and/or Amber	755.40	679
FT8***CF	Front Facing, Permanent Mount, 3 Blue, Red and/or Amber & 1 White	787.80	709
FT8**CCF	Front Facing, Permanent Mount, 2 Blue, Red and/or Amber & 2 White	820.20	738
FT8*CCCF	Front Facing, Permanent Mount, 1 Blue, Red or Amber & 3 White	853.20	767
FT8CCCCF	Front Facing, Permanent Mount, White	885.60	797
	ra Freedom Series Lightbars Up to Four Linear-LED™ modules in the Magnet or Permanent Mount		
	en Lamps in the Permanent Mount Models Only.	auto unu u	
FTTD2	Two Halogen Take-Down Light, not for use with FTALY	48.60	43
FTALY	Two Halogen Alley Lights, not for use with FTTD2	48.60	43
FTD**	Two 400 Series Linear-LED's, Blue, Red and/or Amber	288.60	
			259
FTD*C	Two 400 Series Linear-LED's, 1 Blue, Red and/or Amber and 1 White	314.40	282
FTDCC	Two 400 Series Linear-LED's, White	339.60	305
FTD****	Four 400 Series Linear-LED's, Blue, Red and/or Amber	442.20	397
FTD***C	Four 400 Series Linear-LED's, 3 Blue, Red and/or Amber and 1 White	467.40	420
FTD**CC	Four 400 Series Linear-LED's, 2 Blue, Red and/or Amber and 2 White	493.80	444
FTD*CCC	Four 400 Series Linear-LED's, 1 Blue, Red and/or Amber and 3 White	519.60	467

544.80

FTDCCCC

Four 400 Series Linear-LED's, White

L FL Patriot™ 4 MLFL17M*	17-1/4", Magnetic Mount	454.80	409.
MLFL17P*	17-1/4", Permanent Mount	454.80	409.
MLFL22M*	22", Magnetic Mount	461.40	415.
MLFL22P*	22", Permanent Mount	461.40	415
	C Series Lightbar Accessories, for MLFL22P* Only.		
LHALY	Two Halogen Alley Lights	48.60	43.
LHTD1	One Front Halogen Take-Down Light	25.20	22.
LHRFL*	One Rear LED Flasher, Red or Amber, with 14 Flash Patterns including Steady Burn	57.60	51.
LHRFL*	One Rear LED Flasher, Blue or White, with 14 Flash Patterns including Steady Burn	123.00	110.
	Series, LED, Low Current Switching SL SERIES		
LFL Liberty™	Series Lightbars, 22" with 4 Linear-LED®'s. Permanent Mount Models with 15' Passenger Side Cable.		100
LT2****P	Permanent Mount, Blue, Red and/or Amber	711.00	639.
LT2***CP	Permanent Mount, 3 Blue, Red and/or Amber & 1 White	743.40	669.
LT2**CCP	Permanent Mount, 2 Blue, Red and/or Amber & 2 White	775.80	698.
LT2*CCCP	Permanent Mount, 1 Blue, Red or Amber & 3 White	807.60	726.
LT2CCCCP	Permanent Mount, White	840.00	756.
LT2***M	Magnetic Mount, Blue, Red and/or Amber	711.00	639.
LT2***CM	Magnetic Mount, 3 Blue, Red and/or Amber & 1 White	743.40	669. 698.
LT2**CCM LT2***M	Magnetic Mount, 2 Blue, Red and/or Amber & 2 White	775.80	
LT2CCCCM	Magnetic Mount, 1 Blue, Red or Amber & 3 White	807.60 840.00	726. 756.
	Magnetic Mount, White Series Lightbar Accessories, For LT2****P Only	840.00	/50.
LTALY	Two Halogen Alley Lights	48.60	43.
LTTD1	One Front Facing Halogen Take-Down Light	25.20	22.
	J. A.		
U-Bars, Cro	ss Bars And Mounting Kits		
eries Extended	d Aluminum Crossbars, For Mounting Options See "Optional Mounting Kits & Strap Kits"	100.00	00
eries Extended VPCB48	48"	109.20	
eries Extended VPCB48 VPCB56	48" 56"	109.20	98.
eries Extended VPCB48 VPCB56 VPCB65	48" 56" 65"	109.20 109.20	98. 98.
vPCB48 VPCB56 VPCB65 VPCB72	48" 56" 65" 72"	109.20	98. 98.
vPCB48 VPCB56 VPCB65 VPCB72 VPCB72	48" 56" 65" 72" ies, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits"	109.20 109.20 109.20	98. 98. 98.
VPCB48 VPCB56 VPCB56 VPCB65 VPCB72 7 Lightbar Seri VB247****	48" 56" 65" 72" ies, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits" 2 Rotators, "V" Mirrors, 47"	109.20 109.20 109.20	98. 98. 98.
vPCB48 VPCB56 VPCB56 VPCB65 VPCB72 7 Lightbar Seri VB247*** VB447***	48" 56" 65" 72" ies, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits" 2 Rotators, "V" Mirrors, 47" 4 Rotators, Diamond Mirrors, 47"	109.20 109.20 109.20 223.20 297.00	98. 98. 98. 200. 267.
eries Extended VPCB48 VPCB56 VPCB65 VPCB72 7 Lightbar Seri VB247*** VB447*** VB647***	48" 56" 65" 72" ies, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits" 2 Rotators, "V" Mirrors, 47" 4 Rotators, Diamond Mirrors, 47" 6 Rotators, Diamond Mirrors, 47"	109.20 109.20 109.20 223.20 297.00 373.20	98. 98. 98. 200. 267. 335.
eries Extended VPCB48 VPCB56 VPCB65 VPCB72 7 Lightbar Seri VB247*** VB447*** VB647*** VB47ROTA	48" 56" 65" 72" ies, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits" 2 Rotators, "V" Mirrors, 47" 4 Rotators, Diamond Mirrors, 47" 6 Rotators, Diamond Mirrors, 47" Center Mount Rotator with "V" Mirrors, Installed in VB247 or VB447 Only	109.20 109.20 109.20 223.20 297.00 373.20 54.00	98. 98. 98. 200. 267. 335. 48.
eries Extended VPCB48 VPCB56 VPCB65 VPCB72 7 Lightbar Seri VB247*** VB447*** VB647*** VB47ROTA CF*	48" 56" 65" 72" ies, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits" 2 Rotators, "V" Mirrors, 47" 4 Rotators, Diamond Mirrors, 47" 6 Rotators, Diamond Mirrors, 47"	109.20 109.20 109.20 223.20 297.00 373.20 54.00 3.60	98. 98. 98. 200. 267. 335. 48.
eries Extended VPCB48 VPCB56 VPCB65 VPCB72 7 Lightbar Seri VB247*** VB447*** VB647*** VB47ROTA CF*	48" 56" 65" 72" ies, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits" 2 Rotators, "V" Mirrors, 47" 4 Rotators, Diamond Mirrors, 47" 6 Rotators, Diamond Mirrors, 47" Center Mount Rotator with "V" Mirrors, Installed in VB247 or VB447 Only Color Filter Kit For Rotators (Customer installed option)	109.20 109.20 109.20 223.20 297.00 373.20 54.00 3.60	98. 98. 98. 200. 267. 335. 48.
eries Extended VPCB48 VPCB56 VPCB65 VPCB72 7 Lightbar Seri VB247*** VB447*** VB647*** VB47ROTA CF*	48" 56" 65" 72" ies, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits" 2 Rotators, "V" Mirrors, 47" 4 Rotators, Diamond Mirrors, 47" 6 Rotators, Diamond Mirrors, 47" Center Mount Rotator with "V" Mirrors, Installed in VB247 or VB447 Only Color Filter Kit For Rotators (Customer installed option) Kits & Strap Kits for VPCB & VP47 Series(For mounting option number, see optional Edge® & Centure	109.20 109.20 109.20 223.20 297.00 373.20 54.00 3.60	98. 98. 98. 200. 267. 335. 48.
eries Extended VPCB48 VPCB56 VPCB65 VPCB72 7 Lightbar Seri VB247*** VB447*** VB647*** VB47ROTA CF* unal Mounting	48" 56" 65" 72" ies, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits" 2 Rotators, "V" Mirrors, 47" 4 Rotators, Diamond Mirrors, 47" 6 Rotators, Diamond Mirrors, 47" Center Mount Rotator with "V" Mirrors, Installed in VB247 or VB447 Only Color Filter Kit For Rotators (Customer installed option) Kits & Strap Kits for VPCB & VP47 Series(For mounting option number, see optional Edge® & Centum See Mounting Kit Section for # Required and Pricing 1-1/2" Permanent Mount/ ALL 1-1/2" Mounting foot w/strap hardware (Straps Purchased Separately)	109.20 109.20 109.20 223.20 297.00 373.20 54.00 3.60	98. 98. 98. 200. 267. 335. 48.
eries Extended VPCB48 VPCB56 VPCB65 VPCB72 7 Lightbar Seri VB247*** VB447*** VB447*** VB47ROTA CF* unal Mounting MKEZ# MKEZ7	48" 56" 65" 72" ies, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits" 2 Rotators, "V" Mirrors, 47" 4 Rotators, Diamond Mirrors, 47" 6 Rotators, Diamond Mirrors, 47" Center Mount Rotator with "V" Mirrors, Installed in VB247 or VB447 Only Color Filter Kit For Rotators (Customer installed option) Kits & Strap Kits for VPCB & VP47 Series(For mounting option number, see optional Edge® & Centum See Mounting Kit Section for # Required and Pricing 1-1/2" Permanent Mount/ ALL	109.20 109.20 109.20 223.20 297.00 373.20 54.00 3.60	98. 98. 98. 200. 267. 335. 48. 3.
eries Extended VPCB48 VPCB56 VPCB65 VPCB72 7 Lightbar Seri VB247*** VB447*** VB447*** VB447*** VB47ROTA CF* unal Mounting MKEZ# MKEZ7	48" 56" 65" 72" ies, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits" 2 Rotators, "V" Mirrors, 47" 4 Rotators, Diamond Mirrors, 47" 6 Rotators, Diamond Mirrors, 47" Center Mount Rotator with "V" Mirrors, Installed in VB247 or VB447 Only Color Filter Kit For Rotators (Customer installed option) Kits & Strap Kits for VPCB & VP47 Series(For mounting option number, see optional Edge® & Centum See Mounting Kit Section for # Required and Pricing 1-1/2" Permanent Mount/ ALL 1-1/2" Mounting foot w/strap hardware (Straps Purchased Separately)	109.20 109.20 109.20 223.20 297.00 373.20 54.00 3.60 urion™ Mounting	98. 98. 98. 200. 267. 335. 48. 3.
eries Extended VPCB48 VPCB56 VPCB65 VPCB72 7 Lightbar Seri VB247*** VB447*** VB447*** VB447*** VB447*** MKEZ# MKEZ7 MKEZ29 MK8H MK9S a Series, W	48" 56" 65" 72" les, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits" 2 Rotators, "V" Mirrors, 47" 4 Rotators, Diamond Mirrors, 47" 6 Rotators, Diamond Mirrors, 47" Center Mount Rotator with "V" Mirrors, Installed in VB247 or VB447 Only Color Filter Kit For Rotators (Customer installed option) Kits & Strap Kits for VPCB & VP47 Series(For mounting option number, see optional Edge® & Centum See Mounting Kit Section for # Required and Pricing 1-1/2" Permanent Mount/ ALL 1-1/2" Mounting foot w/strap hardware (Straps Purchased Separately) 5" Permanent Mount (cast aluminum) / ALL / ALL Optional Slide Bolt Flat Mount Brackets (2)	109.20 109.20 109.20 223.20 297.00 373.20 54.00 3.60 urion™ Mounting	98 98 98 200 267 335 48 3
eries Extended VPCB48 VPCB56 VPCB65 VPCB72 7 Lightbar Seri VB447*** VB447*** VB447*** VB447*** MKEZ# MKEZ7 MKEZ9 MK8H MK9S a Series, W turion™ Mou	48" 56" 65" 72" les, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits" 2 Rotators, "V" Mirrors, 47" 4 Rotators, Diamond Mirrors, 47" 6 Rotators, Diamond Mirrors, 47" Center Mount Rotator with "V" Mirrors, Installed in VB247 or VB447 Only Color Filter Kit For Rotators (Customer installed option) Kits & Strap Kits for VPCB & VP47 Series(For mounting option number, see optional Edge® & Centum See Mounting Kit Section for # Required and Pricing 1-1/2" Permanent Mount/ ALL 1-1/2" Mounting foot w/strap hardware (Straps Purchased Separately) 5" Permanent Mount (cast aluminum) / ALL / ALL Optional Slide Bolt Flat Mount Brackets (2) ith Passengerside Exiting 15' Cable. (For mounting options see optional Edge® & unting Kits)	109.20 109.20 109.20 223.20 297.00 373.20 54.00 3.60 urion™ Mounting	98 98 98 200 267 335 48 3
eries Extended VPCB48 VPCB56 VPCB65 VPCB72 7 Lightbar Seri VB447*** VB447*** VB447*** VB447*** MKEZ# MKEZ7 MKEZ29 MK8H MK9S a Series, W turion Motore Rota	48" 56" 65" 72" les, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits" 2 Rotators, "V" Mirrors, 47" 4 Rotators, Diamond Mirrors, 47" 6 Rotators, Diamond Mirrors, 47" Center Mount Rotator with "V" Mirrors, Installed in VB247 or VB447 Only Color Filter Kit For Rotators (Customer installed option) Kits & Strap Kits for VPCB & VP47 Series(For mounting option number, see optional Edge® & Centumer See Mounting Kit Section for # Required and Pricing 1-1/2" Permanent Mount/ ALL 1-1/2" Mounting foot w/strap hardware (Straps Purchased Separately) 5" Permanent Mount (cast aluminum) / ALL / ALL Optional Slide Bolt Flat Mount Brackets (2) ith Passengerside Exiting 15' Cable. (For mounting options see optional Edge® & Inting Kits) ting Lightbar Series, Includes Two Rotators and Mirrors	109.20 109.20 109.20 223.20 297.00 373.20 54.00 3.60 urion™ Mounting	98. 98. 98. 200. 267. 335. 48. 3.
eries Extended VPCB48 VPCB56 VPCB65 VPCB72 7 Lightbar Seri VB447*** VB447*** VB447*** VB447*** VB447*** MKEZ7 MKEZ7 MKEZ9 MK8H MK9S a Series, W durion Moundary Moun	48" 56" 65" 72" les, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits" 2 Rotators, "V" Mirrors, 47" 4 Rotators, Diamond Mirrors, 47" 6 Rotators, Diamond Mirrors, 47" Center Mount Rotator with "V" Mirrors, Installed in VB247 or VB447 Only Color Filter Kit For Rotators (Customer installed option) Kits & Strap Kits for VPCB & VP47 Series(For mounting option number, see optional Edge® & Centumer See Mounting Kit Section for # Required and Pricing 1-1/2" Permanent Mount/ ALL 1-1/2" Mounting foot w/strap hardware (Straps Purchased Separately) 5" Permanent Mount (cast aluminum) / ALL / ALL Optional Slide Bolt Flat Mount Brackets (2) ith Passengerside Exiting 15' Cable. (For mounting options see optional Edge® & Inting Kits) ting Lightbar Series, Includes Two Rotators and Mirrors 44 5/16" Long, Two Rotators	109.20 109.20 109.20 223.20 297.00 373.20 54.00 3.60 urion™ Mounting 19.80 19.80 435.00	98. 98. 98. 200. 267. 335. 48. 3.
eries Extended VPCB48 VPCB56 VPCB65 VPCB72 7 Lightbar Seri VB247*** VB447*** VB447*** VB447*** VB447*** MKEZ7 MKEZ7 MKEZ9 MK8H MK9S a Series, W durion Mounting Di2S400 Di2S800	48" 56" 65" 72" les, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits" 2 Rotators, "V" Mirrors, 47" 4 Rotators, Diamond Mirrors, 47" 6 Rotators, Diamond Mirrors, 47" Center Mount Rotator with "V" Mirrors, Installed in VB247 or VB447 Only Color Filter Kit For Rotators (Customer installed option) Kits & Strap Kits for VPCB & VP47 Series(For mounting option number, see optional Edge® & Centumer See Mounting Kit Section for # Required and Pricing 1-1/2" Permanent Mount/ ALL 1-1/2" Mounting foot w/strap hardware (Straps Purchased Separately) 5" Permanent Mount (cast aluminum) / ALL / ALL Optional Slide Bolt Flat Mount Brackets (2) ith Passengerside Exiting 15' Cable. (For mounting options see optional Edge® & Inting Kits) ting Lightbar Series, Includes Two Rotators and Mirrors 44 5/16" Long, Two Rotators	109.20 109.20 109.20 223.20 297.00 373.20 54.00 3.60 200 3.60 3.60 3.60 3.60 3.60 3.60 3.60 3.60 3.60	98. 98. 98. 98. 200. 267. 335. 48. 3. 17. 17.
eries Extended VPCB48 VPCB56 VPCB65 VPCB72 7 Lightbar Seri VB247*** VB447*** VB447*** VB447*** VB447** MKEZ7 MKEZ7 MKEZ9 MK8H MK9S a Series, W durion Mounting Di2S400 Di2S800 Di2S200	48" 56" 65" 72" les, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits" 2 Rotators, "V" Mirrors, 47" 4 Rotators, Diamond Mirrors, 47" 6 Rotators, Diamond Mirrors, 47" Center Mount Rotator with "V" Mirrors, Installed in VB247 or VB447 Only Color Filter Kit For Rotators (Customer installed option) Kits & Strap Kits for VPCB & VP47 Series(For mounting option number, see optional Edge® & Centumer See Mounting Kit Section for # Required and Pricing 1-1/2" Permanent Mount/ ALL 1-1/2" Mounting foot w/strap hardware (Straps Purchased Separately) 5" Permanent Mount (cast aluminum) / ALL / ALL Optional Slide Bolt Flat Mount Brackets (2) ith Passengerside Exiting 15' Cable. (For mounting options see optional Edge® & Inting Kits) ting Lightbar Series, Includes Two Rotators and Mirrors 44 5/16" Long, Two Rotators 49 3/4" Long, Two Rotators 56 5/16" Long, Two Rotators	109.20 109.20 109.20 223.20 297.00 373.20 54.00 3.60 23.60 3.60 3.60 3.60 435.00 435.00 447.60	98. 98. 98. 200. 267. 335. 48. 3. 17. 17. 17. 402.
eries Extended VPCB48 VPCB56 VPCB65 VPCB72 7 Lightbar Seri VB247*** VB447*** VB447*** VB447*** VB447*** VB47ROTA CF* MKEZ7 MKEZ7 MKEZ9 MK8H MK9S a Series, W durion Mounting Di2S400 Di2S200 Di2S200 Di2S200	48° 56° 65° 72" les, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits" 2 Rotators, "V" Mirrors, 47" 4 Rotators, Diamond Mirrors, 47" 6 Rotators, Diamond Mirrors, 47" Center Mount Rotator with "V" Mirrors, Installed in VB247 or VB447 Only Color Filter Kit For Rotators (Customer installed option) Kits & Strap Kits for VPCB & VP47 Series(For mounting option number, see optional Edge® & Centumer See Mounting Kit Section for # Required and Pricing 1-1/2" Permanent Mount/ ALL 1-1/2" Mounting foot w/strap hardware (Straps Purchased Separately) 5" Permanent Mount (cast aluminum) / ALL / ALL Optional Slide Bolt Flat Mount Brackets (2) ith Passengerside Exiting 15' Cable. (For mounting options see optional Edge® & Junting Kits) ting Lightbar Series, Includes Two Rotators and Mirrors 44 5/16" Long, Two Rotators 49 3/4" Long, Two Rotators 56 5/16" Long, Two Rotators 56 5/16" Long, Two Rotators	109.20 109.20 109.20 109.20 223.20 297.00 373.20 54.00 3.60 arion™ Mounting 19.80 19.80 435.00 435.00 447.60 480.00	98. 98. 98. 98. 200. 267. 335. 48. 3. 3. 17. 17. 17. 17. 491. 492. 432. 432.
eries Extended VPCB48 VPCB56 VPCB65 VPCB72 7 Lightbar Seri VB247*** VB447*** VB447*** VB47ROTA CF* Inal Mounting MKEZ# MKEZ7 MKEZ9 MK8H MK9S A Series, W MUIOn™ Mounding Di2S400 Di2S200 Di2S200 Di2S700	48° 56° 65° 72" les, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits" 2 Rotators, "V" Mirrors, 47" 4 Rotators, Diamond Mirrors, 47" 6 Rotators, Diamond Mirrors, 47" Center Mount Rotator with "V" Mirrors, Installed in VB247 or VB447 Only Color Filter Kit For Rotators (Customer installed option) Kits & Strap Kits for VPCB & VP47 Series(For mounting option number, see optional Edge® & Centumer See Mounting Kit Section for # Required and Pricing 1-1/2" Permanent Mount/ ALL 1-1/2" Mounting foot w/strap hardware (Straps Purchased Separately) 5" Permanent Mount (cast aluminum) / ALL / ALL Optional Slide Bolt Flat Mount Brackets (2) ith Passengerside Exiting 15' Cable. (For mounting options see optional Edge® & Junting Kits) ting Lightbar Series, Includes Two Rotators and Mirrors 44 5/16" Long, Two Rotators 56 5/16" Long, Two Rotators 56 5/16" Long, Two Rotators 61 13/16" Long, Two Rotators 72 11/16" Long, Two Rotators	109.20 109.20 109.20 109.20 223.20 297.00 373.20 54.00 3.60 urion™ Mounting 19.80 19.80 435.00 435.00 447.60 480.00 499.80	98. 98. 98. 200. 267. 335. 48. 3. 17. 17. 17. 402. 432. 449.
eries Extended VPCB48 VPCB56 VPCB65 VPCB72 7 Lightbar Seri VB247*** VB447*** VB47ROTA CF* Inal Mounting MKEZ# MKEZ7 MKEZ9 MK8H MK9S A Series, W Iurion Mounting Di2S400 Di2S200 Di2S200 Di2S700 Di2H400	48" 56" 56" 65" 72" ies, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits" 2 Rotators, "V" Mirrors, 47" 4 Rotators, Diamond Mirrors, 47" 6 Rotators, Diamond Mirrors, 47" Center Mount Rotator with "V" Mirrors, Installed in VB247 or VB447 Only Color Filter Kit For Rotators (Customer installed option) Kits & Strap Kits for VPCB & VP47 Series(For mounting option number, see optional Edge® & Centumer See Mounting Kit Section for # Required and Pricing 1-1/2" Permanent Mount/ ALL 1-1/2" Mounting foot w/strap hardware (Straps Purchased Separately) 5" Permanent Mount (cast aluminum) / ALL / ALL Optional Slide Bolt Flat Mount Brackets (2) ith Passengerside Exiting 15' Cable. (For mounting options see optional Edge® & Inting Lightbar Series, Includes Two Rotators and Mirrors 44 5/16" Long, Two Rotators 49 3/4" Long, Two Rotators 56 5/16" Long, Two Rotators 56 11 3/16" Long, Two Rotators 72 11/16" Long, Two Rotators 72 11/16" Long, Two Rotators 73 11/16" Long, Two Rotators	109.20 109.20 109.20 109.20 223.20 297.00 373.20 54.00 3.60 Irion™ Mounting 19.80 19.80 435.00 447.60 480.00 499.80 447.60	98. 98. 98. 98. 98. 3. 17. 17. 17. 17. 17. 17. 17. 17. 17. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19
eries Extended VPCB48 VPCB56 VPCB65 VPCB72 7 Lightbar Seri VB247*** VB447*** VB447*** VB47ROTA CF* Inal Mounting MKEZ# MKEZ7 MKEZ29 MK8H MK9S A Series, W Iurion Mounting Di2S400 Di2S400 Di2S200 Di2S700 Di2H400 Di2H800	48" 56" 56" 72" ies, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits" 2 Rotators, "V" Mirrors, 47" 4 Rotators, Diamond Mirrors, 47" 6 Rotators, Diamond Mirrors, 47" Center Mount Rotator with "V" Mirrors, Installed in VB247 or VB447 Only Color Filter Kit For Rotators (Customer installed option) Kits & Strap Kits for VPCB & VP47 Series(For mounting option number, see optional Edge® & Centumer See Mounting Kit Section for # Required and Pricing 1-1/2" Permanent Mount/ ALL 1-1/2" Mounting foot w/strap hardware (Straps Purchased Separately) 5" Permanent Mount (cast aluminum) / ALL / ALL Optional Slide Bolt Flat Mount Brackets (2) ith Passengerside Exiting 15' Cable. (For mounting options see optional Edge® & unting Kits) ting Lightbar Series, Includes Two Rotators and Mirrors 44 5/16" Long, Two Rotators 49 3/4" Long, Two Rotators 56 5/16" Long, Two Rotators 72 11/16" Long, Two Rotators 72 11/16" Long, Two Rotators 44 5/16" Long, Two Rotators 47 3/4" Long, Two Fast Rotators 49 3/4" Long, Two Fast Rotators	109.20 109.20 109.20 109.20 223.20 297.00 373.20 54.00 3.60 Irion™ Mounting 19.80 19.80 435.00 447.60 480.00 499.80 447.60 447.60 447.60	98. 98. 98. 200. 267. 335. 48. 3. 17. 17. 432. 449. 402.
eries Extended VPCB48 VPCB56 VPCB56 VPCB65 VPCB72 7 Lightbar Seri VB447*** VB447*** VB447*** VB47ROTA CF* Inal Mounting MKEZ# MKEZ7 MKEZ29 MK8H MK9S A Series, W UrionTM Mou Diendence Rota Di2S400 Di2S200 Di2S200 Di2S700 Di2H400 Di2H800	48" 56" 56" 65" 72" les, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits" 2 Rotators, "V" Mirrors, 47" 4 Rotators, Diamond Mirrors, 47" 6 Rotators, Diamond Mirrors, 47" Center Mount Rotator with "V" Mirrors, Installed in VB247 or VB447 Only Color Filter Kit For Rotators (Customer installed option) Kits & Strap Kits for VPCB & VP47 Series(For mounting option number, see optional Edge® & Centumer Color Filter Kit For Rotators (Customer installed option) See Mounting Kit Section for # Required and Pricing 1-1/2" Permanent Mount/ ALL 1-1/2" Mounting foot w/strap hardware (Straps Purchased Separately) 5" Permanent Mount (cast aluminum) / ALL / ALL Optional Slide Bolt Flat Mount Brackets (2) ith Passengerside Exiting 15' Cable. (For mounting options see optional Edge® & unting Kits) ting Lightbar Series, Includes Two Rotators and Mirrors 44 5/16" Long, Two Rotators 49 3/4" Long, Two Rotators 56 5/16" Long, Two Rotators 41 5/16" Long, Two Rotators 44 5/16" Long, Two Rotators 47 3/4" Long, Two Fast Rotators 49 3/4" Long, Two Fast Rotators 49 3/4" Long, Two Fast Rotators 40 3/4" Long, Two Fast Rotators 40 3/4" Long, Two Fast Rotators 40 3/4" Long, Two Fast Rotators	109.20 109.20 109.20 109.20 223.20 297.00 373.20 54.00 3.60 Irion™ Mounting 19.80 19.80 435.00 447.60 480.00 499.80 447.60 447.60 447.60 440.80	98. 98. 98. 98. 98. 31. 32. 32. 32. 32. 32. 32. 32. 32. 32. 32
eries Extended VPCB48 VPCB56 VPCB65 VPCB72 7 Lightbar Seri VB247*** VB447*** VB447*** VB47ROTA CF* Inal Mounting MKEZ# MKEZ7 MKEZ29 MK8H MK9S A Series, W Iurion Mounting Di2S400 Di2S400 Di2S200 Di2S700 Di2H400 Di2H800	48" 56" 56" 72" ies, Color Outer Lenses, For Mounting Options See "Optional Mounting Kits & Strap Kits" 2 Rotators, "V" Mirrors, 47" 4 Rotators, Diamond Mirrors, 47" 6 Rotators, Diamond Mirrors, 47" Center Mount Rotator with "V" Mirrors, Installed in VB247 or VB447 Only Color Filter Kit For Rotators (Customer installed option) Kits & Strap Kits for VPCB & VP47 Series(For mounting option number, see optional Edge® & Centumer See Mounting Kit Section for # Required and Pricing 1-1/2" Permanent Mount/ ALL 1-1/2" Mounting foot w/strap hardware (Straps Purchased Separately) 5" Permanent Mount (cast aluminum) / ALL / ALL Optional Slide Bolt Flat Mount Brackets (2) ith Passengerside Exiting 15' Cable. (For mounting options see optional Edge® & unting Kits) ting Lightbar Series, Includes Two Rotators and Mirrors 44 5/16" Long, Two Rotators 49 3/4" Long, Two Rotators 56 5/16" Long, Two Rotators 72 11/16" Long, Two Rotators 72 11/16" Long, Two Rotators 44 5/16" Long, Two Rotators 47 3/4" Long, Two Fast Rotators 49 3/4" Long, Two Fast Rotators	109.20 109.20 109.20 109.20 223.20 297.00 373.20 54.00 3.60 Irion™ Mounting 19.80 19.80 435.00 447.60 480.00 499.80 447.60 447.60 447.60	98. 98. 98. 200. 267. 335. 48. 3. 17. 17. 17. 391. 391. 402. 432.

Delta Dome Set for 44 5/16" Lightbar, Specify Three Colors

Delta Dome Set for 49 3/4 Lightbar, Specify Three Colors

Only) Dome Colors are from Driver Side to Passenger Side, 0 = Black.

DD4***

DD8***



DD2****	Delta Dome Set for 56 5/16" Lightbar, Specify Five Colors		
DD0****	Delta Dome Set for 61 13/16" Lightbar, Specify Five Colors		
DD7****	Delta Dome Set for 72 11/16" Lightbar, Specify Five Colors		
	Level Options, for Single Center Section, Built-in (Not all options available in all models)		
DSROTA1S	One Center Rotator for Single Center Section, No Mirrors	49.80	44.8
DSROTA1H	One Center Rotator, High Speed, No Mirrors	55.80	50.2
DCF*IN	Color Filter for Rotator, Installed	3.60	3
DROTFIL*	180 Degree Color Half-Cylinder Filter for Rotator	6.60	5.
DSUHF*	One Upper Level 400 Series Halogen Flasher	64.20	57.
DSUMF*	One Upper Level 400 Series Linear-LED Super-LED Flasher, Amber, Blue or Red	156.00	140.
DSUMF#	One Upper Level 400 Series Linear-LED Super-LED Flasher, Amber, Blue or Red over White	176.40	158.
DSUMFC	One Upper Level 400 Series Linear-LED Super-LED Flasher, White	176.40	158.
DSUSF*	One Upper Level 400 Series Strobe	90.60	81.
OPTIDELT	Delta Lightbar Prewire for 3M® Model 792H OPTICOM®, (Includes Cable and bracket Only)	52.80	47.
	Level Options, for Outboard, Dual Center Section or Multiple Single Center Sections, Built-in (Not a	II options available	
models)			
DROTA2S	Two Inboard Rotators, Outboard Only	87.00	78.
DROTA2H	Two Inboard Rotators, High Speed, Outboard Only	99.00	89.
DDROTA111	One Center Rotator with Two Flat Mirrors, for Dual Center Section Only	52.80	47.
DDROTA1H DCF*IN	One Center Rotators with Two Flat Mirrors, High Speed, for Dual Center Section Color Filter for Rotator, Installed	58.80 3.60	52. 3.
DROTFIL*	180 Degree Color Half-Cylinder Filter for Rotator	6.60	5.
DDUHF**	Two Upper Level 400 Series Halogen Flashers, for Outboard or Dual Center Section	81.00	72.
DDUMF**	Two Upper Level 400 Series Linear-LED Super-LED Flasher, Amber, Blue and/or Red	283.20	254.
DDUMF##	Two Upper Level 400 Series Linear-LED Super-LED Flasher, Amber, Blue and/or Red Over Amber, Blue and/or Red	283.20	254.
DDUMF*C	Two Upper Level 400 Series Linear-LED Super-LED Flasher, 1 Amber, Blue or Red and 1 White	303.60	273.
OPTIDELT	Delta Lightbar Prewire for 3M® Model 792H OPTICOM®, (Includes Cable and bracket Only)	52.80	47.
DDUMF##	Two Upper Level 400 Series Linear-LED Super-LED Flasher, Amber, Blue and/or Red over White	303.60	273.
DDUMFCC DDUSF**	Two Upper Level 400 Series Linear-LED Super-LED Flasher, White/White	324.00	291. 126.
	Two Upper Level 400 Series Strobes Level Options for Single Costor Section Built in (Net all antions qualible in all models)	140.40	120.
DSLTD1	Level Options, for Single Center Section, Built-in (Not all options available in all models) One Lower Level 500 Series Halogen Takedown Light	25.20	22.
DSLTM1	One Lower Level 300 Series Halogen Takedown Light One Lower Level MR11 Halogen Takedown Light	25.20	22.
DSLCRL	One California Steady Red Light, Halogen	25.20	22.
DSLHF*	One Lower Level 500 Series Halogen Flasher	61.80	55.
DSLLF*	One Lower Level 500 Series 5mm LED Flasher, Amber or Red	82.20	73.
DSLLFB	One Lower Level 500 Series 5mm LED Flasher, Blue	110.40	99.
DSLTF*	One Lower Level 500 Series TIR6 Super-LED Flasher, Amber, Blue or Red	120.00	108.
DSLTFC	One Lower Level 500 Series TIR6 Super-LED Flasher, White	139.80	125.
	Level Options, for Outboard, Dual Center Section or Multiple Single Center Sections, Built-in (Not a	ill options available	
models)			
DDFTA	Flashing Take-Down and Alley Light Upgrade, Factory Installed Only, Requires the Purchase of Optional Take-Down and/or Alley Lights.	35.40	31.
DDLTD2 DDLALY	Two Lower Level 500 Series Halogen Takedown Lights Two Lower Level 500 Series Halogen Alley Lights, for Outboard Section	48.60 48.60	43. 43.
DDLALY DDLTM1	Two Lower Level MR11 Halogen Takedown Lights	48.60	43.
DDL1M1	Two Lower Level MR11 Halogen Alley Lights, for Outboard Section	48.60	43.
DDLAM1**	Two Lower Level MR11 Halogen Alley Lights, for Outboard Section with Two TIR3 Super-	192.60	173.
DDL WIT	LEDs, Amber, Blue and/or Red	172.00	170.
DDLAM1*C	Two Lower Level MR11 Halogen Alley Lights, for Outboard Section with Two TIR3 Super- LEDs, 1 Amber, Blue or Red and 1 White	199.20	179.
DDLAM1CC	Two Lower Level MR11 Halogen Alley Lights, for Outboard Section with Two TIR3 Super- LEDs, White/White	205.20	184.
DLOSCIL DDLT3**	Two Lower Level Oscillators, for Outboard Section Two Lower Level TIR3 Super-LED Lights, for use with DLOSCIL Option Only, for Outboard Section, Amber, Red and/or Blue	128.40 144.60	115. 130.
DDLT3*C	Two Lower Level TIR3 Super-LED Lights, for use with DLOSCIL Option Only, for Outboard Section, 1 Amber, Red or Blue and 1 White	151.80	136.
	Two Lower Level TIR3 Super-LED Lights, for use with DLOSCIL Option Only, White/White	157.80	142.
DDLT3CC	Two Lower Level 500 Series Halogen Flasher	81.00	72.
DDLHF**	T 0 15 1 01 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	48.60	43.
DDLHF** DDLCL2R*	Two California Steady Light, Halogen, 1 Red & 1 Red or Blue		1110
DDLHF** DDLCL2R* DDLLF**	Two Lower Level 500 Series 5mm LED Flasher, Amber and/or Red	133.80	
DDLHF** DDLCL2R* DDLLF** DDLLF*B	Two Lower Level 500 Series 5mm LED Flasher, Amber and/or Red Two Lower Level 500 Series 5mm LED Flasher, 1 Red or Amber and 1 Blue	177.00	159.
DDLHF** DDLCL2R* DDLLF** DDLLF*B DDLLFBB	Two Lower Level 500 Series 5mm LED Flasher, Amber and/or Red Two Lower Level 500 Series 5mm LED Flasher, 1 Red or Amber and 1 Blue Two Lower Level 500 Series 5mm LED Flasher, Blue	177.00 220.20	159. 198.
DDLHF** DDLCL2R* DDLLF** DDLLF*B DDLLFBB DDLTF**	Two Lower Level 500 Series 5mm LED Flasher, Amber and/or Red Two Lower Level 500 Series 5mm LED Flasher, 1 Red or Amber and 1 Blue Two Lower Level 500 Series 5mm LED Flasher, Blue Two Lower Level 500 Series TIR6 Super-LED Flasher, Amber, Blue and/or Red	177.00 220.20 209.40	159. 198. 188.
DDLHF** DDLCL2R* DDLLF** DDLLF*B DDLLFBB DDLTF** DDLTF*C	Two Lower Level 500 Series 5mm LED Flasher, Amber and/or Red Two Lower Level 500 Series 5mm LED Flasher, 1 Red or Amber and 1 Blue Two Lower Level 500 Series 5mm LED Flasher, Blue Two Lower Level 500 Series TIR6 Super-LED Flasher, Amber, Blue and/or Red Two Lower Level 500 Series TIR6 Super-LED Flasher, 1 Amber, Blue or Red and 1 White	177.00 220.20 209.40 228.60	120. 159. 198. 188. 205.
DDLHF** DDLCL2R* DDLLF** DDLLF*B DDLLFBB DDLTF**	Two Lower Level 500 Series 5mm LED Flasher, Amber and/or Red Two Lower Level 500 Series 5mm LED Flasher, 1 Red or Amber and 1 Blue Two Lower Level 500 Series 5mm LED Flasher, Blue Two Lower Level 500 Series TIR6 Super-LED Flasher, Amber, Blue and/or Red	177.00 220.20 209.40	159. 198. 188.

DTA55L	Five 5mm LED Panel Traffic Advisor for 44 5/16" Lightbar	345.60	311.04
DTA55T	Five TIR6 Super-LED Panel Traffic Advisor for 44 5/16" Lightbar	595.20	535.68
DTA56H	Six Halogen Lamp Traffic Advisor for 49 3/4" and 72 11/16" Lightbar	336.60	302.94
DTA56L	Six 5mm LED Panel Traffic Advisor for 49 3/4" and 72 11/16" Lightbar	366.60	329.94
DTA56T	Six TIR6 Super-LED Panel Traffic Advisor for 49 3/4"and 72 11/16" Lightbar	654.00	588.60
DTA57H	Seven Halogen Lamp Traffic Advisor for 56 3/8" Lightbar	369.00	332.10
DTA57L	Seven 5mm LED Panel Traffic Advisor for 56 3/8" Lightbar	387.00	348.30
DTA57T	Seven TIR6 Super-LED Panel Traffic Advisor for 56 3/8" Lightbar	712.20	640.98
DTA58H	Eight Halogen Lamp Traffic Advisor for 61 13/16" Lightbar	400.80	360.72
DTA58L	Eight 5mm LED Panel Traffic Advisor for 61 13/16" Lightbar	407.40	366.66
DTA58T	Eight TIR6 Super-LED Panel Traffic Advisor for 61 13/16" Lightbar	771.00	693.90

		774.00	693.90
DTA58T	Eight TIR6 Super-LED Panel Traffic Advisor for 61 13/16" Lightbar	771.00	070.70
Centurion™ Sei	ries Strobe & Halogen(For mounting options see optional Edge® & Centurion Mour	nting	
Kits)			
	my Series Rotating Lightbars, No Options Available, with Two Conductor Cable, for On/Off Operation O	nlv.	
C200800E	Two Rotators, Two "V" Mirrors, 48" Long (No Options Available)	318.60	286.74
C200200E	Two Rotators, Two "V" Mirrors, 52" Long (No Options Available)	318.60	286.74
C200000E	Two Rotators, Two "V" Mirrors, 60" Long (No Options Available)	376.20	338.58
C200700E	Two Rotators, Two "V" Mirrors, 72" Long (No Options Available)	400.80	360.72
C400800E	Four Rotators, Three Diamond Mirrors, 48" Long (No Options Available)	390.00	351.00
C400200E	Four Rotators, Three Diamond Mirrors, 52" Long (No Options Available)	390.00	351.00
C400000E	Four Rotators, Three Diamond Mirrors, 60" Long (No Options Available)	446.40	401.76
C400700E	Four Rotators, Three Diamond Mirrors, 72" Long (No Options Available)	471.60	424.44
	360° Strobe Lightbars, Last Two Digits Indicate Color of Internal 360° Strobe Lens	471.00	424.44
C00280**	Two 22 Watt 360° Strobe Beacons, 30" Mirrors, 48" Long	394.80	355.32
C00200	Two 22 Watt 360° Strobe Beacons, 30" Mirrors, 52" Long	394.80	355.32
C00220 C00200**			405.54
C00200 C00270**	Two 22 Watt 360° Strobe Beacons, 30" Mirrors, 60" Long	450.60	
	Two 22 Watt 360° Strobe Beacons, 30" Mirrors, 72" Long	475.20	427.68
Centurion™ Series		247.40	212 //
C2008000	Two Rotators, Two "V" Mirrors, 48" Long	347.40	312.66
C2002000	Two Rotators, Two "V" Mirrors, 52" Long	347.40	312.66
C2000000	Two Rotators, Two "V" Mirrors, 60" Long	404.40	363.96
C2007000	Two Rotators, Two "V" Mirrors, 72" Long	428.40	385.56
C4008000	Four Rotators, Three Diamond Mirrors, 48" Long	418.80	376.92
C4002000	Four Rotators, Three Diamond Mirrors, 52" Long	418.80	376.92
C4000000	Four Rotators, Three Diamond Mirrors, 60" Long	474.60	427.14
	Four Rotators, Three Diamond Mirrors, 72" Long	499.80	449.82
C4007000			
Centurion™ Series	Domes, Select Dome Colors for Centurion Lightbar (Ordered with Lightbar Only) (Dome Colors Are From	n Driver Side To	
Centurion™ Series Passenger Side)(for	Center Speaker Option, ADD suffix "S" instead of Center Dome Color)	n Driver Side To	
Centurion™ Series		n Driver Side To	
Centurion™ Series Passenger Side)(for CD8***	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors	n Driver Side To	
Centurion™ Series Passenger Side)(for CD8*** CD2***	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors	n Driver Side To	
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD0****	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors	n Driver Side To	
Centurion™ Series Passenger Side)(for CD8*** CD2***	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors	n Driver Side To	
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD0**** CD7****	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors	n Driver Side To	
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD0**** CD7**** Options for Centuri	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors on™ Lightbar Series, Built-In (Not all options available in all models)		47.52
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD0**** CD7**** CD7**** Options for Centuri CHSROTAC	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors centurion™ Domes for 72" Lightbar, Specify Five Colors on™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors	52.80	47.52 78.30
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD0**** CD7**** CD7**** Options for Centuri CHSROTAC CHSROTAI	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors on™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors Two High Speed Inboard Rotators, 175 FPM, with Four "V" Mirrors	52.80 87.00	78.30
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD0**** CD7**** CD7**** Options for Centuri CHSROTAC CHSROTAI CROTAC	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors on™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors Two High Speed Inboard Rotators, 175 FPM, with Four "V" Mirrors One Center Rotator w/ Two "V" Mirrors	52.80 87.00 45.60	78.30 41.04
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD0**** CD7***** CD7***** Options for Centuri CHSROTAC CHSROTAI CROTAC C3601**	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors on™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors Two High Speed Inboard Rotators, 175 FPM, with Four "V" Mirrors One Center Rotator w/ Two "V" Mirrors Two 22 Watt 360° Inboard Strobe Beacons, 30° Mirrors	52.80 87.00 45.60 144.00	78.30 41.04 129.60
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD0**** CD7***** CD7***** Options for Centuri CHSROTAC CHSROTAI CROTAC C3601** C3601*	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors on™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors Two High Speed Inboard Rotators, 175 FPM, with Four "V" Mirrors One Center Rotator w/ Two "V" Mirrors Two 22 Watt 360° Inboard Strobe Beacon, 30° Mirrors One 22 Watt 360° Center Strobe Beacon, 30° Mirror	52.80 87.00 45.60 144.00 73.80	78.30 41.04 129.60 66.42
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD7**** CD7**** CD7**** Options for Centuri CHSROTAC CHSROTAI CROTAC C3601** C3601* CDALY	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors On™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors Two High Speed Inboard Rotators, 175 FPM, with Four "V" Mirrors One Center Rotator w/ Two "V" Mirrors Two 22 Watt 360° Inboard Strobe Beacons, 30° Mirror One 22 Watt 360° Center Strobe Beacon, 30° Mirror Two Twin Duplex Alley Lights	52.80 87.00 45.60 144.00 73.80 61.20	78.30 41.04 129.60 66.42 55.08
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD0**** CD7**** CD7**** CPTions for Centuri CHSROTAC CHSROTAI CROTAC C3601** C3601* CDALY CDTD2	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors On™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors Two High Speed Inboard Rotators, 175 FPM, with Four "V" Mirrors One Center Rotator w/ Two "V" Mirrors Two 22 Watt 360° Inboard Strobe Beacons, 30° Mirror One 22 Watt 360° Center Strobe Beacon, 30° Mirror Two Twin Duplex Alley Lights Two Twin Duplex Take-Down Lights, Clear Filter	52.80 87.00 45.60 144.00 73.80 61.20 61.20	78.30 41.04 129.60 66.42 55.08 55.08
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD0**** CD7**** CD7**** CD7**** CHSROTAC CHSROTAI CROTAC C3601** C3601* CDALY CDTD2 CDTD2 CDTD2C	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors On™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors Two High Speed Inboard Rotators, 175 FPM, with Four "V" Mirrors One Center Rotator w/ Two "V" Mirrors Two 22 Watt 360° Inboard Strobe Beacons, 30° Mirrors One 22 Watt 360° Center Strobe Beacon, 30° Mirror Two Twin Duplex Alley Lights Two Twin Duplex Take-Down Lights, Clear Filter One Twin Duplex Take-Down Light, Center Mounted, Clear Filter	52.80 87.00 45.60 144.00 73.80 61.20 61.20 31.80	78.30 41.04 129.60 66.42 55.08 55.08 28.62
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD0**** CD7**** CD7**** CD7**** CHSROTAC CHSROTAI CROTAC C3601** C3601* CDALY CDTD2 CDTD2 CDTD2C CDCRLED	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors On™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors Two High Speed Inboard Rotators, 175 FPM, with Four "V" Mirrors One Center Rotator w/ Two "V" Mirrors Two 22 Watt 360° Inboard Strobe Beacons, 30° Mirrors One 22 Watt 360° Center Strobe Beacon, 30° Mirror Two Twin Duplex Alley Lights Two Twin Duplex Take-Down Lights, Clear Filter One Twin Duplex Take-Down Light, Center Mounted, Clear Filter One Duplex California Steady Red LED Identification Light, Driver Side	52.80 87.00 45.60 144.00 73.80 61.20 61.20 31.80 57.60	78.30 41.04 129.60 66.42 55.08 55.08 28.62 51.84
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD0**** CD7**** CHSROTAC CHSROTAC CHSROTAC CG5601** C3601* CDALY CDTD2 CDTD2 CDCRLED CDCRL	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors on™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors Two High Speed Inboard Rotators, 175 FPM, with Four "V" Mirrors One Center Rotator w/ Two "V" Mirrors Two 22 Watt 360° Inboard Strobe Beacons, 30° Mirror Two 22 Watt 360° Center Strobe Beacon, 30° Mirror Two Twin Duplex Alley Lights Two Twin Duplex Take-Down Lights, Clear Filter One Twin Duplex Take-Down Light, Center Mounted, Clear Filter One Duplex California Steady Red LED Identification Light, Driver Side One Twin Duplex California Steady Red Identification Light, Red Filter, Driver Side	52.80 87.00 45.60 144.00 73.80 61.20 61.20 31.80 57.60 31.80	78.30 41.04 129.60 66.42 55.08 55.08 28.62 51.84 28.62
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD0**** CD7**** CHSROTAC CHSROTAI CROTAC C3601** C3601* CDALY CDTD2 CDTD2 CDCRLED CDCRL CDCBL	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors On™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors Two High Speed Inboard Rotators, 175 FPM, with Four "V" Mirrors One Center Rotator w/ Two "V" Mirrors Two 22 Watt 360° Inboard Strobe Beacons, 30° Mirrors One 22 Watt 360° Center Strobe Beacon, 30° Mirror Two Twin Duplex Alley Lights Two Twin Duplex Take-Down Lights, Clear Filter One Twin Duplex Take-Down Light, Center Mounted, Clear Filter One Duplex California Steady Red LED Identification Light, Driver Side One Twin Duplex California Steady Red Identification Light, Blue Filter, Passenger Side	52.80 87.00 45.60 144.00 73.80 61.20 61.20 31.80 57.60 31.80	78.30 41.04 129.60 66.42 55.08 55.08 28.62 51.84 28.62 28.62
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD7**** CD7**** CHSROTAC CHSROTAI CROTAC C3601** C3601* CDALY CDTD2 CDTD2 CDCRLED CDCRL CDCBL CDCBL CDFF**	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors on™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors Two High Speed Inboard Rotators, 175 FPM, with Four "V" Mirrors One Center Rotator w/ Two "V" Mirrors Two 22 Watt 360° Inboard Strobe Beacons, 30° Mirrors One 22 Watt 360° Center Strobe Beacon, 30° Mirror Two Twin Duplex Alley Lights Two Twin Duplex Take-Down Lights, Clear Filter One Twin Duplex Take-Down Light, Center Mounted, Clear Filter One Duplex California Steady Red LED Identification Light, Driver Side One Twin Duplex California Steady Red Identification Light, Blue Filter, Passenger Side Two Twin Duplex Front Flashers, Electronic Flasher, Includes Filter Color Of Choice	52.80 87.00 45.60 144.00 73.80 61.20 61.20 31.80 57.60 31.80 31.80 81.00	78.30 41.04 129.60 66.42 55.08 55.08 28.62 51.84 28.62 28.62 72.90
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD0**** CD7**** CHSROTAC CHSROTAI CROTAC C3601** CDALY CDTD2 CDTD2 CDCRLED CDCRL CDCRL CDCRL CDFF** CDRF**	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors on™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors Two High Speed Inboard Rotators, 175 FPM, with Four "V" Mirrors One Center Rotator w/ Two "V" Mirrors Two 22 Watt 360° Inboard Strobe Beacons, 30° Mirrors One 22 Watt 360° Center Strobe Beacon, 30° Mirror Two Twin Duplex Alley Lights Two Twin Duplex Take-Down Lights, Clear Filter One Twin Duplex Take-Down Light, Center Mounted, Clear Filter One Twin Duplex California Steady Red LED Identification Light, Driver Side One Twin Duplex California Steady Red Identification Light, Red Filter, Priver Side One Twin Duplex California Steady Blue Identification Light, Blue Filter, Passenger Side Two Twin Duplex Front Flashers, Electronic Flasher, Includes Filter Color Of Choice Two Twin Duplex Rear Flashers, Electronic Flasher, Includes Filter Color Of Choice	52.80 87.00 45.60 144.00 73.80 61.20 61.20 31.80 57.60 31.80 31.80 81.00	78.30 41.04 129.60 66.42 55.08 55.08 28.62 51.84 28.62 28.62
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD7**** CD7**** CHSROTAC CHSROTAI CROTAC C3601** CDALY CDTD2 CDTD2 CDCDE CDCRL CDCRL CDCBL CDFF**	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors on™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors Two High Speed Inboard Rotators, 175 FPM, with Four "V" Mirrors One Center Rotator w/ Two "V" Mirrors Two 22 Watt 360° Inboard Strobe Beacons, 30° Mirrors One 22 Watt 360° Center Strobe Beacon, 30° Mirror Two Twin Duplex Alley Lights Two Twin Duplex Take-Down Lights, Clear Filter One Twin Duplex Take-Down Light, Center Mounted, Clear Filter One Duplex California Steady Red LED Identification Light, Driver Side One Twin Duplex California Steady Red Identification Light, Blue Filter, Passenger Side Two Twin Duplex Front Flashers, Electronic Flasher, Includes Filter Color Of Choice	52.80 87.00 45.60 144.00 73.80 61.20 61.20 31.80 57.60 31.80 31.80 81.00	78.30 41.04 129.60 66.42 55.08 55.08 28.62 51.84 28.62 28.62 72.90
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD0**** CD7**** CHSROTAC CHSROTAI CROTAC C3601** CDALY CDTD2 CDTD2 CDCRLED CDCRL CDCRL CDCRL CDF*** CDRF** CDRF**	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors On™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors Two High Speed Inboard Rotators, 175 FPM, with Four "V" Mirrors One Center Rotator w/ Two "V" Mirrors Two 22 Watt 360° Inboard Strobe Beacons, 30° Mirrors One 22 Watt 360° Center Strobe Beacon, 30° Mirror Two Twin Duplex Alley Lights Two Twin Duplex Take-Down Lights, Clear Filter One Twin Duplex Take-Down Light, Center Mounted, Clear Filter One Duplex California Steady Red LED Identification Light, Driver Side One Twin Duplex California Steady Red Identification Light, Blue Filter, Priver Side One Twin Duplex California Steady Blue Identification Light, Blue Filter, Passenger Side Two Twin Duplex Front Flashers, Electronic Flasher, Includes Filter Color Of Choice Two Twin Duplex Rear Flashers, Electronic Flasher, Includes Filter Color Of Choice Substitute an Electro-Mechanical Flasher for Solid State Flasher (for one pair only) DEDUCT Two Lower Level Outboard/Intersector 14 Series Strobes, Front Facing, Includes 20 Watt	52.80 87.00 45.60 144.00 73.80 61.20 61.20 31.80 57.60 31.80 31.80 81.00	78.30 41.04 129.60 66.42 55.08 55.08 28.62 51.84 28.62 28.62 72.90
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD0**** CD7**** CD7**** CHSROTAC CHSROTAI CROTAC C3601** C3601* CDALY CDTD2 CDTD2 CDTD2C CDCRLED CDCRL CDCRL CDCRL CDCRL CDCRL CDCRL CDCRC CDRF** CSEMF CL14SF	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors on™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors Two High Speed Inboard Rotators, 175 FPM, with Four "V" Mirrors One Center Rotator w/ Two "V" Mirrors Two 22 Watt 360° Inboard Strobe Beacons, 30° Mirrors One 22 Watt 360° Center Strobe Beacon, 30° Mirror Two Twin Duplex Alley Lights Two Twin Duplex Take-Down Lights, Clear Filter One Twin Duplex Take-Down Light, Center Mounted, Clear Filter One Twin Duplex California Steady Red LED Identification Light, Driver Side One Twin Duplex California Steady Red Identification Light, Red Filter, Driver Side One Twin Duplex California Steady Blue Identification Light, Blue Filter, Passenger Side Two Twin Duplex Rear Flashers, Electronic Flasher, Includes Filter Color Of Choice Two Twin Duplex Rear Flashers, Electronic Flasher, Includes Filter Color Of Choice Substitute an Electro-Mechanical Flasher for Solid State Flasher (for one pair only) DEDUCT Two Lower Level Outboard/Intersector 14 Series Strobes, Front Facing, Includes 20 Watt Power Supply, Clear Only	52.80 87.00 45.60 144.00 73.80 61.20 61.20 31.80 57.60 31.80 81.00 81.00 12.00	78.30 41.04 129.60 66.42 55.08 55.08 28.62 28.62 72.90 72.90
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD0**** CD7**** CD7**** CHSROTAC CHSROTAI CROTAC C3601** C3601* CDALY CDTD2 CDTD2 CDCRL CDCRL CDCRL CDCRL CDCRL CDCRL CDCRF** CSEMF	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors On™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors Two High Speed Inboard Rotators, 175 FPM, with Four "V" Mirrors One Center Rotator w/ Two "V" Mirrors Two 22 Watt 360° Inboard Strobe Beacons, 30° Mirrors One 22 Watt 360° Center Strobe Beacon, 30° Mirror Two Twin Duplex Alley Lights Two Twin Duplex Take-Down Lights, Clear Filter One Twin Duplex Take-Down Light, Center Mounted, Clear Filter One Twin Duplex California Steady Red LED Identification Light, Driver Side One Twin Duplex California Steady Red Identification Light, Red Filter, Passenger Side Two Twin Duplex California Steady Red Identification Light, Blue Filter, Passenger Side Two Twin Duplex Rear Flashers, Electronic Flasher, Includes Filter Color Of Choice Two Twin Duplex Rear Flashers, Electronic Flasher, Includes Filter Color Of Choice Substitute an Electro-Mechanical Flasher for Solid State Flasher (for one pair only) DEDUCT Two Lower Level Outboard/Intersector 14 Series Strobes, Front Facing, Includes 20 Watt Power Supply, Clear Only Two Lower Level 17 Series LED Panels, Front Facing, Includes Flasher (Red and/or Amber) Two Lower Level 17 Series LED Panels, Front Facing, Includes Flasher (1 Red or Amber & 1	52.80 87.00 45.60 144.00 73.80 61.20 61.20 31.80 57.60 31.80 31.80 81.00 81.00	78.30 41.04 129.60 66.42 55.08 55.08 28.62 51.84 28.62 28.62 72.90
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD0**** CD7**** CD7**** CHSROTAC CHSROTAI CROTAC C3601** CDALY CDTD2 CDTD2 CDCRLED CDCRLE CDCRL C	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors On™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors Two High Speed Inboard Rotators, 175 FPM, with Four "V" Mirrors One Center Rotator w/ Two "V" Mirrors Two 22 Watt 360° Inboard Strobe Beacons, 30° Mirrors One 22 Watt 360° Center Strobe Beacon, 30° Mirror Two Twin Duplex Alley Lights Two Twin Duplex Take-Down Lights, Clear Filter One Twin Duplex California Steady Red LED Identification Light, Driver Side One Twin Duplex California Steady Red Identification Light, Red Filter, Driver Side One Twin Duplex California Steady Red Identification Light, Blue Filter, Passenger Side Two Twin Duplex Rear Flashers, Electronic Flasher, Includes Filter Color Of Choice Two Twin Duplex Rear Flashers, Electronic Flasher, Includes Filter Color Of Choice Substitute an Electro-Mechanical Flasher for Solid State Flasher (for one pair only) DEDUCT Two Lower Level Outboard/Intersector 14 Series Strobes, Front Facing, Includes 20 Watt Power Supply, Clear Only Two Lower Level 17 Series LED Panels, Front Facing, Includes Flasher (Red and/or Amber) Two Lower Level 17 Series LED Panels, Front Facing, Includes Flasher (1 Red or Amber & 1 Blue or White)	52.80 87.00 45.60 144.00 73.80 61.20 31.80 57.60 31.80 81.00 81.00 12.00 142.80	78.30 41.04 129.60 66.42 55.08 55.08 28.62 28.62 72.90 72.90 128.52 139.86 215.46
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD0**** CD7**** CHSROTAC CHSROTAI CROTAC C3601** CDALY CDTD2 CDTD2 CDCRLED CDCRLE CDCRL CDCBL CDCBL CDFF** CSEMF CL17LF** CL17LF** CL17LF**	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors On™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors Two High Speed Inboard Rotators, 175 FPM, with Four "V" Mirrors One Center Rotator w/ Two "V" Mirrors Two 22 Watt 360° Inboard Strobe Beacons, 30° Mirrors One 22 Watt 360° Center Strobe Beacons, 30° Mirror Two Twin Duplex Alley Lights Two Twin Duplex Alley Lights Two Twin Duplex Take-Down Lights, Clear Filter One Twin Duplex California Steady Red LED Identification Light, Driver Side One Twin Duplex California Steady Red Identification Light, Red Filter, Driver Side One Twin Duplex California Steady Red Identification Light, Red Filter, Driver Side One Twin Duplex California Steady Red Identification Light, Red Filter, Driver Side One Twin Duplex Front Flashers, Electronic Flasher, Includes Filter Color Of Choice Two Twin Duplex Rear Flashers, Electronic Flasher, Includes Filter Color Of Choice Substitute an Electro-Mechanical Flasher for Solid State Flasher (for one pair only) DEDUCT Two Lower Level Outboard/Intersector 14 Series Strobes, Front Facing, Includes 20 Watt Power Supply, Clear Only Two Lower Level 17 Series LED Panels, Front Facing, Includes Flasher (Red and/or Amber) Two Lower Level 17 Series LED Panels, Front Facing, Includes Flasher (Blue and/or White) Two Lower Level 17 Series LED Panels, Front Facing, Includes Flasher (Blue and/or White)	52.80 87.00 45.60 144.00 73.80 61.20 61.20 31.80 57.60 31.80 81.00 81.00 12.00 142.80 155.40 239.40	78.30 41.04 129.60 66.42 55.08 55.08 28.62 51.84 28.62 28.62 72.90 72.90 128.52 139.86 215.46
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD7**** CD7***** CPF*** CHSROTAC CHSROTAI CROTAC C3601** C3601* CDALY CDTD2 CDTD2 CDCRLED CDCRLE CDCRL CDCBL CDCRL CDCBL CDCFF** CSEMF CL17LF** CL17LF** CL17LF**	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors on™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors Two High Speed Inboard Rotators, 175 FPM, with Four "V" Mirrors One Center Rotator w/ Two "V" Mirrors Two 22 Watt 360° Inboard Strobe Beacons, 30° Mirrors One 22 Watt 360° Center Strobe Beacon, 30° Mirror Two Twin Duplex Alley Lights Two Twin Duplex Take-Down Lights, Clear Filter One Twin Duplex California Steady Red LED Identification Light, Driver Side One Twin Duplex California Steady Red Identification Light, Red Filter, Passenger Side Two Twin Duplex California Steady Blue Identification Light, Blue Filter, Passenger Side Two Twin Duplex Rear Flashers, Electronic Flasher, Includes Filter Color Of Choice Two Twin Duplex Rear Flashers, Electronic Flasher, Includes Filter Color Of Choice Substitute an Electro-Mechanical Flasher for Solid State Flasher (for one pair only) DEDUCT Two Lower Level Outboard/Intersector 14 Series Strobes, Front Facing, Includes 20 Watt Power Supply, Clear Only Two Lower Level 17 Series LED Panels, Front Facing, Includes Flasher (Red and/or Amber) Two Lower Level 17 Series LED Panels, Front Facing, Includes Flasher (Blue and/or White) Two Lower Level 17 Series LED Panels, Front Facing, Includes Flasher (Red and/or Amber) Two Lower Level 17 Series LED Panels, Front Facing, Includes Flasher (Red and/or Amber) Two Lower Level 17 Series LED Panels, Front Facing, Includes Flasher (Red and/or Amber)	52.80 87.00 45.60 144.00 73.80 61.20 61.20 31.80 57.60 31.80 81.00 81.00 12.00 142.80 155.40 239.40	78.30 41.04 129.60 66.42 55.08 28.62 51.84 28.62 28.62 72.90 72.90 128.52 139.86 215.46
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD7**** CD7**** CHSROTAC CHSROTAI CROTAC C3601** CDALY CDTD2 CDTD2 CDCRLED CDCRLED CDCRL CDCBL CDFF** CSEMF CL17LF** CL17LF** CL17LF**	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors On™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors Two High Speed Inboard Rotators, 175 FPM, with Four "V" Mirrors One Center Rotator w/ Two "V" Mirrors Two 22 Watt 360° Inboard Strobe Beacons, 30° Mirrors One 22 Watt 360° Center Strobe Beacons, 30° Mirror Two Twin Duplex Alley Lights Two Twin Duplex Alley Lights Two Twin Duplex Take-Down Lights, Clear Filter One Twin Duplex California Steady Red LED Identification Light, Driver Side One Twin Duplex California Steady Red Identification Light, Red Filter, Driver Side One Twin Duplex California Steady Red Identification Light, Red Filter, Driver Side One Twin Duplex California Steady Red Identification Light, Red Filter, Driver Side One Twin Duplex Front Flashers, Electronic Flasher, Includes Filter Color Of Choice Two Twin Duplex Rear Flashers, Electronic Flasher, Includes Filter Color Of Choice Substitute an Electro-Mechanical Flasher for Solid State Flasher (for one pair only) DEDUCT Two Lower Level Outboard/Intersector 14 Series Strobes, Front Facing, Includes 20 Watt Power Supply, Clear Only Two Lower Level 17 Series LED Panels, Front Facing, Includes Flasher (Red and/or Amber) Two Lower Level 17 Series LED Panels, Front Facing, Includes Flasher (Blue and/or White) Two Lower Level 17 Series LED Panels, Front Facing, Includes Flasher (Blue and/or White)	52.80 87.00 45.60 144.00 73.80 61.20 61.20 31.80 57.60 31.80 81.00 81.00 12.00 142.80 155.40 239.40	78.30 41.04 129.60 66.42 55.08 55.08 28.62 51.84 28.62 28.62 72.90 72.90 128.52 139.86 215.46
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD0**** CD7**** CD7**** CHSROTAC CHSROTAI CROTAC C3601** C3601* CDALY CDTD2 CDCRL CDCRL CDCRL CDCRL CDCRL CDF** CSEMF CL17LF** CL17LF** CL17LR** CL17LR** CL17LR**	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors On™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors Two High Speed Inboard Rotators, 175 FPM, with Four "V" Mirrors One Center Rotator w/ Two "V" Mirrors Two 22 Watt 360° Inboard Strobe Beacons, 30° Mirrors One 22 Watt 360° Center Strobe Beacon, 30° Mirror Two Twin Duplex Alley Lights Two Twin Duplex Take-Down Lights, Clear Filter One Twin Duplex Take-Down Light, Center Mounted, Clear Filter One Twin Duplex California Steady Red LED Identification Light, Driver Side One Twin Duplex California Steady Red Identification Light, Red Filter, Driver Side One Twin Duplex California Steady Blue Identification Light, Blue Filter, Priver Side One Twin Duplex Rear Flashers, Electronic Flasher, Includes Filter Color Of Choice Two Twin Duplex Rear Flashers, Electronic Flasher, Includes Filter Color Of Choice Substitute an Electro-Mechanical Flasher for Solid State Flasher (for one pair only) DEDUCT Two Lower Level Outboard/Intersector 14 Series Strobes, Front Facing, Includes 20 Watt Power Supply, Clear Only Two Lower Level 17 Series LED Panels, Front Facing, Includes Flasher (Red and/or Amber) Two Lower Level 17 Series LED Panels, Front Facing, Includes Flasher (Red and/or Amber) Two Lower Level 17 Series LED Panels, Front Facing, Includes Flasher (Red and/or Amber) Two Lower Level 17 Series LED Panels, Rear Facing, Includes Flasher (Red and/or Amber) Two Lower Level 17 Series LED Panels, Rear Facing, Includes Flasher (Red and/or Amber) Two Lower Level 17 Series LED Panels, Rear Facing, Includes Flasher (1 Red or Amber)	52.80 87.00 45.60 144.00 73.80 61.20 61.20 31.80 57.60 31.80 81.00 81.00 12.00 142.80 155.40 239.40	78.30 41.04 129.60 66.42 55.08 55.08 28.62 51.84 28.62 28.62 72.90 72.90 128.52 139.86 215.46
Centurion™ Series Passenger Side)(for CD8*** CD2*** CD7**** CD7**** Options for Centuri CHSROTAC CHSROTAI CROTAC C3601** C3601* CDALY CDTD2 CDTD2 CDCRLED CDCRLE CDCRL CDCRL CDCRF** CSEMF CL17LF** CL17LF** CL17LR** CL17LR**	Center Speaker Option, ADD suffix "S" instead of Center Dome Color) Centurion™ Domes for 48" Lightbar, Specify Three Colors Centurion™ Domes for 52" Lightbar, Specify Three Colors Centurion™ Domes for 60" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Four Colors Centurion™ Domes for 72" Lightbar, Specify Five Colors On™ Lightbar Series, Built-In (Not all options available in all models) One High Speed Center Rotator, 175 FPM, with Two "V" Mirrors Two High Speed Inboard Rotators, 175 FPM, with Four "V" Mirrors One Center Rotator w/ Two "V" Mirrors Two 22 Watt 360° Inboard Strobe Beacons, 30° Mirror Two 22 Watt 360° Center Strobe Beacon, 30° Mirror Two Twin Duplex Alley Lights Two Twin Duplex Take-Down Lights, Clear Filter One Twin Duplex Take-Down Light, Center Mounted, Clear Filter One Twin Duplex California Steady Red Identification Light, Driver Side One Twin Duplex California Steady Red Identification Light, Red Filter, Priver Side One Twin Duplex California Steady Blue Identification Light, Blue Filter, Passenger Side Two Twin Duplex Rear Flashers, Electronic Flasher, Includes Filter Color Of Choice Two Twin Duplex Rear Flashers, Electronic Flasher, Includes Filter Color Of Choice Substitute an Electro-Mechanical Flasher for Solid State Flasher (for one pair only) DEDUCT Two Lower Level Outboard/Intersector 14 Series Strobes, Front Facing, Includes 20 Watt Power Supply, Clear Only Two Lower Level 17 Series LED Panels, Front Facing, Includes Flasher (1 Red or Amber & 1 Blue or White) Two Lower Level 17 Series LED Panels, Front Facing, Includes Flasher (Red and/or Amber) Two Lower Level 17 Series LED Panels, Rear Facing, Includes Flasher (1 Red or Amber & 1 Blue or White)	52.80 87.00 45.60 144.00 73.80 61.20 61.20 31.80 57.60 31.80 81.00 81.00 12.00 142.80 155.40 239.40	78.30 41.04 129.60 66.42 55.08 55.08 28.62 28.62 72.90 72.90 128.52 139.86 215.46



	No. PL05.1WD VALID: July 1, 2005 - December 22, 2005		
CU64SF	Two Upper 6" x 4" Strobes, Front Facing, Includes Center Mounted Power Supply, Optional Color Filters available for use w/Clear Outer Domes	281.40	253.2
CU64SR	Two Upper 6" x 4" Strobes, Rear Facing, Includes Center Mounted Power Supply, Optional Color Filters available for use w/Clear Outer Domes	281.40	253.2
CU64SA	Four Upper 6" x 4" Strobes, 2 Front / 2 Rear, Includes Center Mounted Power Supply, Optional Color Filters available for use w/Clear Outer Domes	349.80	314.8
CCF64S*	Color Filter for 6" x 4" Strobe	13.80	12.4
C64WL	Two 6" x 4" Rear Halogen Work Lights (60" Bar Minimum, Center Mounted)	73.20	65.8
CDBTTLED	Two Duplex LED Brake/Tail/Turn, Red Filter, Built-In	94.80	85.3
CCRUISE	Two Built-in Cruise Lights	45.00	40.5
XT1000	Cobra® Safety Alert® Warning Radar TransmitterRefer to Cobra® Safety Alert® Section for Pricing.		
XT100WIR	Lightbar Pre-wired for Cobra XT1000 Radar Transmitter (Includes Cable & Bracket). Refer to Cobra® Safety Alert® Section for Pricing.		
OPTICENT	Centurion™ Lightbar Pre-Wired for 3M® Model 792H OPTICOM® (includes Cable & Bracket Only)	52.80	47.5
792H	Self - Contained Emmitter with Black/Gray Painted Lighthead. Refer to 3M® OPTICOM® Emitters Section for Pricing.		
TACD06A	Built-In Duplex Traffic Advisor, 6 Lights	322.20	289.9
TACD08A	Built-In Duplex Traffic Advisor, 8 Lights	336.60	302.9
CROTFIL*	180° Color Half-Cylinder Filter Kit for Rotator	6.60	5.
CCF*IN	Color Filter for Rotator, Installed	3.60	3
CICCBLED	3-Wire LED Supplemental ICC and Brake Light, LED	57.00	51.
CICCLEDR	Five Duplex LED ICC Lights, Red	97.20	87.
CICCLEDA	Five Duplex LED ICC Lights, Amber	97.20	87.
SP123C	100 Watt Speaker Center Mounted (Requires dome set with Center Speaker Grille)	177.00	159.3
	nturion™ Lightbar Series (Customer Installed, Not all options available in all models)		
KHSROTAC	One High Speed Center Rotator Kit, 175 FPM with 2 "V" Mirrors	52.80	47.
KHSROTAI	Two High Speed Inboard Rotators Kit, 175 FPM with 2 "V" Mirrors	87.00	78.
KROTAC	One Center Rotator w/ Two "V" Mirrors	45.60	41.
KROTA2	Two Inboard Rotators w/Four "V" Mirrors	90.00	81.
KDALY	Two Twin Duplex Alley Lights, Clear Filter	61.20	55.
K360I**	Two 22 Watt 360° Inboard Strobe Beacons Kit, 30° Mirrors	142.80	128.
KDTD2	Two Twin Duplex Take-Down Lights, Clear Filter	61.20	55.
KDTD2C	One Twin Duplex Take-Down Light, Center Mounted, Clear Filter	31.80	28.
KDCRLED	One Twin Duplex California Steady Red LED Identification Light	57.60	51.
KDCRL	One Twin Duplex California Steady Red Identification Light, Red Filter	31.80	28.
KDCBL	One Twin Duplex California Steady Blue Identification Light, Blue Filter	31.80	28.
KDFF**	Two Twin Duplex Front Flashers, Electronic Flasher, Includes Filter Color Of Choice	81.00	72.
KDRF**	Two Twin Duplex Rear Flashers, Electronic Flasher, Includes Filter Color Of Choice	81.00	72.
KSEMF	Substitute an Electro-Mechanical Flasher for Solid State Flasher (for one pair only) DEDUCT	12.00	
KL14SF	Two Lower Level Outboard/Intersector™ 14 Series Strobes Kit, Front Facing, Includes 20 Watt Power Supply, Clear Only	142.80	128.
KL17S**	Two Lower Level Outboard 17 Series Strobes Kit, Includes 20 Watt Power Supply	142.80	128.
KCU64SA	Four 6"x4" Linear Strobe Kit, includes 90 watt Strobe Power Supply.	349.80	314.8
KCU64SF	Two 6"x4" Linear Strobe Kit, includes 90 watt Strobe Power Supply.	281.40	253.2
K64WL	Two 6"x4" Rear Halogen Work Lights (60" Bar Minimum, Center Mounted)	73.20	65.
KDBTTLED	Two Duplex LED Brake/Tail/Turn, Red Filter	94.80	85.
KCRUISE	Two Built-in Cruise Lights	45.00	40.
KROTFIL*	180° Color Half-Cylinder Filter for Rotator	6.60	5.9
KCF*	Color Filter For Rotator	3.60	3

NFPA, Meeting NFPA 1901 Zone "A" Upper Lighting Requirements, For Available Options, Contact

Factory. (For mounting options see optional Edge® & Centurion Mounting Kits)

NFPA Edge Ultra Freedom & LFL Liberty LED Lightbars, ZONE "A" UPPER, All Models Include Clear Outer Lens and Permanent Mount.

 TA Edge ditra recoon a Ere ciberty LED Eightbars, 20NE A of FER, Air Models include cical outer Eens and Fernianch Models.						
FN55VLED	55", Four Corner Red Linear-LED's, Four Front Linear-LED's. (2 Red/2 White)		1417.80	1276.02		
FN60VLED	60", Four Corner Red Linear-LED's, Four Front Linear-LED's (2 Red/2White)		1533.60	1380.24		
FN72VLED	72", Four Corner Red Linear-LED's, Four Front Linear-LED's (2 Red/2 White)		1533.60	1380.24		
FN55QLED	55", Two Front Corner Red Linear-LED's, Four Front Linear-LED's (2 Red/2 White) and Two		1417.80	1276.02		
	End Red Linear-LED's, Square Ends					
FN60QLED	60", Two Front Corner Red Linear-LED's, Four Front Linear-LED's (2Red/2 White) and Two		1533.60	1380.24		
	End Red Linear-LED's, Square Ends					
FN72QLED	72", Two Front Corner Red Linear-LED's, Four Front Linear-LED's. (2 Red/2 White) and Two		1533.60	1380.24		
	End Red Linear-LED's, Square Ends					
FNMINI	Two 24" Mini-Freedom, Each Lightbar Consist of Two Front Corner Red Linear-LED's, One		1849.80	1664.82		
	White Front Linear-LED's and One End Red Linear-LED. Sold in Pairs Only					
SLN2VLED	54" LFL Liberty, Four Corner Red Linear-LED's and Four Front Linear-LED's (2 Red/2 White)		1338.60	1204.74		
SLN2QLED	54" LFL Liberty, Two Front Corner Red Linear-LED's and Four Front Linear-LED's (2 Red/2		1338.60	1204.74		
	White) and Two End Red Linear-LED's, Square Ends					

NFPA Strobe Lightbars, Zone "A" Upper, Replaces 9308, 9310 & MININFPA Series. All Models Include Color Outer Lenses and Permenant Mount.

9M382NV	9M38 Meeting NFPA Spec., 55" Long 10 Strobes (8 Red & 2 Clear), "V" End Strobes.	1020.60	918.54
9M380NV	9M38 Meeting NFPA Spec., 60" Long 10 Strobes (8 Red & 2 Clear), "V" End Strobes.	1136.40	1022.76
9M387NV	9M38 Meeting NFPA Spec., 72" Long 10 Strobes (8 Red & 2 Clear), "V" End Strobes.	1136.40	1022.76

9M382NQ	9M38 Meeting NFPA Spec., 55" Long 10 Strobes (8 Red & 2 Clear), Square Ends Strobes	1020.60	918.54
9M380NQ	9M38 Meeting NFPA Spec., 60" Long 10 Strobes (8 Red & 2 Clear), Square Ends Strobes	1136.40	1022.76
9M387NQ	9M28 Meeting NFPA Spec., 72" Long 10 Strobes (8 Red & 2 Clear), Square Ends Strobes	1136.40	1022.76
9MINNFPA	Two 9M Mini Lightbars 28.25" Long. Each Lightbar Consists of Two Corner Red Strobes, 1 Outboard Red Strobe and 2 Center Strobes (1 Clear/1 Red). Sold in Pairs Only	1152.00	1036.80
NFPA Delta Series,			
DI3S2N	Three Rotators, 56" Long, Includes Red Outer Domes, One Center Clear & MKEZ7	510.00	459.00
DI4S2N	Four Rotators, 56" Long, Includes Red Outer & Center Domes, Clear Inboard Domes & MKEZ7	560.40	504.36
DI3S7N	Three Rotators, 72" Long, Includes Red Outboard & Clear Center Domes & MKEZ7	554.40	498.96
DI4S7N	Four Rotators, 72" Long, Includes Red Outboard & Center Domes, Clear Inboard Domes & MKEZ7	598.20	538.38
DI4SMN	Two Mini Delta Lightbars, Each Consists of Two Rotators, Red Outboard, Clear Inboard, Clear Outer Domes and MKEZ7, Sold in Pairs	529.20	476.28
	Zone "C" Upper Tailboard		
DI4STN	Two Mini Delta Lightbars, Each Consists of Two Rotators, Red Outer Domes, MK9S	529.20	476.28
	ntbars, Zone "A" Upper, Centurion™ Series, Includes Dome Set at No Charge when Purchased with Lightb		
C200A02N	Two Rotators, Diamond Mirror, 22" Long (Sold in Pairs)	496.80	447.12
C300200N	Three Rotators, Four "V" Mirrors, 52" Long	390.00	351.00
C300700N	Three Rotators, Four "V" Mirrors, 72" Long	471.60	424.44
C400000N	Four Rotators, Two Diamond Mirrors, Two "V" Mirrors, 60" Long	474.60	427.14
C400700N NDA**	Four Rotators, Two Diamond Mirrors, Two "V" Mirrors, 72" Long Centurion™ Domes for 22" Lightbar, Specify Two Colors (2 required for NFPA Models)	499.80	449.82
ND2***	Centurion™ Domes for 52" Lightbar, Specify Three Colors (Order with Lightbar Only)		
ND0****	Centurion™ Domes for 60" Lightbar, Specify Four Colors. (Order with Lightbar Only)		
ND7****	Centurion™ Domes for 72" Lightbar, Specify Five Colors (Order with Lightbar Only)		
Options for NFPA L			
XT1000	Cobra® Safety Alert® Warning Radar TransmitterRefer to Cobra® Safety Alert® Section for Pricing.		
XT100WIR	Lightbar Pre-wired for Cobra XT1000 Radar Transmitter (Includes Cable & Bracket). Refer to Cobra® Safety Alert® Section for Pricing.		
MKEZ7	1-1/2" Permanent Mount/ ALL		
MK8H	5" Permanent Mount (cast aluminum) / ALL / ALL	19.80	17.82
MK9S	Slide bolt brackets for flat surface mounting (2 ea.) 48"/52"	19.80	17.82
MK20S	Slide bolt brackets for flat surface mounting (3 ea.) 60"/72"	19.80	17.82
Centurion™ Mou		® &	
	es One Power Supply, Four Corner Strobes		
9M144000	44.375"	568.20	511.38
9M148000	49.75"	568.20	511.38
9M142000	55"	568.20	511.38
	udes One Power Supply, Four Front Facing Strobes	F/0.00	F44.00
9M14400F	44.375"	568.20	511.38
9M14800F	49.75"	568.20	511.38
9M14200F	55"	568.20	511.38
	es Two Power Supplies, Six Strobes	7/2.00	40E 00
9M264000	44.375"	762.00	685.80
9M268000 9M262000	49.75" 55"	762.00	685.80
		762.00	685.80
	es Two Power Supplies, Eight Strobes	024.20	742 50
9M284000	44.375"	826.20	743.58
9M288000	49.75"	826.20	743.58

9M Series Accessories

9M282000

9M304000

9M308000

9M302000

9M324000

9M328000

9M322000

55"

9M30 Series, Includes Three Power Supplies, Ten Strobes

44.375"

49.75"

9M32 Series, Includes Three Power Supplies, 12 Strobes

44.375"

49.75"

55"

55"

9M Series Lightbar Accessories, For LO-PRO Ready Lightbars Substitute an "L" for the last "0" in Model Number, Not all options available on all models (For mounting options see optional Edge® & Centurion™ Mounting Kits).

an modele (1 or 1	nounting options see optional Eagle a container mounting ritte.			
9MSCANLK	15' Five Conductor Cable Allows for Individual Scan-Lock™ Flash Patterns of Each Power			21.06
	Supply and Flasher Module.			
9MDSCBL	Driver Side Cable Exit, includes 25" Power/Ground Cable		25.80	23.22
SA40	Lo-Pro Speaker		222.00	199.80

826.20

1020.60

1020.60

1020.60

1084.80

1084.80

1084.80

743.58

918.54

918.54

918.54

976.32

976.32

976.32

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red; G = Green # Replace symbol in model number with letter indicating SPLIT lens or LED color desired: D = Red/Clear; E = Blue/Clear; F = Amber/Clear; H = Green/Clear † (to be discontinued, check availability) † † (special order, check availability) J = Red/Blue; K = Red/Amber; L = Red/Green; M = Blue/Amber ! Indicate length desired: 5 foot, 6 foot, 7 foot or 8 foot \$ Indicates Lower Price



	No. PL05.1WD VALID: July 1, 2005 - December 22, 2005		
SA41	Lo-Pro Speaker Kit for Customer Supplied Driver	148.20	133.38
9MALY	Two Halogen Alley Lights	48.60	43.74
9MDALY	Two Duplex Halogen Alley Lights	48.60	43.74
9MTD1	One Halogen Take-Down Lights, wire through Auxiliary Input	25.20	22.68
9MDTD2	Two Duplex Halogen Take-Down Lights, wired through the Auxiliary Input	48.60	43.74
9MTD2 9MH2**	Two Halogen Take-Down Lights, wire through Auxiliary Inputs	48.60	43.74 72.90
9MDH2**	Two Halogen Lights, Includes Flasher with Steady Burn Priority Mode Two Duplex Halogen Lights, Includes Flasher with Steady Burn Priority Mode	81.00 81.00	72.90
9MH4****	Four Halogen Lights, Includes Flasher with Steady Burn Priority Mode for One Set of Lights	116.40	104.76
9MDH****	Four Duplex Halogen Lights, Includes Flasher with Steady Burn Priority Mode for One Set of	116.40	104.76
NIDI1	Lights	110.40	104.70
9ML2**	Two LED Panels, Includes Flasher with Steady Burn Priority Mode, Red and/or Amber	174.00	156.60
9ML2**	Two LED Panels, Includes Flasher with Steady Burn Priority Mode, 1 Red or Amber & 1 Blue	286.20	257.58
	or White		
9ML2**	Two LED Panels, Includes Flasher with Steady Burn Priority Mode, Blue and/or White	399.60	359.64
9MDL2**	Two Duplex LED Panels, Includes Flasher with Steady Burn Priority Mode, Red and/or Amber	116.40	104.76
9MDL2**	Two Duplex LED Panels, Includes Flasher with Steady Burn Priority Mode, 1 Red or Amber and 1 Blue or White	174.00	156.60
9MDL2**	Two Duplex LED Panels, Includes Flasher with Steady Burn Priority Mode, Blue and/or White	237.60	213.84
9ML4****	Four LED Panels, Includes Flasher with Steady Burn Priority Mode for One Pair of Lights, Red and/or Amber	313.80	282.42
9ML4****	Four LED Panels, Includes Flasher with Steady Burn Priority Mode for One Pair of Lights, 3 Red or Amber & 1 Blue or White	425.40	382.86
9ML4****	Four LED Panels, Includes Flasher with Steady Burn Priority Mode for One Pair of Lights, 2	538.20	484.38
9ML4****	Red or Amber & 2 Blue or White Four LED Panels, Includes Flasher with Steady Burn Priority Mode for One Pair of Lights, 1	651.00	585.90
	Red or Amber & 3 Blue or White		
9ML4****	Four LED Panels, Includes Flasher with Steady Burn Priority Mode for One Pair of Lights, Blue or White	763.20	686.88
9MDL****	Four Duplex LED Panels, Includes Flasher with Steady Burn Priority Mode for One Set of Lights, Red and/or Amber	200.40	180.36
9MDL****	Four Duplex LED Panels, Includes Flasher with Steady Burn Priority Mode for One Set of Lights, 3 Red and/or Amber and 1 Blue or White	256.20	230.58
9MDL****	Four Duplex LED Panels, Includes Flasher with Steady Burn Priority Mode for One Set of Lights, 2 Red and/or Amber and 2 Blue and/or White	312.60	281.34
9MDL****	Four Duplex LED Panels, Includes Flasher with Steady Burn Priority Mode for One Set of Lights, 1 Red or Amber and 3 Blue and/or White	377.40	339.66
9MDL****	Four Duplex LED Panels, includes Flasher with Steady Burn Priority Mode for One Set of Lights, Blue and/or White	441.60	397.44
9MC4****	Two Halogen Lights and Two LED Panels, Includes Flasher with Steady Burn Priority Mode for One Pair of Lights, Red and/or Amber LEDs	221.40	199.26
9MC4****	Two Halogen Lights and Two LED Panels, Includes Flasher with Steady Burn Priority Mode for One Pair of Lights, 1 Red or Amber & 1 Blue or White LEDs	334.20	300.78
9MC4****	Two Halogen Lights and Two LED Panels, Includes Flasher with Steady Burn Priority Mode for One Pair of Lights, Blue and/or White LEDs	445.80	401.22
9MDC****	Two Duplex Halogen Lights and Two Duplex LED Panels, Includes Flasher with Steady Burn Priority Mode for One Set of Lights, 2 Red and/or Amber LEDs	164.40	147.96
9MDC****	Two Duplex Halogen Lights and Two Duplex LED Panels, Includes Flasher with Steady Burn Priority Mode for One Set of Lights, 1 Red or Amber LED and 1 Blue or White LED	221.40	199.26
9MDC****	Two Duplex Halogen Lights and Two Duplex LED Panels, Includes Flasher with Steady Burn Priority Mode for One Set of Lights, 2 Blue and/or White LEDs	285.60	257.04
9MBTTLED	Two LED Brake/Turn/Tail Panels Includes Wiring Harness	128.40	115.56
9MDBTTLD	Two Duplex LED Brake/Turn/Tail Panels Includes Wiring Harness	128.40	115.56
PRM1S**	Piercer II™ Dual Strobe Nose Piece with Built-in Power Supply.	232.80	209.52
PRM2CCC	PierceAlert™, Twin Oscillating Lamp, Clear Housing with Clear Lens	115.80	104.22
PRM2C**	PierceAlert [™] , Twin Oscillating Lamp, Clear Housing with Color Lens	130.20	117.18
PRM2*CC	PierceAlert™, Twin Oscillating Lamp, Color Housing with Clear Lens	130.20	117.18
PRM2***	PierceAlert™, Twin Oscillating Lamp, Color Housing with Color Lens	144.60	130.14
9MCRUISE	LED Cruise Lights	91.20	82.08
9MSIGNP	Printed Sign-Each	74.40	66.96
9MSIGNL 9UOPTI44	Lighted Sign-Each 44" Lightbar Pre-wired for 3M® Model 9592 OPTICOM®	116.40 38.40	104.76 34.56
9UOPTI44 9UOPTI49	44 Eightbar Pre-wired for 3M® Model 9592 OPTICOM®	38.40	34.56
9UOPTI55	55" Lightbar Pre-wired for 3M® Model 9592 OPTICOM®	38.40	34.56
9592	3M [®] Emitter for Edge® and Edge+Plus™ Lightbars, -Refer to 3M [®] OPTICOM® Emitters Section for Pricing.	30.40	54.50
XT1000	Cobra® Safety Alert® Warning Radar TransmitterRefer to Cobra® Safety Alert® Section for Pricing.		
XT100WIR	Lightbar Pre-wired for Cobra XT1000 Radar Transmitter (Includes Cable & Bracket). Refer to Cobra® Safety Alert® Section for Pricing.		
TA9M05H	Built-in 5 Halogen Lamp Traffic Advisor™ with Control Head, for 44" Lightbar, Three Lens Sections	323.40	291.06
TAD9M05H	Built-in 5 Duplex Halogen Lamp Traffic Advisor™ with Control Head, For 44" Lightbar, Three Lens Sections	323.40	291.06
TA9M06H	Built-in 6 Halogen Lamp Traffic Advisor™ with Control Head, Two Lens Sections	336.60	302.94
		550.00	302.77

TAD9M06H	Built-in 6 Duplex Halogen Lamp Traffic Advisor™ with Control Head, Two Lens Sections	336.60	302.94
TA9MFR6H	Two Built-in 6 Lamp Halogen Traffic Advisors (1 Front & 1 Rear), Single Control Head with Nine Auxillary Switches for LC Switching.	890.40	
TA9M05L	Built-in 5 LED Panels Traffic Advisor™ with Control Head, for 44" Lightbar, Three Lens Sections	460.80	414.72
TAD9M05L	Built-in 5 Duplex LED Panels Traffic Advisor™ with Control head, For 44" Lightbar, Three Lens Sections	431.40	388.26
TA9M06L	Built-in 6 LED Panels Traffic Advisor™ with Control Head, Two Lens Sections	509.40	458.46
TAD9M06L	Built-in 6 Duplex LED Panels Traffic Advisor™ with Control Head, Two Lens Sections	451.80	406.62
TA9M05S	Built-in 5 Strobe Light Traffic Advisor™ Two Wire Control, Includes Power Supply, for 44" Lightbar, Three Lens Sections	288.60	259.74
TAD9M05S	Built-in 5 Duplex Strobe Light Traffic Advisor™ Two Wire Control, Includes Power Supply, for 44" Lightbar, Three Lens Sections	288.60	259.74
TA9M06S	Built-in 6 Strobe Light Traffic Advisor™ Two Wire Control, Includes Power Supply. Two Lens Sections	320.40	288.36
TAD9M06S	Built-in 6 Duplex Strobe Light Traffic Advisor™ Two Wire Control, Includes Power Supply. Two Lens Sections	320.40	288.36
9HFIL*	Half Color Filters for use with Strobe or Halogen Duplex Modules - EACH	3.90	3.51
9UECFIL*	Corner Color Filter for use with Clear End Cap - EACH	3.90	3.51
LENSGLUE	Optional Lens Section Glued	25.20	22.68
9MLTH	Custom Length up to 83" (Insert Required Length in Model # 60", 66", 72", 77", or 82")	116.40	104.76
9MLTH	Custom Length 83"+ (Insert Required Length in Model # 88", 93", or 98")	190.80	171.72
MGM02	Built-in Smart Arrow Messenger® Series, See Smart Arrow Messenger Section of This Price List for Models and Prices.		

9M Series Customer Installed Kits

Options for	Edae® (9M Series	Lightbars	(Kits)

MKSCANLK	15' Five Conductor Cable Allows for External Individual Scan-Lock™ Flash Patterns of Each	23.40	21.06
MIZALY	Power Supply and Flasher Module	40.70	42.74
MKALY MKALY**	Two Halogen Alley Lights Kit, Includes Harness, No End Cap Two Halogen Alley Lights Kit, Includes Harness, Two End Caps w/ Gaskets and Screws	48.60 99.60	43.74 89.64
MKALY**			
MKTD2	Two Halogen Take-Down Light Kit. Includes Two 5" Clear Iens. Wire through Auxiliary Inputs.	48.60	43.74
MKH2**	Two Halogen Lights Kit, Includes Flasher with Steady Burn Priority Mode and 2 - 5" Lens.	81.00	72.90
MKH4****	Four Halogen Light Kit, Includes Flasher with Steady Burn Priority Mode for One Set of Lights and 4 - 5" Lens.	116.40	104.76
MKL2**	Two LED Panel Kit, Includes Flasher with Steady Burn Priority Mode, Red and/or Amber and 2 - 5" Lens.	174.00	156.60
MKL2**	Two LED Panel Kit, Includes Flasher with Steady Burn Priority Mode, 1 Red or Amber & 1 Blue or White and 2 - 5" Lens.	286.20	257.58
MKL2**	Two LED Panel Kit, Includes Flasher with Steady Burn Priority Mode, Blue and/or White and 2 - 5" Lens.	399.60	359.64
MKL4***	Four LED Panel Kit, Includes Flasher with Steady Burn Priority Mode for One Pair of Lights, Red and/or Amber and 4 - 5" Lens	313.80	282.42
MKL4***	Four LED Panel Kit, Includes Flasher with Steady Burn Priority Mode for One Pair of Lights, 3 Red or Amber & 1 Blue or White and 4 - 5" Lens	425.40	382.86
MKL4***	Four LED Panel Kit, Includes Flasher with Steady Burn Priority Mode for One Pair of Lights, 2 Red or Amber & 2 Blue or White and 4 - 5" Lens	538.20	484.38
MKL4***	Four LED Panel Kit, Includes Flasher with Steady Burn Priority Mode for One Pair of Lights, 1 Red or Amber & 3 Blue or White and 4 - 5" Lens	651.00	585.90
MKL4***	Four LED Panel Kit, Includes Flasher with Steady Burn Priority Mode for One Set of Lights, Blue and/or White	763.20	686.88
MKC4****	Two Halogen Lights and Two LED Panel Kit, Includes Flasher with Steady Burn Priority Mode for One Pair of Lights, Red and/or Amber LEDs and 4 - 5" Lens	221.40	199.26
MKC4****	Two Halogen Lights and Two LED Panel Kit, Includes Flasher with Steady Burn Priority Mode for One Pair of Lights, 1 Red or Amber & 1 Blue or White LEDs and 4 - 5" Lens	334.20	300.78
MKC4****	Two Halogen Lights and Two LED Panel Kit, Includes Flasher with Steady Burn Priority Mode for One Pair of Lights, Blue and/or White LEDs and 4 - 5" Lens	445.80	401.22
TAMK05H	Built-in 5 Halogen Lamp Traffic Advisor™ with Control Head Kit, for 44" Lightbar with 2 - 10.375" & 1 - 5" Amber Lens	323.40	291.06
TAMK06H	Built-in 6 Halogen Lamp Traffic Advisor™ with Control Head Kit with 2 - 15.8" Amber Lens	336.60	302.94
TAMK05L	Built-in 5 LED Panels Traffic Advisor™ with Control Head, for 44" Lightbar Kit with 2 - 10.375" & 1 - 5" Amber Lens	460.80	414.72
TAMK06L	Built-in 6 LED Panels Traffic Advisor™ with Control Head Kit with 2 - 15.8" Amber Lens	509.40	458.46
TAMK05S	Built-in 5 Strobe Light Traffic Advisor TM Two Wire Control, Includes Power Supply, for 44"	288.60	259.74
17.1011000	Lightbar Kit with 2 - 10.375" & 1 - 5" Amber Lens	200.00	207.77
TAMK06S	Built-in 6 Strobe Light Traffic Advisor™ Two Wire Control, Includes Power Supply Kit with 2 - 15.8" Amber Lens	320.40	288.36
MK9M4S2	Two Strobe Light Upgrade Kit, Includes 2 - 400 Series Strobes and 1 - 9M4S Power Supply	195.60	176.04
MK9M4S4	Four Strobe Light Upgrade Kit, Includes 4 - 400 Series Strobes and 1 - 9M4S Power Supply	260.40	234.36



		s, Low Current Switching with 10 SCANLOCK™ Flash Patterns Standard , With Exiting 15' Cable (For mounting options see optional Edge® & Centurion™ Mounting Kit:	-1	
		s 1 Power Supply, 4 Strobes (2 Front/2 Rear)	9)	
	9U244000	44.375"	656.40	590.76
	9U248000	49.75"	656.40	590.76
	9U242000	55"	656.40	590.76
9U2	4-F Series, Includ	des 1 Power Supply, 4 Front Facing Strobes		
	9U24400F	44.375"	656.40	590.76
	9U24800F	49.75"	656.40	590.76
	9U24200F	55"	656.40	590.76
9U3	6 Series, Include:	s 2 Power Supplies, 6 Strobes (4 Front/2 Rear)		
	9U368000	49.75"	894.00	804.60
	9U364000	44.375"	894.00	804.60
	9U362000	55"	894.00	804.60
9U3	Series, Include:	s 2 Power Supplies, 8 Strobes (4 Front/4 Rear)		
	9U384000	44.375"	964.80	868.32
	9U388000	49.75"	964.80	868.32
	9U382000	55"	964.80	868.32
9U4	Series, Include:	s 3 Power Supplies, 10 Strobes (4 Front/4 Rear/2 End)		
	9U404000	44.375"	1153.80	1038.42
	9U408000	49.75"	1153.80	1038.42
	9U402000	55"	1153.80	1038.42
9U42	2 Series, Include	s 3 Power Supplies, 12 Strobes (6 Front/4 Rear/2 End)		
	9U424000	44.375"	1224.60	1102.14
	9U428000	49.75"	1224.60	1102.14
	9U422000	55"	1224.60	1102.14

Ultra™ LC Series Accessories, Not all options available on all models, EDGE Mounting Kits use Model

dge® Ultra™ LC S	Series Lightbar Accessories		
9UDSCBL	Driver side cable exit, Includes 25' Power/Ground Cable	25.80	23.22
9LALY	Two Halogen Alley Lights	48.60	43.74
9LDALY	Two Duplex Halogen Alley Lights	48.60	43.74
9LTD2	Two Halogen Take-Down Lights	48.60	43.74
9LDTD2	Two Duplex Halogen Take-Down Lights	48.60	43.74
9LTD1	One Halogen Take-Down Light	25.20	22.68
9LFTA	Flashing Take-Down & Flashing Alley Light Enable Module, Requires Purchase of Take-Down and/or Alley Lights	34.20	30.78
PRL1S**	Piercer II [™] , Dual Strobe, Nose Piece with Built-in Power Supply	232.80	209.52
PRL2CCC	PierceAlert™, Twin Oscillating Lamp Assemblies, Clear Housing with Clear Windows	115.80	104.22
PRL2C**	PierceAlert™, Twin Oscillating Lamp Assemblies, Clear Housing with Color Windows	130.20	117.18
PRL2*CC	PierceAlert™, Twin Oscillating Lamp Assemblies, Color Housing with Clear Windows	130.20	117.18
PRL2***	PierceAlert™, Twin Oscillating Lamp Assemblies, Color Housing with Color Windows	144.60	130.14
9LCRLED	One LED California Steady Red Identification Light	71.40	64.26
9LCRL	One Halogen California Steady Red Identification Light	25.20	22.68
9LCBL	One Halogen California Steady Blue Identification Light	25.20	22.68
9LFFL**	Two LED Flashing Lights, Front Facing, Red and/or Amber	141.60	127.44
9LFFL**	Two LED Flashing Lights, Front Facing, 1 Red or Amber & 1 Blue or White	253.20	227.88
9LFFL**	Two LED Flashing Lights, Front Facing, Blue and/or White	366.60	329.94
9LDFFL**	Two Duplex LED Flashing Lights, Front Facing, Red and/or Amber	84.60	76.14
9LDFFL**	Two Duplex LED Flashing Lights, Front Facing, 1 Red or Amber and 1 Blue or White	141.60	127.44
9LDFFL**	Two Duplex LED Flashing Lights, Front Facing Blue and/or White	205.20	184.68
9LRFL**	Two LED Flashing Lights, Rear Facing, Red and/or Amber	141.60	127.44
9LRFL**	Two LED Flashing Lights, Rear Facing, 1 Red or Amber & 1 Blue or White	253.20	227.88
9LRFL**	Two LED Flashing Lights, Rear Facing, Blue and/or White	366.60	329.94
9LDRFL**	Two Duplex LED Flashing Lights, Rear Facing, Red and/or Amber	84.60	76.14
9LDRFL**	Two Duplex LED Flashing Lights, Rear Facing, 1 Red or Amber and 1 Blue or White	141.60	127.44
9LDRFL**	Two Duplex LED Flashing Lights, Rear Facing, Blue and/or White	205.20	184.68
9LFFI	Two Halogen Flashing Lights, Front Facing	48.60	43.74
9LDFFI	Two Duplex Halogen Flashing Lights, Front Facing	48.60	43.74
9LRFI	Two Halogen Flashing Lights, Rear Facing	48.60	43.74
9LDRFI	Two Duplex Halogen Flashing Lights, Rear Facing	48.60	43.74
9MCRUISE	LED Cruise Lights	91.20	82.08
9LCRUISE	Four Cruise Lights	45.00	40.50
XT1000	Cobra® Safety Alert® Warning Radar TransmitterRefer to Cobra® Safety Alert® Section for Pricing.		
XT100WIR	Lightbar Pre-wired for Cobra XT1000 Radar Transmitter (Includes Cable & Bracket). Refer to Cobra® Safety Alert® Section for Pricing.		
9UOPTI55	55" Edge Ultra™ Lightbar Pre-wired for 3M® Model 9592 OPTICOM®	38.40	34.56
9UOPTI49	49.75" Edge Ultra™ Lightbar Pre-wired for 3M® Model 9592 OPTICOM®	38.40	34.56
9592	3M® Emitter for Edge® and Edge+Plus™ Lightbars, -Refer to 3M® OPTICOM® Emitters Section for Pricing.		

C	ح	2
	Ē	2
	ζ	Ş
	8	3
	U	9

9LMATRIX	Special Configuration other than Standard	34.20	30.78
9LSIGNP	Printed Sign for Edge® Lightbar	74.40	66.96
9LSIGNL	LED Backlighted Sign for Edge Lightbar, Amber	116.40	104.76
9LPREWIR	Edge® Lightbar Pre-wired to Whelen Switch Control	38.40	34.56
TA9LLED	Built-in LED Traffic Advisor™, Programmable Flash Patterns Std. With Two Lens Sections. (not available in all models)	509.40	458.46
TAD9LLED	Built-in Duplex LED Traffic Advisor™, Programmable Flash Patterns Std. With Two Lens Sections. (not available in all models)	451.80	406.62
TAD9LLD5	Built-in Halogen Duplex 5 Lamp LED Traffic Advisor™ for 44" Lightbars, Programmable Flash Patterns Std. With Three Lens Sections. (not available on all models)	431.40	388.26
TA9L00A	Built-in Halogen Traffic Advisor™, Programmable Flash Patterns Std. With Two Lens Sections. (not available on all models)	336.60	302.94
TAD9L00A	Built-in Duplex Halogen Traffic Advisor, Programmable Flash Patterns Std. With Two Lens Sections. (not available in all models)	336.60	302.94
9HFIL*	Half Color Filter for Strobe or Halogen Duplex modules	3.90	3.51
9UECFIL*	Corner Color Filter for use with Clear End Cap	3.90	3.51
LENSGLUE	Optional Lens Section, Glued	25.20	22.68
9LLTH	Custom Length up to 83" (Insert Required Length in Model # 60", 66", 72", 77", or 82")	116.40	104.76
9LLTH	Custom Length 83"+ (Insert Required Length in Model # 88", 93", or 98")	190.80	171.72
MGM02	Built-in Smart Arrow Messenger® Series, See Smart Arrow Messenger Section of This Price List for Models and Prices.		

Ultra™	Series	Customer	Installe	d Kits
--------	--------	----------	----------	--------

Jilla Schoo	Sustainer instance itits		
Options for Edge®	Ultra Lightbars, Customer Installed Kits		
UKALY	Alley Light Kit, Includes Two Halogen Modules, No End Caps	48.60	43.74
UKALY**	Alley Light Kit, Includes Two Halogen Modules, Two End Caps w/Gaskets and Screws. Specify End Cap Colors	99.60	89.64
UKH2**	Halogen Light Kit, Includes Two Halogen Modules & Two 5" Lens. Specify Lens Colors. For Use As Take-Down, Work Lights in HC Series or Take-Down, Work Lights or Flashers In LC Series.	48.60	43.74
UKL**	LED Light Kit for LC Series Only, Includes Two LED Panels & Two 5" Color lens. Specify LED Colors, Amber and/or Red	141.60	127.44
UKL**	LED Light Kit for LC Series Only, Includes Two LED Panels & Two 5" Color lens. Specify LED Colors, 1 Amber or Red & 1 Blue or White	253.20	227.88
UKL**	LED Light Kit for LC Series Only, Includes Two LED Panels & Two 5" Color lens. Specify LED Colors, Blue and/or White	366.60	329.94
TAUK05A	Traffic Advisor Kit, Includes Five Halogen Modules, Internal/External Harness, TACTRL1A & Two 15.8" Amber Lens. (Not Duplex)	323.40	291.06
TAUK06A	Traffic Advisor Kit, Includes Six Halogen Modules, Internal/External Harness, TACTRL1A & Two 15.8" Amber Lens. (Not Duplex)	336.60	302.94
TAUK05L	Traffic Advisor Kit, Includes Five LED Modules, Internal/External Harness, TACTLD1 & Two 15.8" Amber Lens. (Not Duplex)	460.80	414.72
TAUK06L	Traffic Advisor Kit, Includes Six LED Modules, Internal/External Harness, TACTLD1 & Two 15.8" Amber Lens. (Not Duplex)	509.40	458.46
UKEB42	Two Strobe Light Upgrade Kit, Includes 2-4ELTUBE and 1-EB4 Power Supply.	256.20	230.58
UKEB44	Four Strobe Light Upgrade Kit, Includes 4-4ELTUBE and 1-EB4 Power Supply.	320.40	288.36

Freedom™ Series Super-LED®, Linear-LED®, Low Current Switching, FL SERIES with 10 SCANLOCK™ Flash Patterns Standard, With Passenger Side Exiting 15' Cable (For mounting options see optional Edge® & Centurion™ Mounting Kits)

Edge® Ultra™ Freedom™ FL Series Super-LED® Lightbars, Includes Four Front Facing Linear-LED® Super-LED's and Clear Outer Lenses with Clear Dividers.

٠.,	JOJ WILLI OLGAL DI	nuois.		
	FL4***F	\$ NEW 44.375", 4 Front Facing Blue, Red and/or Amber, For White LEDs Contact Factory.	887.40	798.66
	FL8****F	\$ NEW 49.75", 4 Front Facing Blue, Red and/or Amber, For White LEDs Contact Factory.	887.40	798.66
	FI 2****F	\$ NFW 55" 4 Front Facing Blue Red and/or Amber For White LEDs Contact Factory	887 40	798 66

Edge® Ultra™ Freedom™ FL Series Super-LED® Lightbars, Includes Four Corner Linear-LED® Super-LED's and Clear Outer Lenses with Clear Dividers.

\$ 44.375", 4 Blue, Red and/or Amber	887.40	798.66
\$ 44.375", 3 Blue, Red and/or Amber and 1 White	911.40	820.26
\$ 44.375", 2 Blue, Red and/or Amber and 2 White	935.40	841.86
\$ 44.375", 1 Blue, Red or Amber and 3 White	959.40	863.46
\$ 44.375" 4 White	983.40	885.06
\$ 49.75", 4 Blue, Red and/or Amber	887.40	798.66
\$ 49.75", 3 Blue, Red and/or Amber and 1 White	911.40	820.26
\$ 49.75", 2 Blue, Red and/or Amber and 2 White	935.40	841.86
\$ 49.75", 1 Blue, Red or Amber and 3 White	959.40	863.46
\$ 49.75", 4 White	983.40	885.06
\$ 55", 4 Blue, Red and/or Amber	887.40	798.66
\$ 55", 3 Blue, Amber or Red and 1 White	911.40	820.26
\$ 55", 2 Blue, Red and/or Amber and 2 White	935.40	841.86
\$ 55", 1 Blue, Red or Amber and 3 White	959.40	863.46
\$ 55", 4 White	1015.80	914.22
	\$ 44.375", 3 Blue, Red and/or Amber and 1 White \$ 44.375", 2 Blue, Red and/or Amber and 2 White \$ 44.375", 1 Blue, Red or Amber and 3 White \$ 44.375" 4 White \$ 49.75", 4 Blue, Red and/or Amber \$ 49.75", 3 Blue, Red and/or Amber and 1 White \$ 49.75", 2 Blue, Red and/or Amber and 2 White \$ 49.75", 1 Blue, Red or Amber and 3 White \$ 49.75", 4 White \$ 55", 4 Blue, Red and/or Amber \$ 55", 3 Blue, Amber or Red and 1 White \$ 55", 2 Blue, Red and/or Amber and 2 White \$ 55", 1 Blue, Red and/or Amber and 2 White \$ 55", 1 Blue, Red and/or Amber and 2 White	\$ 44.375", 3 Blue, Red and/or Amber and 1 White 911.40 \$ 44.375", 2 Blue, Red and/or Amber and 2 White 935.40 \$ 44.375", 1 Blue, Red or Amber and 3 White 959.40 \$ 44.375" 4 White 983.40 \$ 49.75", 4 Blue, Red and/or Amber 887.40 \$ 49.75", 3 Blue, Red and/or Amber and 1 White 911.40 \$ 49.75", 2 Blue, Red and/or Amber and 2 White 935.40 \$ 49.75", 1 Blue, Red or Amber and 3 White 959.40 \$ 49.75", 4 White 983.40 \$ 55", 4 Blue, Red and/or Amber 887.40 \$ 55", 2 Blue, Red and/or Amber 983.40 \$ 55", 2 Blue, Red and/or Amber 983.40 \$ 55", 3 Blue, Amber or Red and 1 White 911.40 \$ 55", 2 Blue, Red and/or Amber and 2 White 935.40 \$ 55", 1 Blue, Red and/or Amber and 2 White 935.40

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red; G = Green



Edge® Ultra™ Freedom™ Series Accessories

· • · · · · · · · · · · · · · · · · · ·	74011		
FLD**	\$ NEW 2 Blue, Red and/or Amber, Inboard Directional Super-LED® Lightheads	239.40	215.46
FLD*C	\$ NEW 1 Blue, Red or Amber and 1 White, Inboard Directional Super-LED® Lightheads	263.40	237.06
FLDCC	\$ NEW 2 White, Inboard Directional Super-LED® Lightheads	287.40	258.66
FLDSCBL	Driver Side Cable Exit, Includes 25' Power and Ground Cable	25.80	23.22
FLH2CC	Two Halogen Flashing Take-Down Lights	81.00	72.90
FLTD1M	NEW Two MR11 Halogen Take-Down Lights	91.20	82.08
FLALY	Two Halogen Flashing Alley Lights	48.60	43.74
FLCRUZ**	Four LED Cruise Lights, Amber, Blue, White and/or Red	91.20	82.08
FLAM1**	NEW Two MR11 Halogen Flashing Alley Lights with Two TIR3 Super-LED, Amber, Red, and/or Blue	202.20	181.98
FLTA46L	Six 400 Series LED Traffic Advisor, includes Control Head	509.40	458.46
FLTA45L	Five 400 Series LED Traffic Advisor, includes Control Head	460.80	414.72
FLTA46LL	Six Lamp LED Traffic Advisor, Two Wire Control, No Control Head	447.00	402.30
FLTA45LL	Five Lamp LED Traffic Advisor, Two Wire Control, No Control Head	399.00	359.10
FLTALN5	Five Linear Super-LED Traffic Advisor, Includes Control Head	673.20	605.88
FLTALN6	Six Linear Super-LED Traffic Advisor, Includes Control Head	796.80	717.12
FLTALN5L	Five Linear Super-LED Traffic Advisor, Two Wire Control, No Control Head	598.80	538.92
FLTALN6L	Six Linear Super-LED Traffic Advisor, Two Wire Control, No Control Head	718.20	646.38
FLY§§§00	Five Linear Super-LED Duplex Traffic Advisor, Includes Control Head, Replace Symbol § with Number of Upper Level Warning LED Colors, Order is Red/Blue/Amber, 5 Max.	704.40	633.96
FLZ§§§00	Six Linear Super-LED Duplex Traffic Advisor, Includes Control Head, Replace Symbol § with Number of Upper Level Warning LED Colors, Order is Red/Blue/Amber, 6 Max.	828.00	745.20
9LLTH	Custom Length up to 83" (Insert Required Length in Model # 60", 66", 72", 77", or 82")	116.40	104.76
9LLTH	Custom Length 83"+ (Insert Required Length in Model # 88", 93", or 98")	190.80	171.72
9UOPTI49	49" Lightbar Pre-wired for 3M® Model 9592 OPTICOM®	38.40	34.56
9UOPTI55	55" Lightbar Pre-wired for 3M® Model 9592 OPTICOM®	38.40	34.56
9592	3M® Emitter for Edge® and Edge+Plus™ Lightbars -Refer to 3M® OPTICOM® Emitters		
	Section for Pricing.		

Patriot™ LC Series, STROBE, Low Current Switching with 10 SCANLOCK™ Flash Patterns Standard,
With Passenger Side Exiting 15' Cable (For mounting options see optional Edge® & Centurion™ Mounting
Kits)

_KIIS)			
LL14	4 Series, Includes	s 1 Power Supply, 4 Strobes (2 Front/2 Rear)		
	LL144000	43.125"	656.40	590.76
	LL148000	48.50"	656.40	590.76
	LL142000	54"	656.40	590.76
LL14	1-F Series , Includ	les 1 Power Supply, 4 Front Facing Strobes		
	LL14400F	43.125"	656.40	590.76
	LL14800F	48.50"	656.40	590.76
	LL14200F	54"	656.40	590.76
LL26	Series, Includes	s 2 Power Supplies, 6 Strobes (4 Front/2 Rear)		
	LL264000	43.125"	894.00	804.60
	LL268000	48.50"	894.00	804.60
	LL262000	54"	894.00	804.60
LL28	Series, Includes	s 2 Power Supplies, 8 Strobes (4 Front/4 Rear)		
	LL284000	43.125"	964.80	868.32
	LL288000	48.50"	964.80	868.32
	LL282000	54"	964.80	868.32

FL Patriot™ Seri	es, Optional Accessories	,	
LLDSCBL	Driver Side Cable Exit, Includes 25' Power/Ground Cable	25.80	23.22
LLALY	Two Halogen Alley Lights	48.60	43.74
LLAM1	Two MR11 Halogen Alley Lights	57.60	51.84
LLAM1**	Two MR11 Halogen Alley Lights with two TIR3 Super-LED, Amber, Red, and/or Blue	202.20	181.98
LLAM1*C	Two MR11 Halogen Alley Lights with two TIR3 Super-LED, 1 Amber, Red or Blue & 1 White	208.80	187.92
LLAM1CC	Two MR11 Halogen Alley Lights with two TIR3 Super-LED, Two White	214.80	193.32
LLTD2	Two Halogen Take-Down Lights	48.60	43.74
LLTDM1	Two MR11 Halogen Take-Down Lights	57.60	51.84
LLTD1	One Halogen Take-Down Light	25.20	22.68
LLFTA	Flashing Take-Down & Flashing Alley Light Enable Module, Requires Purchase of Take-Down	34.20	30.78
	and/or Alley Lights		
SLCRUZ**	Four LED Cruise Lights, Amber, Blue, White and/or Red	91.20	82.08
LLFFM**	Two Super-LED TIR6, Front Facing, Blue, Red and/or Amber	179.40	161.46
LLFFM*C	Two Super-LED TIR6, Front Facing, 1 Blue, Red or Amber and 1 White	198.60	178.74
LLFFMCC	Two Super-LED TIR6, Front Facing, White	217.80	196.02
LLRFM**	Two Super-LED TIR6, Rear Facing, Blue, Red and/or Amber	179.40	161.46
LLRFM*C	Two Super-LED TIR6, Rear Facing, 1 Blue, Red or Amber and 1 White	198.60	178.74
LLRFMCC	Two Super-LED TIR6, Rear Facing, White	217.80	196.02
LLFFL**	Two LED Flashing Lights, Front Facing, Red and/or Amber	103.20	92.88
LLFFL**	Two LED Flashing Lights, Front Facing, 1 Red or Amber & 1 Blue or White	167.40	150.66
LLFFL**	Two LED Flashing Lights, Front Facing, Blue or White	231.00	207.90

LLRFL**	Two LED Flashing Lights, Rear Facing, Red and/or Amber	103.20	92.88
LLRFL**	Two LED Flashing Lights, Rear Facing, 1 Red or Amber & 1 Blue or White	167.40	150.66
LLRFL**	Two LED Flashing Lights, Rear Facing, Blue and/or White	231.00	207.90
LLTALED5	Five LED Panel Traffic Advisor, Two Wire Control, with Three Lens Sections (No Control	328.80	295.92
	Head)		
LLTALED	Six LED Panel Traffic Advisor, Two Wire Control, with Two Lens Sections (No Control Head)	341.40	307.26
LLTATIR5	Five TIR6™ Super-LED Panel Traffic Advisor, Two Wire Control with Three lens Sections (No	520.20	468.18
	Control Head)		
LLTATIR6	Six TIR6™ Super-LED Panel Traffic Advisor, Two Wire Control with Two lens Sections (No	584.40	525.96
	Control Head)		
LLMATRIX	Special Configuration other than Standard	34.20	30.78
LLPREWIR	Edge® Lightbar Pre-wired to Whelen Switch Control	38.40	34.56
LENSGLUE	Optional Lens Section, Glued	25.20	22.68
50LENSL*	500 Series Non-Optic Lens - EACH	4.20	3.78
LLESFIL*	LFL End Strobe Filter - EACH	3.60	3.24

	triot™ Series Lightbar, Customer Installed Kits		_
LKALYCC	Alley Light Kit, Includes Two Halogen Modules and Two 500 Series Clear Alley Inserts, No End Caps	48.60	4
LKH2**	Halogen Light Kit, Includes Two Halogen Modules & Two 5 1/16" Lens. Specify Lens Colors. For Use As Take-Down or Work Lights.	48.60	4
LKCRUZ**	LED Cruise Light Kit for Lightbars without Alley Lights, Includes Four LED Cruise Lights and Brackets, Amber, Blue, White and/or Red	91.20	8
LKACRZ**	LED Cruise Light Kit for Lightbars with Alley Lights, Includes Four LED Cruise Lights and Brackets, Amber, Blue, White and/or Red	91.20	8
LKL**	LED Light Kit, Includes Two LED Panels & Two 5 1/16" Color lens. Specify LED Colors, Amber or Red. Not for use with Traffic Advisors.	103.20	9
LKL**	LED Light Kit, Includes Two LED Panels & Two 5 1/16" Color lens. Specify LED Colors, 1 Amber or Red & 1 Blue or White. Not for use with Traffic Advisors.	167.40	15
LKL**	LED Light Kit, Includes Two LED Panels & Two 5 1/16" Color lens. Specify LED Colors, Blue or White. Not for use with Traffic Advisors.	231.00	20
TALK05A	Traffic Advisor Kit, Includes Five LED Modules, Personality Module & Two 10.5" and One 5.0625" Amber Lens. LC Series Only.	328.80	29
TALK06A	Traffic Advisor Kit, Includes Six LED Modules, Personality Module & Two 15.8" Amber Lens. LC Series Only.	341.40	30
LK4122	Two Strobe Light Upgrade Kit, Includes 2- 500 Series Strobes & 1-LFL412 Power Supply	256.20	23
LK4124	Four Strobe Light Upgrade Kit, Includes 4- 500 Series Strobes & 1-LFL412 Power Supply	320.40	28

Liberty™ Series Super-LED®, Low Current Switching SL SERIES with 10 SCANLOCK™ Flash Patterns Standard, With Passenger Side Exiting 15' Cable (For mounting options see optional Edge® & Centurion™ Mounting Kits)

LFL Liberty™ SL Series Super-LED® Lightbars, Includes Four Corner Linear-LED® Directional LED's and Clear Outer Lenses with Clear Dividers.

SL4****	43.125", 4 Blue, Red and/or Amber	868.20	781.38
SL4***C	43.125", 3 Blue, Red and/or Amber and 1 White	900.00	810.00
SL4**CC	43.125", 2 Blue, Red and/or Amber and 2 White	932.40	839.16
SL4*CCC	43.125", 1 Blue, Red or Amber and 3 White	964.20	867.78
SL4CCCC	43.125" 4 White	996.60	896.94
SL8****	48.50", 4 Blue, Red and/or Amber	868.20	781.38
SL8***C	48.50", 3 Blue, Red and/or Amber and 1 White	900.00	810.00
SL8**CC	48.50", 2 Blue, Red and/or Amber and 2 White	932.40	839.16
SL8*CCC	48.50", 1 Blue, Red or Amber and 3 White	964.20	867.78
SL8CCCC	48.50", 4 White	996.60	896.94
SL2****	54", 4 Blue, Red and/or Amber	868.20	781.38
SL2***C	54", 3 Blue, Red and/or Amber and 1 White	900.00	810.00
SL2**CC	54", 2 Blue, Red and/or Amber and 2 White	932.40	839.16
SL2*CCC	54", 1 Blue, Red or Amber and 3 White	964.20	867.78
SL2CCCC	54", 4 White	996.60	896.94
Liharty™ Sarias	Accessories		

LFL

. Liberty™ Series	S Accessories		
SLD**	\$ NEW 2 Blue, Red and/or Amber, Inboard Super-LED® Directional Lightheads	173.40	156.06
SLD*C	\$ NEW 1 Blue, Red or Amber and 1 White, Inboard Super-LED® Directional Lightheads	188.40	169.56
SLDCC	\$ NEW 2 White, Inboard Super-LED® Directional Lightheads	203.40	183.06
SLDSCBL	Driver Side Cable Exit, Includes 25' Power and Ground Cable	25.80	23.22
SLH2CC	Two Halogen Flashing Take-Down Lights	81.00	72.90
SLTDM1	Two MR11 Halogen Flashing Take-Down Lights	91.20	82.08
SLTM2S*	NEW Two MR11 Flashing Take-Downs and One Remote Strobe, Center Option Only, Power	120.00	108.00
	Supply Purchased Separately		
SLTM2M*	NEW Two MR11 Flashing Take-Downs and One Linear-LED, Amber, Blue and/or Red, Center	220.20	198.18
	Option Only, Clear Outer Lens		
SLALY	Two Halogen Flashing Alley Lights	48.60	43.74
SLAM1	Two MR11 Halogen Flashing Alley Lights	57.60	51.84

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red; G = Green



SLAM1**	Two MR11 Halogen Flashing Alley Lights with Two TIR3 Super-LED, Amber, Red, and/or Blue	202.20	181.98
SLAM1*C	Two MR11 Halogen Flashing Alley Lights with Two TIR3 Super-LED, 1 Amber, Red or Blue &	208.80	187.92
	1 White		
SLAM1CC	Two MR11 Halogen Flashing Alley Lights with Two TIR3 Super-LED, Two White	214.80	193.32
SLCRUZ**	Four LED Cruise Lights, Amber, Blue, White and/or Red	91.20	82.08
SLTALN5	Five Linear Super-LED Traffic Advisor, Includes Control Head	624.00	561.60
SLTALN6	Six Linear Super-LED Traffic Advisor, Includes Control Head	711.00	639.90
SLTALN5L	Five Linear Super-LED Traffic Advisor, Two Wire Control, No Control Head	433.80	390.42
SLTALN6L	Six Linear Super-LED Traffic Advisor, Two Wire Control, No Control Head	520.20	468.18
SLW§§§00	Five Linear Super-LED Split Traffic Advisor, Two Wire Control, Replace Symbol § with Number	463.80	417.42
	of Split Warning LED Colors, Order is Red/Blue/Amber, 5 Max. Driver Side Warning Lights		
	Alternates with Pass. Side Warning Lights, No Individual Control of Rear Inboard Warning.		
SLX§§§00	Six Linear Super-LED Split Traffic Advisor, Two Wire Control, Replace Symbol § with Number	550.20	495.18
	of Split Warning LED Colors, Order is Red/Blue/Amber, 6 Max. Driver Side Warning Lights		
	Alternates with Pass. Side Warning Lights, No Individual Control of Rear Inboard Warning.		
SLY§§§00	Five Linear Super-LED Split Traffic Advisor, Includes Control Head, Replace Symbol § with	654.00	588.60
	Number of Split Warning LED Colors, Order is Red/Blue/Amber, 5 Max.		
SLZ§§§00	Six Linear Super-LED Split Traffic Advisor, Includes Control Head, Replace Symbol § with	741.00	666.90
	Number of Split Warning LED Colors, Order is Red/Blue/Amber, 6 Max.		
SLXXPAT	Criss/Cross Flash Pattern of End Linear-LED™ LEDs	66.60	59.94

Towman's™, Centurion™ Series, With Passenger Side Exiting 15' Cable

Towman's™ Centurion™ Series Lightbars, All Models Include Duplex LED Brake/Tail/Turn, 600 Series Dual Halogen Work Light Center

ca _.	ear, Front Duplex Flashers, and Amber Life Donnes with Clear Inner Donnes and Clear Lower Level Lens and Color Filters.								
	C2000W00	Two Rotators, Two "V" Mirrors, 60" Long, MK20S		563.40	507.06				
	C4000W00	Four Rotators, Two Diamond Mirrors, 60" Long, MK20S		633.60	570.24				
	CICCBLED	3-Wire LED Supplemental ICC and Brake Light, LED		57.00	51.30				

7		MWH Danner City Full on the				
		M, With Passenger Side Exiting 15' Cable				
Tow		htbars, All Models Include LED Brake/Tail/Turn, Work Lights and Scan-Lock				
	9M140W00	60" Includes 1 Power Supply and 4 Strobe (2 Front/2 Rear)	620.40			
	9M140V00	60" Includes 1 Power Supply, 4 Strobe (2 Front/2 Rear) and 4 Halogen Flashers (2 Front/2 Rear)	771.60			
	9M260W00	60" Includes 2 Power Supply, 6 Strobe (4 Front/2 Rear)	874.80			
	9M280W00	60" Includes 2 Power Supply and 8 Strobe (4 Front/4 Rear)	930.60			
	9M300W00	60" Includes 3 Power Supply and 10 Strobe (6 Front/4 Rear)	1011.00			
	9M320W00	60" Includes 3 Power Supply and 12 Strobe (6 Front/4 Rear/2 Ends)	1067.40			
Towi	man's™ 9M Lig	htbar Accessories				
	9MRFIWB	Two Halogen Flashing Lights, Substituted for Standard Work Lights	43.80	39.42		
	9MH2**	Two Halogen Lights, Includes Flasher with Steady Burn Priority Mode	81.00	72.90		
	9MH4****	Four Halogen Lights, Includes Flasher with Steady Burn Priority Mode for One Set of Lights	116.40	104.76		
	9ML2**	Two LED Panels, Includes Flasher with Steady Burn Priority Mode, Red and/or Amber	174.00	156.60		
	9ML4****	Four LED Panels, Includes Flasher with Steady Burn Priority Mode for One Pair of Lights, Red and/or Amber	313.80	282.42		
	TA9M06H	Built-in 6 Halogen Lamp Traffic Advisor™ with Control Head	336.60	302.94		
	TA9M06L	Built-in 6 LED Panels Traffic Advisor™ with Control Head	509.40	458.46		
	TA9M06S	Built-in 6 Strobe Light Traffic Advisor™ Two Wire Control, Includes Power Supply.	320.40	288.36		
	DEL9MWL	Delete Rear Facing Halogen Work Lights (required if using a TA9M06)	28.80			
	DEL9MSTP	Delete Brake/Tail/Turn Lights (required if using a TA9M06)	28.80			
	9MLTH	Custom Length up to 83" (Insert Required Length in Model # 66", 72", 77", or 82")	116.40	104.76		
	9MLTH	Custom Length 83"+ (Insert Required Length in Model # 88", 93", or 98")	190.80	171.72		
Towman"s™ T100 Systems						
	T103	Towman's Strobe System T-103	558.60	502.74		
	T105	Towman's Liberty Super-LED System, Includes Two MCSLED2A's and Switch	693.60	624.24		
	T106	Towman's Freedom Super-LED System, Includes Two MCFLED2A's and Switch	815.40	733.86		

4500 Series & Edge®+ Plus™, Flush Mount

J	N Schoo a Li	age + i lus , i lusii woult				
dg	_l e®+Plus™ Serie	s Lightbars and Options	,			
	9801	9801, Strobe Lightbar System (2 pieces)		718.80		ı
	9802	9802, Strobe Lightbar		432.60		ı
	9804W	9804-W, Wrap-around Lightbar		651.60		ı
	9804F	9804-F, Flush Mount Lightbar		636.60		ı
	9806F	9806-F, Flush Mount Lightbar		976.80		ı
	9806W	9806-W, Wrap-around Lightbar		989.40		ı
	9800WL	Halogen Work Lights (pair) for Models 9802, 9804 and 9806		88.20		ı
	98HALMDL	Internal 700 Halogen Module (Flasher Sold Separately)		45.00	40.50	
	OPTIW500	Edge+Plus™ Lightbar Pre-wired for 3M® Model 9592 OPTICOM®		38.40		ı
	9592	3M® Emitter for Edge® and Edge+Plus™ Lightbars, -Refer to 3M® OPTICOM® Emitters Section for Pricing				

LENGTH3	Custom Length up to 80"	154.20	
LENGTH4	Custom Length 80+" to 100"	190.80	
ICC5AL	Five (5) LED ICC Lights, Amber, Installed	57.00	
ICC5RL	Five (5) LED ICC Lights, Red, Installed	57.00	
98DELPS	Delete Power Supply From 9800 Series Lightbars	160.20	

4500 Plus Super-LED® Build-A-Bar Series, Not all options available on all Lightbars, 4500 Super-LED® Series is a Build-A-Bar, All Inner Lightheads and Rotators Purchased Seperately

W 4500 Series Build-A-Bar, 52" Long	203.40	
	200110	
W 4500 Series Build-A-Bar, 52" Long, with Center Mounted LED ICC Lights, Replace * with lor of ICC light, A =Amber or R = Red	203.40	
W 4500 Series Build-A-Bar, ±± Insert Length 60", 72 or 76"Long	303.00	
W 4500 Series Build-A-Bar, ±± Insert Length 60", 72 or 76"Long, with Center Mounted LED C Lights, Replace * with Color of ICC light, A =Amber or R = Red	303.00	
W 4500 Series Build-A-Bar, ±± Insert Length 82", 84", 86", 88" or 90"Long	400.20	
W 4500 Series Build-A-Bar, ±± Insert Length 82", 84", 86", 88" or 90"Long, with LED ICC hts, Replace * with Color of ICC light, A =Amber or R = Red	400.20	
W Interior KKK Front Super-LED Lighting Package, Includes 2 Corner Red, 2 400 Series d and 2 400 Series White Linear-LEDs, Flashers not Included	805.20	
W Interior KKK Rear Super-LED Lighting Package, Includes 2 Corner Red, 2 400 Series d, 2 400 Series Amber Linear-LEDs and Halogen Load Lights, Flashers not Included	858.60	
W Add 1 Single Color Corner Linear-LED Lighthead, Amber, Blue or Red	136.80	
W Add 1 Single Color Corner Linear-LED Lighthead, White	156.60	
W Add 1 Single Color 400 Series Linear-LED Lighthead, Amber, Blue or Red	123.00	
W Add 1 Single Color 400 Series Linear-LED Lighthead, White	142.80	
W Delete Outboard 2 Amber ICC Lights Only.	0.00	
W Deletes Outboard 2 Red ICC Lights Only.	0.00	
W Delete Center Amber ICC Light Only	0.00	
W Delete Center Red ICC Light Only	0.00	
W Add 1 Internal Flasher & Harness Only for up to 2-400 Series Linear-LED Super-LED htheads	43.20	
W Add 1 Internal Flasher and Harness for 2 End Linear-LED Super-LED Lightheads Only.	45.00	
W SuperLED® Traffic Advisor™ and Halogen Load Light Upgrade, For Use with 4500B ries 82" or Larger	928.80	
	lor of ICC light, A =Amber or R = Red W 4500 Series Build-A-Bar, ±± Insert Length 60", 72 or 76"Long W 4500 Series Build-A-Bar, ±± Insert Length 60", 72 or 76"Long, with Center Mounted LED C Lights, Replace * with Color of ICC light, A =Amber or R = Red W 4500 Series Build-A-Bar, ±± Insert Length 82", 84", 86", 88" or 90"Long W 4500 Series Build-A-Bar, ±± Insert Length 82", 84", 86", 88" or 90"Long, with LED ICC hts, Replace * with Color of ICC light, A =Amber or R = Red W Interior KKK Front Super-LED Lighting Package, Includes 2 Corner Red, 2 400 Series d and 2 400 Series White Linear-LEDs, Flashers not Included W Interior KKK Rear Super-LED Lighting Package, Includes 2 Corner Red, 2 400 Series d, 2 400 Series Amber Linear-LEDs and Halogen Load Lights, Flashers not Included W Add 1 Single Color Corner Linear-LED Lighthead, Amber, Blue or Red W Add 1 Single Color Corner Linear-LED Lighthead, White W Add 1 Single Color 400 Series Linear-LED Lighthead, Amber, Blue or Red W Add 1 Single Color 400 Series Linear-LED Lighthead, White W Delete Outboard 2 Amber ICC Lights Only. W Delete Center Amber ICC Light Only W Delete Center Red ICC Light Only W Add 1 Internal Flasher & Harness Only for up to 2-400 Series Linear-LED Lightheads W Add 1 Internal Flasher and Harness for 2 End Linear-LED Super-LED Lightheads W Add 1 Internal Flasher and Harness for 2 End Linear-LED Super-LED Lightheads W Add 1 Internal Flasher and Harness For 2 End Linear-LED Super-LED Lightheads N Add 1 Internal Flasher and Harness For 2 End Linear-LED Super-LED Lightheads N Add 1 Internal Flasher and Harness For 2 End Linear-LED Super-LED Lightheads N Add 1 Internal Flasher and Harness For 2 End Linear-LED Super-LED Lightheads N Add 1 Internal Flasher and Harness For 2 End Linear-LED Super-LED Lightheads N Add 1 Internal Flasher Advisor™ and Halogen Load Light Upgrade, For Use with 4500B	lor of ICC light, A =Amber or R = Red W 4500 Series Build-A-Bar, ±± Insert Length 60", 72 or 76"Long 303.00 W 4500 Series Build-A-Bar, ±± Insert Length 60", 72 or 76"Long, with Center Mounted LED 203.00 Lights, Replace * with Color of ICC light, A =Amber or R = Red W 4500 Series Build-A-Bar, ±± Insert Length 82", 84", 86", 88" or 90"Long W 4500 Series Build-A-Bar, ±± Insert Length 82", 84", 86", 88" or 90"Long W 4500 Series Build-A-Bar, ±± Insert Length 82", 84", 86", 88" or 90"Long, with LED ICC hts, Replace * with Color of ICC light, A =Amber or R = Red W Interior KKK Front Super-LED Lighting Package, Includes 2 Corner Red, 2 400 Series d and 2 400 Series White Linear-LEDs, Flashers not Included W Interior KKK Rear Super-LED Lighting Package, Includes 2 Corner Red, 2 400 Series d, 2 400 Series Amber Linear-LEDs and Halogen Load Lights, Flashers not Included W Add 1 Single Color Corner Linear-LED Lighthead, Amber, Blue or Red 136.80 W Add 1 Single Color 400 Series Linear-LED Lighthead, White 156.60 W Add 1 Single Color 400 Series Linear-LED Lighthead, Amber, Blue or Red 123.00 W Add 1 Single Color 400 Series Linear-LED Lighthead, White 142.80 W Delete Outboard 2 Amber ICC Lights Only. 0.00 W Delete Center Amber ICC Lights Only. 0.00 W Delete Center Red ICC Light Only 0.00 W Delete Center Red ICC Light Only 0.00 W Add 1 Internal Flasher & Harness Only for up to 2-400 Series Linear-LED Super-LED htheads W Add 1 Internal Flasher and Harness for 2 End Linear-LED Super-LED Lightheads Only. 45.00 W Super-LED® Traffic Advisor™ and Halogen Load Light Upgrade, For Use with 4500B ries 82" or Larger

4500 Plus Build-A-Bar Series, Not all options available on all Lightbars. Strobe, Halogen and Rotating Series is a Build-A-Bar, All Inner Lightheads and Rotators Purchased Seperately

4ED00	NEW AFOO Codes Dutle A Day 2011 and	122.00	
45B22	NEW 4500 Series Build-A-Bar, 22" Long	132.00	
45B±±	NEW 4500 Series Build-A-Bar, ±± Insert Length 38" or 44"Long	149.40	
45B52	NEW 4500 Series Build-A-Bar, 52" Long	203.40	
45B52*	NEW 4500 Series Build-A-Bar, 52" Long, with Center Mounted LED ICC Lights, Replace * with Color of ICC light, A =Amber or R = Red	203.40	
45B±±	NEW 4500 Series Build-A-Bar, ±± Insert Length 60", 72 or 76"Long	303.00	
45B±±*	NEW 4500 Series Build-A-Bar, ±± Insert Length 60", 72 or 76"Long, with Center Mounted LED ICC Lights, Replace * with Color of ICC light, A =Amber or R = Red	303.00	
45B±±	NEW 4500 Series Build-A-Bar, ±± Insert Length 82", 84", 86", 88" or 90"Long	400.20	
45B±±*	NEW 4500 Series Build-A-Bar, ±± Insert Length 82", 84", 86", 88" or 90"Long, with LED ICC Lights, Replace * with Color of ICC light, A =Amber or R = Red	400.20	
45KFS	NEW Interior KKK Front Strobe Lighting Package, Includes 3 Strobes	154.80	
45KRS	NEW Interior KKK Rear Strobe Lighting Package, Includes 3 Strobes and Two Load Lights	208.20	
45KFH	NEW Interior KKK Front Halogen Lighting Package, Includes 3 Halogen Modules, Flashers not Included	136.80	
45KRH	NEW Interior KKK Rear Halogen Lighting Package, Includes 3 Halogen Modules and Two Load Lights, Flashers not Included	190.20	
45ALOAD	NEW Add 2-Load Lights	53.40	
45DLOUTA	Delete Outboard 2 Amber ICC Lights Only.	0.00	
45DLOUTR	Deletes Outboard 2 Red ICC Lights Only.	0.00	
45DLCNTA	Delete Center Amber ICC Light Only	0.00	
45DLCNTR	Delete Center Red ICC Light Only	0.00	
45ADDHAL	Add 1-700 Series Halogen Lighthead	45.60	
45ADDSTR	Add 1- 700 Series Strobe Lighthead	51.60	
45ADDAST	Add 1- Outboard Angled Strobe Lighthead	51.60	
45ADROTA	Add 1- Rotator	45.60	
45ADL8*	Add 1- 700 Series Linear-LED Super-LED Lighthead, Red, Blue or Amber with Flash Pattern Internal	123.00	
All models are 1'	2 Volt D.C. only unless otherwise noted above. For other voltages contact factory		

All models are 12 Volt D.C. only unless otherwise noted above. For other voltages contact factory.

* Replace symbol in model number with letter indicating lens color or LED color desired: A = Amber; B = Blue; C = Clear/White; R = Red; G = Green



Whelen Engineering Company, Inc.

No. PL 05.1WD VALID: July 1, 2005 - December 22, 2005

	110.1 E03.1110 VILID. 3413 1, 2003 December 22, 2003	,	
45ADL8C	Add 1-700 Series Linear-LED Super-LED Lighthead, White Amber with Flash Pattern Internal		148.20
4500OPTI	4500 Series Lightbar Pre-wired for 3M® 792 OPTICOM®		52.20
792	3M® Emitter for 4500 Series Lightbars,-Refer to 3M® OPTICOM® Emitters Section for Pricing.		
LENSGLUE	Optional Lens Section Glued		25.20

Highway Series		
Highway Series, Inc	ludes Lift Mechanism and Lightbar Shell with Clear Outer Domes. Interior Packages Sold Separately.	
HIWAY48	48"	2362.80
HIWAY56	56"	2362.80
Interior Packages for	or Highway Series	<u> </u>
HWK1	The Front Lightbar Enclosure Consists of: 3 Red LED Front; 1 Red LED, 1 Amber LED & 1 Blue Strobe to the Rear w/ a Two Outlet, 20 Watt Output Power Supply & The Rear Lightbar Enclosure Consists of: 3 Red LED Front; 1 Red LED, 1 Amber LED & 1 Red Strobe to the Rear w/ a Two Outlet, 20 Watt Output Power Supply	972.00
HWK2	Each Lightbar Enclosure Consists of: 2 Red Strobes, 2 Halogen Take-Downs to the Front; 1 Red LED, 1 Amber LED & 2 Amber Strobe to the Rear w/ a 90 Watt Output Power Supply	1004.40
HWK3	Each Lightbar Enclosure Consists of: 2 Red Strobes, 2 Halogen Take-Downs to the Front; 1 Red LED, 1 Amber LED, 1 Amber Strobe & 1 Red Strobe to the Rear w/ a 90 Watt Outputt Power Supply	1004.40
HWK4	Each Lightbar Enclosure Consists of: 2 Red Strobes & 1 Red LED to the Front; 1 Red LED, 2 Amber Strobe to the Rear w/ a 90 Watt Output Power Supply	920.40
Options for Highwa	y Series	
HWTIMER	Programmable Timer Module Allows for One-Touch Raising or Lowering of Highway Lightbar	110.40
HWSWTCH1	Two Switches (1 on/off & 1 Momentary)	58.80
HWTABKT	Traffic Advisor Bracket for HIWAY48 Bar, Traffic Advisor Sold Separately.	33.00
Mounting Kits for H	lighway Series	
HWMTGK1	1998-2004 Crown Victoria Permanent Mount Kit	79.80
HWMTGK2	2000-2004 Impala Permanent Mount Kit	79.80

Inner-Edge™ Series, Interior Lightbar, Includes a Choice of Eight or Ten TIR3 Lightheads, Two MR8 Halogen Take Down Lights and Mounting Hardware.

Inner-Edge™ Series, Eight and Ten Lamp Inner-Edge, Front Visor Mount. TIR3 Lightheads and Two MR8 Halogen Take Down Lights Standard.

I01UF8	NEW 8 Lamp Upper Front Unit For 2004 To 2005-1/2 Ford Crown Victoria, For Vehicle with 11.25" between Visor Mounting Brackets	659.40	
I01UFZ	NEW 10 Lamp Upper Front Unit For 2004 To 2005-1/2 Ford Crown Victoria, For Vehicle with	779.40	
	11.25" between Visor Mounting Brackets		
I02UF8	NEW 8 Lamp Upper Front Unit For 2005-1/2 Ford Crown Victoria, For Vehicle with 13.25"	659.40	
	between Visor Mounting Brackets		
I02UFZ	NEW 10 Lamp Upper Front Unit For 2005-1/2 Ford Crown Victoria, For Vehicle with 13.25"	779.40	
	between Visor Mounting Brackets		
103UF8	NEW 8 Lamp Upper Front Unit For 2005 Chevy Impala	719.40	
I03UFZ	NEW 10 Lamp Upper Front Unit For 2005 Chevy Impala	839.40	
I04UF8	NEW 8 Lamp Upper Front Unit For 2005 Chevy Suburban and Tahoe	659.40	
I04UFZ	NEW 10 Lamp Upper Front Unit For 2005 Chevy Suburban and Tahoe	779.40	

Lighting Package for Inner-Edge™ Series, Insert Colors for Inner Edge, Replace Symbol "\$" With Number of Color LEDs Required. Order of Colors are Red, Blue and Amber. Use Z for 10. For White LED Modules, Contact Factory.

0. 0.	or boloic are rical blac and rimborr book bir for ror or rimic beb induited bondary						
	ITP§§§00	NEW 10 Lamp, Insert colors, No Charge When Ordered with Inner Edge Lightbar					
	ITP§§§00	NEW 8 Lamp, Insert colors, No Charge When Ordered with Inner Edge Lightbar					
Mounting Kits for Inner-Edge™ Series							
	IBKT01	NEW Mounting Kit For 2004 To 2005-1/2 Ford Crown Victoria, Front Upper Mount, No Charge					
		When Ordered with I01UF Lightbar					
		<u> </u>					

IBKT01	NEW Mounting Kit For 2004 To 2005-1/2 Ford Crown Victoria, Front Upper Mount, No Charge When Ordered with I01UF Lightbar		
IBKT02	NEW Mounting Kit For 2005-1/2 Ford Crown Victoria, Front Upper Mount, No Charge When Ordered with I02UF Lightbar		
IBKT05	NEW Mounting Kit For 2005 Chevy Impala, Front Upper Mount, No Charge When Ordered with 103UF Lightbar		
IBKT06	NEW Mounting Kit For 2005 Chevy Suburban and Tahoe, Front Upper Mount, No Charge When Ordered with I04UF Lightbar		

Options, Mounting Kits, For Edge®, Centurion™, Delta™, LFL & Val-U-Bars™, WITH LIGHTBAR PURCHASE ONLY, Model/Year/Length (For Mounting Kits, Mounting Kit Options & Replacement Straps See End of this Section)

Chevrolet, with Lightbar Purchase Only

 	······································		
MKEZ30	Astro Van / 1996-2005 / 48"-52"	19.80	17.82
MKEZ54	Avalanche / 2002-2005 / 48"-50"	19.80	17.82
MKEZ53	Blazer / 2001-2005 / 48"-50"	19.80	17.82
MKEZ59	Blazer / 1998-2000 / 48"-50"	19.80	17.82
MKEZ5	C/K Pickup / 1994-2004 / 52"-55"	19.80	17.82

MKEZ63 MKEZ57 MKEZ6 MKEZ45 MKEZ5 MKEZ48	Colorado Pickup / 2004-2005 / 48" GMC Envoy / 2004-2005 / 48"-50", Optional "3DEGREE" Leveling Bracket Recommended, See Mounting Option Kits Express Van / 1999-2005 / 52"-55"	19.80 19.80	17.8 17.8
MKEZ6 MKEZ45 MKEZ5	See Mounting Option Kits		17.8
MKEZ45 MKEZ5			
MKEZ45 MKEZ5		19.80	17.8
	GMC 3500 Truck / 1999-2005 / 52"-55"	19.80	17.8
	GMC Jimmy (Full Size) / 1992-2004 / 52"-55"	19.80	17.8
	IMPALA, for Edge Ultra, 9M & LFL (also works with 52" Classic/ 94/96 Series) / 2000-2005 / 48"-52"	19.80	17.
MKEZ46	IMPALA, for Edge & Centurion only/ 2000-2005 / 48"	19.80	17.8
MKEZ64	NEW Malibu and Malibu Maxx / 2004-2005 / 48"-50"	19.80	17.
MKEZ5	RV / Suburban / 1992-2000 / 52"-55"	19.80	17.
MKEZ54	R/V Suburban, Tahoe, Yukon / 2001-2005 / 52"-55"	19.80	17.
MKEZ6	R/V Chassis Cab / 1990-Up / 52"-55"	19.80	17.
MKEZ6	R/V Pickup / 1990-Up / 52"-55"	19.80	17.
MKEZ45	Silverado Pickup / 1999-2005 / 52"-55"	19.80	17.
MKEZ5	Tahoe/Yukon / 1995-2000 / 52"-55"	19.80	17.
MKEZ57	Trail Blazer / 2002-2005 / 48"-50"	19.80	17.
sler, with Light	tbar Purchase Only		
MKEZ2	Concorde / 1994-Up / 48"-50"	19.80	17.8
MKEZ65	NEW Charger / 2005 / 48"-50"	19.80	17.8
MKEZ5	Dakota / 1990-2004 / 48"-50"	19.80	17.8
MKEZ62	Dakota / 2005 / 48"-50"	19.80	17.
MKEZ25	Durango / 1998-2000 / 48"-50"	19.80	17.8
MKEZ52	Durango / 2001-2003 / 48"-50"	19.80	17.
MKEZ62	Durango / 2004-2005 / 48"-50"	19.80	17.
MKEZ36L	Intrepid / 1998-Up / 44", Optional "3DEGREE" Leveling Bracket Recommended, See Mounting Kit Options	19.80	17.
MKEZ36	Intrepid / 1998-Up / 48"-50", Optional "3DEGREE" Leveling Bracket Recommended, See Mounting Kit Options	19.80	17.
MK14H	Jeep Grand Cherokee / 1993-2004 / 48"-50"	38.40	34.
MKEZ62	Jeep Grand Cherokee / 2005 / 54"-55"	19.80	17.
MKEZ25	Jeep Liberty, 2002-2005 / 48"-50" Optional "3DEGREE" Leveling Bracket Recommended, See Mounting Kit Options	19.80	17.
MKEZ2	Jeep Cherokee / 1990-2004 / 48"-50"	19.80	17.8
MKEZ11	PT Cruiser / 2000-2005 / 48"-50"	19.80	17.8
MKEZ65	Magnum / 2005 / 48"-50"	19.80	17.
MKEZ58	Ram 1/2 Ton Pickup / 2002-2005 / 52"-55"	19.80	17.
MKEZ58	Ram 2500/3500 Pickup / 2003-2005 / 52"-55"	19.80	17.8
MKEZ25	Ram (Not Van) / 1994-2000 / 52"-55"	19.80	17.8
	† Ram (Not Van) / 2001-2002 / 52"-55"		
MKEZ50		19.80	17.
	Purchase Only		
MKEZ16	Contour / 1995-1999 / 48"-50"	19.80	17.
MKEZ47	Crown Victoria / 1992-2005 / 48"-50"	19.80	17.
MKEZ2	E-Series / 1999-2005 / 60"	19.80	17.
MKEZ51	Escape (Standard Roof Rack Only) / 2001-2004 / 48"-50"	19.80	17.
MKEZ34	Excursion, Roof Rack Mount / 2003-2004 / 48"-50"	19.80	17.
MKEZ34	Excursion, Roof Rack Mount / 1997-2002 / 52"-55"	19.80	17.
MKEZ41	Excursion, For Centurion Series / 2000-2004 / 60"	19.80	17.
MKEZ38	Excursion, For Edge Series / 2000-2004 / 55"-60"	19.80	17.
MKEZ34	Expedition (Roof Rack Mount) / 1997-2004 / 52"-55"	19.80	17.
MKEZ67	NEW Expedition (Roof Rack Mount) / 2005 / 50"-55"	19.80	17.
MKEZ34	Expedition (Roof Rack Mount) / 2003-2004 / 52"-55"	19.80	17.
MKEZ60	Expedition / 2003-2005 / 52"-55"	19.80	17.
MKEZ37	Explorer (4 Door Only) / 1998-2001 / 48"-50"	19.80	17.
MKEZ55	Explorer / 2002-2005 / 48"-50" Explorer Sport & Sport Track without Doof Dook / 2001 Hz / 40" E0"	19.80	17.
MKEZ2 MKEZ35	Explorer Sport & Sport Track without Roof Rack / 2001-Up / 48"-50" F-150 and F-250, 2004 Classic Only (Not Super Duty) Quick Discount Mount / 1998-2003 / 48"-50"	19.80 31.80	17. 28.
MKEZ61	F-150 / 2004-2005 / 52"-55"	19.80	17.8
MKEZ49	F-150 / 2004-2003 / 32 -53 F-150 Super Crew / 2001-2003 / 48"-52"	31.80	28.
MKEZ41	F-250/350/450/550 Super Duty / 1999-Up / 60", Centurion Only	19.80	17.
MKEZ38	F-250/350/450/550 Super Duty / 1999-Up / 60", Edge only,	19.80	17.
MKEZ16	Freestar / 2004-2005 / 48"-52"	19.80	17.8
	500 / 2005 / 48"-50"	19.80	17.
MKEZ66	Mustang / 1994-2005 / 48"-50"	19.80	17.
MKEZ66 MKEZ2 MKEZ59	Ranger / 1994-Up / 48"-50"	19.80	17.8



International, with I	Lightbar Purchase Only		
MKEZ56	Navistar 4300 / 2001-Up / 66"	19.80	17.82
Mitsubishi, with Lig	htbar Purchase Only		
MKEZ44	Montero / 1994-Up / 48"-50"	19.80	17.82
Permanent Mount,	with Lightbar Purchase Only		
MKEZ7	1-1/2" Permanent Mount / ALL		
MK8H	5" Permanent Mount (cast aluminum) / ALL / ALL	19.80	17.82
MK9S	Slide bolt brackets for flat surface mounting (2 ea.) 48"/55"	19.80	17.82
MK20S	Slide bolt brackets for flat surface mounting (3 ea.) 60+"	19.80	17.82
MKEZ29	1-1/2" Mounting foot w/strap hardware (Straps Purchased Separately)		
Quick Disconnect N	Mount, with Lightbar Purchase Only		
MKEZ42	Dodge Caravan (Quick Disconnect Mount) / 1996-2005 / 48"-50"	31.80	28.62
MKEZ17	Ford Crown Victoria (Quick Disconnect Mount) / 1992-2005 / 48"	31.80	28.62
MKEZ35	Ford Expedition (Quick Disconnect Mount), F-150 and F-250 (Not Super Duty) / 1998-2000/48"	31.80	28.62
MKEZ49	Ford Expedition (Quick Disconnect Mount) / 2001-2003 / 48"	31.80	28.62

Re	placement Pa	orts, Mounting Kits, Strap Kits & Options, Replace # with the vehicle # listed of	on	
pre	vious page.			
Mou	unting Kit Option	S		
	3DEGREE	3 Degree Adapters to be used with any Mounting Kits to adjust the Front or Rear of the	27.00	24.30
		Lightbar Up		
Rep	lacement Strap	Kits & Mounting Kits		
	RMKEZ#	Replacement Mounting Kit includes Feet, Hardware & Straps of your choice	77.40	69.66
	RMEZ29	Replacement 1 1/2" Mounting Foot with Strap Hardware (Straps Purchased Separately)	43.80	39.42
	RMK#H	Replacement Mounting Kit includes 5" Riser, Hardware & Straps of your choice	95.40	85.86
	STPKT#	Straps & Bolt only for Mounting Kit	43.80	39.42
	RMKEZ7	Replacement 1-1/2" Permanent Mounting Kit #7	43.80	39.42
	RMK9S	Replacement Slide Bolt Mounting Kit #9S (2 ea.)	43.80	39.42
	RMK20S	Replacement Slide Bolt Mounting Kit #20S (3 ea.)	61.20	55.08
	RMK8H	Replacement 5" Riser Mounting Kit #8H	61.20	55.08
	NOTE	All Straps are Special Ordered and NON-RETURNABLE. Some modification may be required		
		by the End User to adapt these Straps to fit Exact Vehicle Roof Line and Door Jamb positions.		
		This List is intended as a GUIDE ONLY to assist in obtaining the Closest Strap for Vehicle		
		Make and Fit, and DOES NOT GUARANTEE an exact fit in every case.		

Re	placement Pa	arts, Bulbs For Whelen Lights, Pictorial reference is located at the end of this P	rice List.	
		/olts, Unless Specified, Snap-In, Bulb Only		
	H27DSN28	27 Watt, 24 Volt, Stop/Tail/Turn	12.00	10.80
	H35DSN12	35 Watt Halogen Dual Filament for Interior Light Only	12.00	10.80
	H35SN24	35 Watt, 24 Volt (Yellow Dot)	12.00	10.80
Hal	ogen Bulbs, 12 \	/olts, H-1		
	H55H112	55 Watts, For Delta Rotators, Guardian Models G1 and G2 Series	9.30	8.37
Hal	ogen Bulbs, 12 \	/olts, Unless Specified, Twist-Lock, Includes Twist-Lock Adapter & Snap-In Bulb.		
	H35HSC12	35 Watt Halogen Bulb for 810 Scene Light	15.00	13.50
	H35ASC24	35 Watt Halogen Bulb for 24 Volt 810 Scene Light	15.00	13.50
	H35DTL12	35 Watt Halogen Bulb, 3 Position Connector for Interior Light Only, Dual Filament	15.00	13.50
Str	obe Tubes			
	UNI	Universal Flash Tube, replaces S406, S600, Z360	30.60	27.54
	4ELTUBE	400 Series Linear Strobe Tube/Reflector Assembly	36.60	32.94
	4ECTUBE	4E Series Combination Rear Strobe w/Halogen Lamp Reflector Assembly	56.40	50.76
	500LTUBE	500 Series Linear Strobe Tube/Reflector Assembly.	45.60	41.04
	58L4TUBE	508E Series Linear Strobe Tube/Reflector Assembly, 4 Screw Lens Design	72.00	64.80
	81L4TUBE	810E Series Linear Strobe Tube/Reflector Assembly, 4 Screw Lens Design	72.00	64.80
	6ELTUBE	600/6E Series Linear Strobe Tube/Reflector Assembly	49.20	44.28
	7ELTUBE	700/7E Series Linear Strobe Tube/Reflector Assembly	49.20	44.28
	7ECTUBE	7E Series Combination Rear Strobe w/Halogen Lamp Reflector Assembly	56.40	50.76
	80DTUBE	800D/1200D Series Helix 1-1/2 Turn, 3 Pin Plug-In Base Strobe Tube	30.60	27.54
	80TUBE	800C/1200C Series Helix 1-1/2 Turn Strobe Tube with black reflector 1200C Series, 800C Series, FHEAD / GHEAD / XHEAD Series	30.60	27.54
	900STUBE	900 Series Non-Linear Strobe Tube/Reflector Assembly.	51.60	46.44
	9UTUBE	Edge® 9M/Ultra Corner Tube/Reflector	36.60	32.94
	LFLTUBE	Edge® LFL Corner Tube/Reflector	36.60	32.94
	DIRECTIO	Large directional Strobe Tube with reflector (MN200S Style) 9000FF Series, 9000FM, 9801 Series, 9804 Series, 9806 Series, AdvantEdge+ Plus Series	43.80	39.42
	FT10A	3-Pin "U" Strobe Tube, Plug-in, VP410 Series, VP415 Series, 2004, 2012, 2015	15.60	14.04
	FT1510	Linear Tube for 1510 Series	13.80	12.42
	FT20A	3-Pin Helix 1-1/2 turn Strobe Tube, Plug-in, VP420 Series, VP422 Series, 2022, G5 & G7 Series	18.30	16.47
	FT25	Flash Tube, 2500-Series Beacons	18.30	16.47
	LINEAR14	Linear Strobe/Reflector Module, Centurion™ Lower Level CL14 Series Strobes, FastTrax™ Front Strobe	36.60	32.94

LINEAR17	Linear Strobe/Reflector Module, Dash-King™ Series, Centurion Lower Level CL17 Series			36.60	32.94
MICDOCID	Strobes Miner Cide Report Charles and reflector 0000M MC100C Carine RADY Carine			24.00	21.22
MICROSID S1000	Micro Side Beam Strobe and reflector 9802M, MC100S Series, R4DX Series 1000 Series Strobe Flash Tube			34.80 6.90	31.32
M469	1 1/2 Turn Helix Strobe Tube w/Reflective Base, V-Head			30.60	27.54
REPTSCOM	Twin Side Beam™ Strobe w/Halogen Lamp Reflector Assembly			47.40	42.66
REPTSCE	Twin Side Beam Strobe w/Halogen Lamp Reflector Assembly for Edge Caps™			47.40	42.66
REPTSSTR	Twin Side Beam Dual Strobe Reflector Assembly			57.60	51.84
REPTSSE	Twin Side Beam Dual Strobe Reflector Assembly for Edge Caps			57.60	51.84
SMALLDIR	Small Directional Strobe with Reflector (no side kickers), For SOLO*S			34.80	31.32
SSTUBE	Super Strobe® Helix 1-1/2 turn Strobe Tube and Polished Reflector, DOT6H, S360C/S360D/S360S Series, SS361, SS363, SS364			30.60	27.54
TURBO94	Linear Strobe Tube/Reflector Ass'y for 94 MEDGE, 94 Towman's Edge, 94EDGE with Traffic Advisors, and Micro-Edge	;		36.60	32.94
TURBOASY	Linear Strobe/Reflector Module for "Classic" Edge® and Edge+Plus			36.60	32.94
TURB6DUP	Duplex Linear Strobe/Reflector Module for 96 Series Edge Bars, Dash-King 2000			36.60	32.94
TURB6ASY	Linear Strobe/Reflector Module For B-Link, 94/96 Series Edge Bars (Full Size).			36.60	32.94
TURB6HAL	Linear Strobe & Snap-in Halogen/Reflector Module for Models 9404, 9406			38.40	34.56
TURB6KIT	Linear Strobe/Reflector Module for Models 9404, 9406			36.60	32.94
	h Deutsch® Waterproof Connectors				
REPDIRWD	DOT3 100 Series Rear Strobe Assembly, Replaces Old Style Amp W.P., (P/N 02-0341827-00C)			48.60	43.74
REPS30WD	DOT3 200 Series Rear 1-1/2 Turn Helix Strobe Assembly, Rep. Old Style Amp W.P., (P/N 36-0361836-00C)			34.80	31.32
REPSTTWD	DOT3 100/200 Series Brake/Tail/Turn Bulb Assembly, Repl.Old Style Amp W.P., (P/N 34-0061856-00C)			19.50	17.55
REPH35WD	DOT3 100/200 Series Back-up Light Bulb Assembly, Rep. Old Style Amp W.P., (P/N 34-0061852-00C)			19.50	17.55
DIRECTWD	DOT3 100 Rear Strobe Assembly with Deutsch® Waterproof Connector			47.40	42.66
	h Amp Waterproof Connectors			10.50	17.55
REPSTTWA H35TL12W	DOT3 100/200 Series Brake/Tail/Turn Bulb Assembly			19.50 19.50	17.55 17.55
REPDIRWA	H35TL12W DOT3 100/200 Series Back-up Light Assembly REPDIRWA DOT3 100 Series Rear Strobe Assembly			48.60	43.74
REPS30WA	REPS30WA DOT3 100 Series Rear Strobe Assembly, 1 1/2 Turn Helix Strobe Assembly			34.80	31.32
ap-In Bulbs	The cooms are to the control to the	List Price	1 //0	49-96	97+
		LISTFICE			
H20SN12	20 Watt (Green Dot), TA836 Series, TA870A Series, TA837 Series, TA1652H Series, TA1664H Series, BLTA, 97 Edge® Bar Series/All Dual Halogen Models, SSNF™ Series Halogen Lightheads		7.20	6.91	6.70
H27SN12	27 Watt (Red Dot), 508 Series, 64 Back Series, 810 Series, 830 Scenelight, AdvantEdge+Plus™ & Super AdvantEdge+Plus™ Lightbars, Towman's Lightbars, Edge+Plus™, B-Link Bar full size Halogen Modules, Dash-Miser™ Halogen Models		7.20	6.91	6.70
H35SN12	35 Watt (White Dot), 4000 Motor/Reflector Assembly/Brushless, 52 Series, DOT3® Systems, Edge® California Steady Burn, RDX Series		7.20	6.91	6.70
H35HSN12	35 Watt, Horizontal Filament (Gold Dot),GH Series, 64 Series, 73 Series, 97 Scenelight, 5000 Super Advantedge+Plus™		7.20	6.91	6.70
H50SN12	50 Watt, Horizontal Filament (Blue Dot), 97 Series Scenelight, 9E Series, 7E Series		7.20	6.91	6.70
H50ASN12	(Flashing Only) (Formerly ARSASN12)				
	50 Watt, Halogen Bulb for RB6P, RB6D, B6R and Centurion™ Lightbars		7.20	6.91	
H60SN12	50 Watt, Halogen Bulb for RB6P, RB6D, B6R and Centurion™ Lightbars 60 Watt, 7E Series, 9E Series		7.20	6.91	6.70
	50 Watt, Halogen Bulb for RB6P, RB6D, B6R and Centurion™ Lightbars				6.70
H60SN12	50 Watt, Halogen Bulb for RB6P, RB6D, B6R and Centurion™ Lightbars 60 Watt, 7E Series, 9E Series Brake/Tail/Turn, DOT3 Systems (Incandescent Globe Style)	List Price	7.20	6.91	6.70
H60SN12 STOPSN12	50 Watt, Halogen Bulb for RB6P, RB6D, B6R and Centurion™ Lightbars 60 Watt, 7E Series, 9E Series Brake/Tail/Turn, DOT3 Systems (Incandescent Globe Style) 1 Tubes Linear Strobe Tube only for 900, 97 & 9E Linear, and 81E Linear. Snap-In with Stiff Trigger	List Price	7.20 7.20	6.91 6.91	6.70 6.70 97 +
H60SN12 STOPSN12 near Snap-In Flas	50 Watt, Halogen Bulb for RB6P, RB6D, B6R and Centurion™ Lightbars 60 Watt, 7E Series, 9E Series Brake/Tail/Turn, DOT3 Systems (Incandescent Globe Style) 1 Tubes	List Price	7.20 7.20 1-48	6.91 6.91 49-96	6.70 6.70 97 +
H60SN12 STOPSN12 near Snap-In Flas	50 Watt, Halogen Bulb for RB6P, RB6D, B6R and Centurion™ Lightbars 60 Watt, 7E Series, 9E Series Brake/Tail/Turn, DOT3 Systems (Incandescent Globe Style) n Tubes Linear Strobe Tube only for 900, 97 & 9E Linear, and 81E Linear. Snap-In with Stiff Trigger Lead 4.75 " Long. Linear Strobe Tube Turbo for 64 Series, Snap-in 6" long, 508 Series Linear, 1997 Edge	List Price	7.20 7.20 1-48 18.60	6.91 6.91 49-96	6.70 6.70 97 + 17.32
H60SN12 STOPSN12 near Snap-In Flas TURBO5 TURBO64	50 Watt, Halogen Bulb for RB6P, RB6D, B6R and Centurion™ Lightbars 60 Watt, 7E Series, 9E Series Brake/Tail/Turn, DOT3 Systems (Incandescent Globe Style) 1 Tubes Linear Strobe Tube only for 900, 97 & 9E Linear, and 81E Linear. Snap-In with Stiff Trigger Lead 4.75 " Long. Linear Strobe Tube Turbo for 64 Series, Snap-in 6" long, 508 Series Linear, 1997 Edge Bars, Super AdvantEdge+Plus™, TA864S Linear Strobe Tube Turbo, 97 Series, Snap-in 6-3/4" long, 4000-4SI/6SI/8SI Series, 810 Series, 9000 Series, 97 Linear Strobe Series, 9802 Series, 9804 Series, 9806 Series, DOT3103, ECAPTT Series, MCEDGE Series, MCED3 Series, MEDGE Series, T103	List Price	7.20 7.20 1-48 18.60	6.91 6.91 49-96 17.86	6.70 6.70 97 + 17.32
H60SN12 STOPSN12 near Snap-In Flas TURBO5 TURBO64 TURBOTUB	50 Watt, Halogen Bulb for RB6P, RB6D, B6R and Centurion™ Lightbars 60 Watt, 7E Series, 9E Series Brake/Tail/Turn, DOT3 Systems (Incandescent Globe Style) 1 Tubes Linear Strobe Tube only for 900, 97 & 9E Linear, and 81E Linear. Snap-In with Stiff Trigger Lead 4.75 " Long. Linear Strobe Tube Turbo for 64 Series, Snap-in 6" long, 508 Series Linear, 1997 Edge Bars, Super AdvantEdge+Plus™, TA864S Linear Strobe Tube Turbo, 97 Series, Snap-in 6-3/4" long, 4000-4SI/6SI/8SI Series, 810 Series, 9000 Series, 97 Linear Strobe Series, 9802 Series, 9804 Series, 9806 Series, DOT3103, ECAPTT Series, MCEDGE Series, MCED3 Series, MEDGE Series, T103		7.20 7.20 1-48 18.60 18.60 18.60	6.91 6.91 49-96 17.86 17.86 17.86	97+ 17.32 17.32 97+
H60SN12 STOPSN12 near Snap-In Flas TURBO5 TURBO64 TURBOTUB	50 Watt, Halogen Bulb for RB6P, RB6D, B6R and Centurion™ Lightbars 60 Watt, 7E Series, 9E Series Brake/Tail/Turn, DOT3 Systems (Incandescent Globe Style) 1 Tubes Linear Strobe Tube only for 900, 97 & 9E Linear, and 81E Linear. Snap-In with Stiff Trigger Lead 4.75 " Long. Linear Strobe Tube Turbo for 64 Series, Snap-in 6" long, 508 Series Linear, 1997 Edge Bars, Super AdvantEdge+Plus™, TA864S Linear Strobe Tube Turbo, 97 Series, Snap-in 6-3/4" long, 4000-4Sl/6Sl/8Sl Series, 810 Series, 9000 Series, 97 Linear Strobe Series, 9802 Series, 9804 Series, 9806 Series, DOT3103, ECAPTT Series, MCEDGE Series, MCED3 Series, MEDGE Series, T103 20 watt, TA4000A, TA9000A Series, TA9000D 27 watt, 9000 Series Alley Light (Full Size), 9000FM Work Light, CR12/212 Series,		7.20 7.20 1-48 18.60 18.60	6.91 6.91 49-96 17.86 17.86	6.70 6.70 97+ 17.32 17.32 97+
H60SN12 STOPSN12 near Snap-In Flas TURBO5 TURBO64 TURBOTUB Pin Halogen Bult	50 Watt, Halogen Bulb for RB6P, RB6D, B6R and Centurion™ Lightbars 60 Watt, 7E Series, 9E Series Brake/Tail/Turn, DOT3 Systems (Incandescent Globe Style) 1 Tubes Linear Strobe Tube only for 900, 97 & 9E Linear, and 81E Linear. Snap-In with Stiff Trigger Lead 4.75 " Long. Linear Strobe Tube Turbo for 64 Series, Snap-in 6" long, 508 Series Linear, 1997 Edge Bars, Super AdvantEdge+Plus™, TA864S Linear Strobe Tube Turbo, 97 Series, Snap-in 6-3/4" long, 4000-4SI/6SI/8SI Series, 810 Series, 9000 Series, 97 Linear Strobe Series, 9802 Series, 9804 Series, 9806 Series, DOT3103, ECAPTT Series, MCEDGE Series, MCED3 Series, MEDGE Series, T103		7.20 7.20 1-48 18.60 18.60 18.60	6.91 6.91 49-96 17.86 17.86 49-96	17.32 17.32 17.32
H60SN12 STOPSN12 near Snap-In Flas TURBO5 TURBO64 TURBOTUB Pin Halogen Bult H20W12V H27W12V	50 Watt, Halogen Bulb for RB6P, RB6D, B6R and Centurion™ Lightbars 60 Watt, 7E Series, 9E Series Brake/Tail/Turn, DOT3 Systems (Incandescent Globe Style) 1 Tubes Linear Strobe Tube only for 900, 97 & 9E Linear, and 81E Linear. Snap-In with Stiff Trigger Lead 4.75 " Long. Linear Strobe Tube Turbo for 64 Series, Snap-in 6" long, 508 Series Linear, 1997 Edge Bars, Super AdvantEdge+Plus™, TA864S Linear Strobe Tube Turbo, 97 Series, Snap-in 6-3/4" long, 4000-4SI/6SI/8SI Series, 810 Series, 9000 Series, 97 Linear Strobe Series, 9802 Series, 9804 Series, 9806 Series, DOT3103, ECAPTT Series, MCEDGE Series, MCED3 Series, MEDGE Series, T103 20 watt, TA4000A, TA9000A Series, TA9000D 27 watt, 9000 Series Alley Light (Full Size), 9000FM Work Light, CR12/212 Series, GRLHAL, TS200H, TS200C 35 watt, 4000 Series Motor/Reflector Assembly with Brushes, Val-U-Bar Series		7.20 7.20 1-48 18.60 18.60 1-48 3.90 3.90	6.91 6.91 49-96 17.86 17.86 49-96 3.74 3.74	6.70 97+ 17.32 17.32 17.32 97+ 3.63




Twist-Lock Halogen & Strobe Bulbs

st-Lock Halogen	& Strobe Bulbs	List Price	1-48	49-96	97+
S30TL	Twist-Lock Helix 1-1/2 turn Strobe Tube, 52 Series Twist-Lock, 56 Series Twist-Lock, 64 Series Twist-Lock, 73 Series Twist-Lock, 9000 Series, 97 Series Twist-Lock, Dash Miser/DashMiser Plus Twist-Lock Series, GSF/GSE Series, SBS8S		21.30	20.45	19.83
TA20TL12	20 watt, 2 position connector, TA836A, TA837A, TA838A, TA839A, TA870A, TA1620A, TA1622A (Formerly ADABULB)		8.40	8.06	7.82
H27TL12	27 watt, 3 position connector, 9000 Series Take-down and Flashers, DashMiser/DashMiser Plus™ Halogen Series		8.40	8.06	7.82
H35TL12	35 watt, 3 position connector, GHF/GHE Series, 52 Series Halogen, 64 Series, 64 Series OPTI-Scenelight™, 73 Series, 73 Series OPTI-Scenelight™		8.40	8.06	7.82
H50TL12	50 watt, 3 position connector, 97 Series, 97 Series OPTI-Scenelight™		8.40	8.06	7.82
BRAKTL12	Brake/Tail/Turn, 3 Position Connector, (Incandescent), 52 / 64 / 73 & 97 Series Brake/Tail/Turn (Globe Style) (Not Flat Back Style)		8.40	8.06	7.82

WHELEN

2005 PICTORIAL REFERENCE GUIDE FOR STROBE, HALOGEN & INCANDESCENT REPLACEMENT BULBS





USER DIRECT WARRANTY (FOR AUTOMOTIVE PRODUCTS ONLY)

Whelen Engineering Company, Inc. warrants products of its manufacture against defects in material and workmanship. This is provided that the product has been installed and operated in accordance with the manufacturer's recommendations. During the warranty period (see below) the Factory Repair Center or an Authorized Whelen Repair Center† will repair or replace (at its option) any parts or electronic assemblies of the unit which disclose a defect in material or workmanship. The Repair Center will return the repaired unit, transportation cost prepaid.

The above warranty is between the first purchaser (ultimate user) only and Whelen Engineering Company, Inc. (manufacturer). No prior authorization is required for returning Whelen products for warranty consideration. Each Whelen product sold is covered only by the official warranty in effect at time of purchase.

This warranty is not applicable to any Whelen product that has failed due to abuse, misuse, improper installation, excessive voltages, or alterations to the product that affects, in the manufacturer's judgment, intended use and service. Whelen will not be held liable for any incidental or consequential damages, and assumes no responsibility or liability for expenses incurred in the removal and/or re-installation of products requiring service and/or repair; nor the packaging, handling, and shipping to the Factory Repair Center or Authorized Whelen Repair Center†; nor for the handling of products returned from the repair center after service or repair.

There are no other warranties, expressed or implied, including, but not limited to, any implied merchantability or fitness for a particular use. Whelen Engineering Company, Inc. reserves the right to modify this warranty statement at any time; or discontinue, modify, or upgrade any products of its manufacture with design improvements without prior notice.

All incandescent and halogen bulbs, polycarbonate/plastic materials, radar products, aviation equipment, industrial products and high power voice/siren systems are not covered by this warranty (see applicable warranty statement). This warranty will be void when using or substituting other than all-genuine Whelen system components, such as; remote head assemblies, xenon flash tubes, shielded cables, strobe power supplies, siren amplifiers and siren speakers.

This warranty gives you specific rights, and you may also have other rights which vary from state to state.

WHELEN ENGINEERING COMPANY ELECTRO-MECHANICAL AND STROBE PRODUCTS STANDARD / 2-YEAR WARRANTY

Whelen products are covered by a direct warranty for up to a maximum two years from date of purchase (not to exceed three years from date of manufacture), with proof of purchase. In accordance with the policy statement described herein, the unit may be returned directly to the factory or to an Authorized Whelen Repair Center† for warranty consideration. Whelen Models SA314A/SA314P siren speakers are covered by a 2-year warranty from the date of manufacture (when used in police applications only). The complete speaker must be returned for warranty consideration. Heavy Duty motor assemblies (so marked) are covered by a direct warranty for up to three years from date of manufacture. For warranty consideration, both the siren speakers and motor assemblies are subject to the conditions and steps described herein.

HDP / 5-YEAR WARRANTY

Whelen Automotive Sirens, Non Lightbar Strobe Power Supplies, LED Ballasts and LED Products, bearing the official HDP label and manufactured to HDP standards, are covered by a direct warranty for up to five years from date of manufacture. In accordance with the policy statement described herein, the unit may be returned directly to the factory or to an Authorized Whelen Repair Center† for warranty consideration.



*TEN-YEAR DRIVER WARRANTY — HDP SPEAKER ONLY

Whelen Drivers used in models SA314BH, SA314AH, SA3111(D/P)H, SA32G01H, SA32E97H and SA31E04 are covered by a Ten Year Driver Warranty when used with a Whelen Siren Amplifier only. Said warranty is for the original (first) vehicle installation only; and is subject to the conditions and steps described herein. The driver along with the model number and serial number of the siren amplifier used with the speaker must be returned to Whelen, for warranty consideration. Subject to the above conditions, from the date of manufacture, the warranty is as follows: 0-5 years no charge, 6-7 years \$52.00, 8-10 years \$77.00.

12 MONTH / 250 HOURS WARRANTY — SPEAKER DRIVER & BACK-UP ALARMS

Whelen 100 Watt siren speaker drivers are covered by a direct warranty for up to 12 months or 250 Hours of use, whichever comes first, from the date of manufacture. Whelen Back-Up Alarms are covered by a 12 month warranty. Both are subject to the conditions and steps described herein.

*10 YEAR LIMITED WARRANTY — LIGHTBAR POWER SUPPLY

All repairable warranty and non-warranty Edge® style lightbar strobe power supplies will be replaced with a compatible new power supply. If out of initial warranty period but less than 7 years old, the charge will be a flat fee of \$107.00; if between 7 & 10 years old, the charge will be a flat fee of \$122.00 (warranty for standard power supply is 2 years and heavy duty professional (HDP) power supply is 5 years). This is subject to the conditions and steps described herein.

12 AND 24 MONTH DIRECT WARRANTY — XENON FLASH TUBES

(Except Flash Tubes from 1000/1500/2000/3000 & VP Series which are covered by a 6 month warranty)

If the Xenon flash tube component of a "Whelen" brand (not from 1000/1500/2000/3000 or VP Series) product is returned to Whelen within 12 months of the date which is affixed to the flash tube, Whelen will replace that flash tube free of charge ONE TIME ONLY, subject to the conditions and steps herein. Whelen "Gold Medallion" flash tubes including all linear flash tube assemblies, carry a 24 month warranty. Whelen will pay ground transportation from Whelen's factory or Authorized Whelen Repair Center† to the customer via U.P.S. where available (in the Continental U.S.).

12 MONTH EXTENDED WARRANTY — WHELEN REPAIRED STROBE POWER SUPPLIES

Whelen offers to repair or replace, free of charge, any part of its strobe light power supplies that have been repaired by Whelen within 12 months & are less than 5 years old, subject to the conditions and steps herein. Whelen will pay ground transportation from Whelen's factory or Authorized Whelen Repair Center† to the customer via U.P.S. where available (in the Continental U.S.).

*WHELEN ENGINEERING COMPANY OUT-OF-WARRANTY FACTORY REPAIR PROGRAM:

If found to be repairable, the Whelen Factory Repair Center (only) will repair Non Lightbar electronic strobe power supply for \$62 each. This does not include replacement of any other electro-mechanical parts including flash tubes, polycarbonate domes, motors, or hardware items. Follow the "Steps To Be Taken For Return" noted below, and include a check or money order for \$62 for each unit returned. For Whelen products older than 10 years, repair charges will be determined upon examination only. Contact factory service center for further details.

STEPS TO BE TAKEN FOR WARRANTY RETURN:

- Whelen products are to be returned freight prepaid to the: Whelen Factory Repair Center Building B, Route 145 Winthrop Road, Chester, CT 06412-0684; or an Authorized Whelen Repair Center[†]. Do not ship by bus.
- A copy of the sales receipt must be returned with the defective unit to qualify for warranty coverage from date of purchase.
- 3) Include a short statement explaining the problem.
- 4) Include your name, address, and day-time telephone number.
- 5) Whelen and its Authorized Repair Centers will via U.P.S. ship back the repaired unit freight prepaid, usually within a few days after its receipt.

WHELEN ENGINEERING COMPANY, INC.

ROUTE 145, CHESTER, CT 06412-0684 TELEPHONE: (860) 526-9504 FACSIMILE: (860) 526-4078 WEBSITE: www.whelen.com

- EFFECTIVE 12/23/05, REPLACES ALL PREVIOUSLY PUBLISHED SERVICE POLICIES -

*	22 24	20ELIEC2V	24	4ELTUDE	47	COVOCODO	11
*	23, 24	295HFS2X		4ELTUBE		60X000RR	
****	24	295HFS3		4FLANGEB		60X000TR	
0		295HFS4		4ILKT1		64FKIT	
00	19	295HFSA1	24	4PATCTL1	7	6A	
000		295HFSA5	24	4SWITCH	24	6B	
11F	19	295HFSA6	24	4TSMAB	10	6D	19
1200DH*M	6	295HFSA7	24	4TSMAC	10	6EFLANGE	11
1200DH*P	6	295HFSA8	24	50*00F*R	10. 23	6EHDLTMK	11
1200DH*S		295HFSC9		50*02Z*R		6ELTUBE	
1200DHSM		295HFSDA		50*03Z*R		6FLANGEB	
1200DHSP		295HFSM1		500LTUBE		70*00F*R	
1200DHSS		295HFSM5		502000#U		70*02F*R	
		295HFSW1		502000*U		70*02S*R	
12F							
12H4S140		2E*00Z*R		508TRIM		702*S0*U	
150		2EC00ZCR		50A00MAR		702000#U	
1502*		2F*00Z*R		50C000ZR		702000*U	
1502M*		2FC00ZCR		50C00WCR		70A00AAR	
1510*	5	2FLANGEB	9	50C02ZCR		70A00TAR	
1510M*	5	2FLANGEC		50C03ZCR	10, 27	70A00ZAR	12, 27
160	19	2GR01BRR	9	50K000*R	10	70ARSFCR	12
17H	19	2GR01BRT		50LENSL*		70BR6FCR	12
18BRUSH	15	2GROMMET		50R00MRR		70C00VCR	12
1SC00S*R		2SWITCH		50R00XRR		70C00WCR	
1SWITCH		3		50X000RR		70C00VCR	
20*00F*R		320G10*U		52SMAB		70C02SCR	
2004BHA		360CLMRR		52TRUNKT	- /	70F000#R	
2004BHAM		360CLXRR		580CAA#R		70F000*R	
2004BLA	5	3DEGREE	47	580CAA*R	11	70J000CR	12
2004BLAM		3SWITCH		580CAAZR		70K000ZR	12
201000*U		3TERM		58EC20#U		70R00BRR	
2012HP*		4		58EC20*U		70R00XRR	
2012HP*M		40**5SCR		58L4TUBE		70RA6FCR	
		40*00F*R				70RBSFJR	
2012LP*				592			
2012LP*M		40*02Z*R		5A		70RC6FCR	
2015HC*		40*HU0*U		5B	• • • • • • • • • • • • • • • • • • • •	70RCSFDR	
2015HCV	26	402*U0*U	9	5BKT1	11	70X000QR	12
2015HP*	5	402000#U	9, 23	5BRUSH	11	70X000RR	12
2015HP*M	5	402000*U	9. 23	5D	19	70X000TR	12
2015LC*		402HU0*U		5FLANGEB		73FKIT	
2015LCV		402RUXRU		5FLANGEC		792	
2015LP*		40A00AAR		5FLANGEP		792H	
2015LP*M		40B00FBR		5G*00F*R		7A	
2015LPVM	26	40C00FCR	1()	5GR01BRR		7B	19
2022AC*	5	40C00VCR		5GR01BRT		7CAST1	12
2022AC* 2022AP*	5	40C00VCR 40C02ZCR	10		11		
	5 5		10 9	5GR01BRT	11 10, 23	7CAST1	12
2022AP* 2022HC*	5 5 5	40C02ZCR 40CC5SCR	9 9	5GR01BRT 5GROMMET 5HSGB1	11 10, 23 11, 23	7CAST1 7CAST3 7D	12
2022AP* 2022HC* 2022HCV	5 5 5 26	40C02ZCR 40CC5SCR 40J000#R	9 9 9	5GR01BRT5GROMMET5HSGB15HSGB125	11 10, 23 11, 23 11, 23	7CAST1 7CAST3 7D 7ECTUBE	12 20 47
2022AP* 2022HC* 2022HCV 2022HP*	5 5 5 5	40C02ZCR 40CC5SCR 40J000#R 40J000*R		5GR01BRT 5GROMMET 5HSGB1 5HSGB125 5HSGPED	11 10, 23 11, 23 11, 23 11, 23	7CAST1 7CAST3 7D 7ECTUBE 7EFLANGE	12 20 47 12
2022AP* 2022HC* 2022HCV 2022HP* 2022HP*M	5 5 5 26 5	40C02ZCR 40CC5SCR 40J000#R 40J000*R 40R00XRR		5GR01BRT 5GROMMET 5HSGB1 5HSGB125 5HSGPED 5K	11 10, 23 11, 23 11, 23 11, 23	7CAST1 7CAST3 7D 7ECTUBE 7EFLANGE 7EGRILB	12 20 47 12
2022AP*		40C02ZCR 40CC5SCR 40J000#R 40J000*R 40R00XRR 43LENS*		5GR01BRT 5GROMMET 5HSGB1 5HSGB125 5HSGPED 5K	1110, 2311, 2311, 2311, 2319	7CAST17CAST37D7ECTUBE7EFLANGE7EGRILB7EGRILP	12 20 47 12 12
2022AP*		40C02ZCR		5GR01BRT 5GROMMET 5HSGB1 5HSGB125 5K 5K 5M 5S*00F*R	1110, 2311, 2311, 23191919	7CAST1 7CAST3 7D 7ECTUBE 7EFLANGE 7EGRILB 7EGRILP 7ELTUBE	
2022AP*		40C02ZCR 40CC5SCR 40J000#R 40R00XRR 43LENS* 4500OPTI 45ADDAST		5GR01BRT 5GROMMET 5HSGB1 5HSGB125 5K 5M 5S*00F*R 5SA00MAR		7CAST1 7CAST3 7D 7ECTUBE 7EFLANGE 7EGRILB 7EGRILP 7ELTUBE 7FLANGEB	
2022AP*		40C02ZCR 40CC5SCR 40J000#R 40J000*R 40R00XRR 43LENS* 4500OPTI 45ADDAST 45ADDHAL		5GR01BRT 5GROMMET 5HSGB1 5HSGB125 5HSGPED 5K 5M 5S*00F*R 5S*00MAR 5SC000ZR		7CAST1 7CAST3 7D 7ECTUBE 7EFLANGE 7EGRILB 7EGRILP 7ELTUBE 7FLANGEB 7GIKT1	
2022AP* 2022HC* 2022HCV 2022HP* 2022LP*M 2022LCV 2022LP*M 2022LP*M 2022LPVM		40C02ZCR 40CC5SCR 40J000#R 40R00XRR 43LENS* 4500OPTI 45ADDAST		5GR01BRT 5GROMMET 5HSGB1 5HSGB125 5K 5M 5S*00F*R 5SA00MAR		7CAST1 7CAST3 7D 7ECTUBE 7EFLANGE 7EGRILB 7EGRILP 7ELTUBE 7FLANGEB	
2022AP*		40C02ZCR 40CC5SCR 40J000#R 40J000*R 40R00XRR 43LENS* 4500OPTI 45ADDAST 45ADDHAL		5GR01BRT 5GROMMET 5HSGB1 5HSGB125 5HSGPED 5K 5M 5S*00F*R 5S*00MAR 5SC000ZR		7CAST1 7CAST3 7D 7ECTUBE 7EFLANGE 7EGRILB 7EGRILP 7ELTUBE 7FLANGEB 7GIKT1	
2022AP* 2022HC* 2022HCV 2022HP* 2022LP*M 2022LCV 2022LP*M 2022LP*M 2022LPVM		40C02ZCR		5GR01BRT 5GROMMET 5HSGB1 5HSGB125 5K 5M 5S*00F*R 5SA00MAR 5SC000ZR 5SC00WCR		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022LP*M 2022LC* 2022LCV 2022LP*M 2022LP*M 2022LPVM 2020A00AAR		40C02ZCR		5GR01BRT		7CAST1	
2022AP*		40C02ZCR		5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022HP*M 2022LC* 2022LP* 2022LP*M 2022LP*M 2022LP*B 2020A0AAR 20800FBR 20C00FCR 20C00WCR	5 5 5 6 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR		5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022LP* 2022LC* 2022LP* 2022LP*M 2022LP*M 2022LP*M 2020A00AAR 20B00FBR 20C00FCR 20C0WCR 20C0ACCR	5 5 5 5 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR		5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022LP*M 2022LC* 2022LP*M 2022LP*M 2022LP*M 2020EP*M 2020EP*M 2000FGR 20000FGR 20C00WCR 20C0BCCR	5 5 5 5 6 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR		5GR01BRT		7CAST1	
2022AP*	5 5 5 5 6 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR		5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022LP*M 2022LC* 2022LP* 2022LP*M 2022LP*B0806FBR 20C00FCR 20C00WCR 20C00WCR 20C0BCCR 20C0BCCR 20C0CCCR 20R00BRR	5 5 5 5 6 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR		5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022HP*M 2022LC* 2022LP* 2022LP*M 2022LP*M 2022LP*M 2020A00AAR 20B00FBR 20C00FCR 20C00WCR 20C0ACCR 20C0BCCR 20C0BCCR 20C0BCCR 20R00BRR 20R00XRR	5 5 5 5 6 6 7 6 7 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR		5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022HP*M 2022LC* 2022LP* 2022LP*M 2022LP*M 2020EP*M 20A00AAR 20B00FBR 20C00FCR 20C0WCR 20C0BCCR 20C0BCCR 20C0BCCR 20C0BCCR 20C0BCCR 20C0BCCR 20C0BCCR 20C0BCCR 20C0BCCR 20C0CCCR 20R00BRR 20R00XRR 21T	5 5 5 5 6 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR		5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP*M 2022LC* 2022LP*M 2022LP*M 2022LP*M 2022LP*M 2020EP*M 2020EP*M 2020EP*M 2000COCCR 20C0WCR 20C0CCCR 20C0CCCR 20R00BRR 20R00BRR 20R00RR 20R00XRR 21T 22T	5 5 5 5 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR		5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022HP*M 2022LC* 2022LP* 2022LP*M 2022LP*M 2020EP*M 20A00AAR 20B00FBR 20C00FCR 20C0WCR 20C0BCCR 20C0BCCR 20C0BCCR 20C0BCCR 20C0BCCR 20C0BCCR 20C0BCCR 20C0BCCR 20C0BCCR 20C0CCCR 20R00BRR 20R00XRR 21T	5 5 5 5 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR		5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP*M 2022LC* 2022LP*M 2022LP*M 2022LP*M 2022LP*M 2020EP*M 2020EP*M 2020EP*M 2000COCCR 20C0WCR 20C0CCCR 20C0CCCR 20R00BRR 20R00BRR 20R00RR 20R00XRR 21T 22T	5 5 5 5 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR	10 9 9 10 10 10 10 4 44 44 44 44 44 44 44 44 44 44 44 44	5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022HP*M 2022LC* 2022LP* 2022LP*M 2022LP*M 2022LP*M 2020000CR 20000CR 20C00WCR 20C0ACCR 20C0BCCR 20C0BCCR 20C0CCR 20R00BRR 20R00XRR 21T 22T 23F 23H	5 5 5 5 6 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR 40C05SCR 40J000#R 40J000*R 40R00XRR 43LENS* 4500OPTI 45ADDAST 45ADDAST 45ADL8* 45ADL8* 45ADL8C 45ADLED*		5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022HP*M 2022LC* 2022LP* 2022LP*M 2022LP*M 2020AOAAA 20800FBR 20C00FCR 20C0WCR 20C0ACCR 20C0BCCR 20C0CCCR 20R00BRR 20R00XRR 21T 22T 23F 23H 250	5 5 5 5 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR		5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022LP*M 2022LC* 2022LP*M 2022LP*M 2022LP*M 2020BOFBR 20C00FCR 20C0WCR 20C0BCCR 20C0BCCR 20C0BCCR 20TOBCCR	5 5 5 5 5 6 5 7 5 5 5 5 7 5 7 7 7 9 9 9 9 9 9 9 9 9	40C02ZCR	10 9 9 10 10 10 10 4 44 44 44 44 44 44 44 44 44 44 44 44	5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP*M 2022LP*M 2022LP*M 2022LP*M 2022LP*M 2020LP*M 2020LP*M 20400000000000000000000000000000000000	5 5 5 5 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR	10 9 9 10 10 10 10 4 44 44 44 44 44 44 44 44 44 44 44 44	5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022HP*M 2022LC* 2022LP* 2022LP*M 2022LP*M 2020EP* 2020EP* 2020EP* 2020EP* 2020EP* 2020EP* 2000CCR 2000WCR 2000WCR 2000BCCR 2000BCCR 2000BCR 2000BCR 2010BCR 2	5 5 5 5 5 6 6 7 6 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR 40C05SCR 40J000#R 40J000*R 40R00XRR 43LENS* 4500PTI 45ADDAST 45ADDAST 45ADL8* 45ADL8* 45ADLED*	10 9 9 10 10 10 10 4 44 44 44 44 44 44 44 44 44 44 44 44	5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022HP*M 2022LC* 2022LP* 2022LP*M 2022LP*M 2022LP*M 2020ACR 2020FCR 2000WCR 20C0ACCR 20C0BCCR 20C0BCCR 20C0CCCR 20C0BCR 20TOST	5 5 5 5 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR	10 9 9 10 10 10 10 10 4 44 44 44 44 44 44 44 44 44 43, 44 43, 44 43, 44 44 43, 44 44 44 44 44 44 44 44 44 44 44 44 44	5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022HP*M 2022LC* 2022LP* 2022LP*M 2022LP*M 2020FFM 2020FCR 2000FCR 2000WCR 20C0ACCR 20C0BCCR 20C0BCCR 20C0CCCR 20R0BRR 20R00XRR 21T 22T 23F 23H 250 2515HC* 2515LP*M	5 5 5 5 5 5 6 6 6 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR 40C05SCR 40J000#R 40J000*R 40R00XRR 43LENS* 4500PTI 45ADDAST 45ADDAST 45ADL8* 45ADL8C 45ADL8C 45ADLED* 45BLC 45BLC 45DLCNTA 45DLCNTA 45DLCNTR 45DLOUTA 45DLOUTR 45FL* 45FLC 45KFH	10 9 9 10 10 10 10 4 44 44 44 44 44 44 44 44 44 44 44 44	5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP*M 2022LP*M 2022LP*M 2022LP*M 2022LP*M 2022LP*M 2020FCR 2000FCR 2000WCR 2000BCCR 20C0BCCR 20C0BCCR 20C0BCCR 20TOBCCR 20TOBCCCR 20TOBCCR 20TOBCCR 20TOBCCR 20TOBCCR 20TOBCCR 20TOBCCR 20TOBCCCR 20TOBCCR 20TOBCCR 20TOBCCR 20TOBCCR 20TOBCCR 20TOBCCR 20TOBCCCR 20TOBCCR 20TOBC	5 5 5 5 5 6 6 6 7 6 7 7 7 7 7 7 7 7 7 7	40C02ZCR	10 9 9 10 10 10 10 4 44 44 44 44 44 44 44 44 44 44 44 44	5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022HP*M 2022LC* 2022LP* 2022LP*M 2022LP*M 2022LP*M 2020FGR 2000FGR 2000FGR 2000WCR 20C0ACCR 20C0BCCR 20C0BCCR 20R00BRR 20R00XRR 21T 22T 23F 23H 250 2515HC* 2515LP*M 2519LP*M 2519LP*M 2519LP*M	5 5 5 5 5 5 6 7 6 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR 40C05SCR 40J000#R 40J000*R 40R00XRR 43LENS* 4500PTI 45ADDAST 45ADDAST 45ADL8* 45ADL8C 45ADL8C 45ADLED* 45BLC 45BLC 45DLCNTA 45DLCNTA 45DLCNTR 45DLOUTA 45DLOUTR 45FL* 45FLC 45KFH	10 9 9 10 10 10 10 4 44 44 44 44 44 44 44 44 44 44 44 44	5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP*M 2022LP*M 2022LP*M 2022LP*M 2022LP*M 2022LP*M 2020FCR 2000FCR 2000WCR 2000BCCR 20C0BCCR 20C0BCCR 20C0BCCR 20TOBCCR 20TOBCCCR 20TOBCCR 20TOBCCR 20TOBCCR 20TOBCCR 20TOBCCR 20TOBCCR 20TOBCCCR 20TOBCCR 20TOBCCR 20TOBCCR 20TOBCCR 20TOBCCR 20TOBCCR 20TOBCCCR 20TOBCCR 20TOBC	5 5 5 5 5 5 6 7 6 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR	10 9 9 10 10 10 10 4 44 44 44 44 44 44 44 44 44 44 44 44	5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022HP*M 2022LC* 2022LP* 2022LP*M 2022LP*M 2022LP*M 2020AOAAR 20800FBR 20C00FCR 20C00WCR 20C0ACCR 20C0BCCR 20C0BCCR 20R00BRR 20R00XRR 21T 22T 23F 23H 250 2515HC* 2515LP*M 2515LP*M 2515LP*M 2519HC*	5 5 5 5 5 5 6 6 7 6 7 7 7 7 7 7 7 7 7 7	40C02ZCR 40C05SCR 40J000#R 40J000*R 40R00XRR 43LENS* 4500OPTI 45ADDAST 45ADDAST 45ADL8* 45ADL8C 45ADLED*	10 9 9 10 10 10 10 4 44 44 44 44 44 44 44 44 44 44 44 44	5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV	5 5 5 5 5 5 6 6 6 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR 40C05SCR 40J000#R 40J000*R 40R00XRR 43LENS* 4500PTI 45ADDAST 45ADDAST 45ADL8* 45ADL8C 45ADL8C 45ADLED* 45BLC 45ADLED* 45AD	10 9 9 10 10 10 10 10 4 44 44 44 44 44 44 44 44 44 44 44 44	5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022LP*M 2022LC* 2022LP*M 2022LP*M 2022LP*M 2020FFM 2020COCCR 20C0MCR 20C0MCR 20C0MCR 20C0MCR 20C0MCR 20C0MCR 20C0MCR 20C0MCR 20FFM 20FF	5 5 5 5 5 5 6 6 6 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR	10 9 9 10 10 10 10 4 44 44 44 44 44 44 44 44 44 44 44 44	5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP*M 2022LC* 2022LCV 2022LP*M 2022LP*M 2022LPYM 2030AAR 20800FBR 20C00FCR 20C0MCCR 20C0BCCR 20C0BCCR 20C0BCCR 20C0BCCR 20C0BCCR 20F1 20F1 20F1 20F1 20F1 20F1 20F1 20F1	5 5 5 5 5 6 6 6 7 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR 40C05SCR 40J000#R 40J000*R 40R00XRR 43LENS* 4500OPTI 45ADDAST 45ADDAST 45ADL8* 45ADL8C 45ADLED*	10 9 9 10 10 10 10 4 44 44 44 44 44 44 44 44 44 44 44 44	5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022LP*M 2022LC* 2022LP*M 2022LP*M 2022LP*M 2022LP*M 2020MORE 2000WCR 2000WCR 20C0ACCR 20C0BCCR 20C0BCCR 20R00BRR 20R00XRR 21T 22T 23F 23H 250 2515HC* 2515LP*M 2515LP* 2515LP* 2515LP* 2515LP* 2519LP* 2519LP* 2519LP* 2519LP* 2519LP*M 2526HC* 260	5 5 5 5 5 5 6 7 6 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR 40C05SCR 40J000#R 40J000*R 40R00XRR 43LENS* 4500OPTI 45ADDAST 45ADDAST 45ADL8* 45ADL8C 45ADLED*	10 9 9 10 10 10 10 4 44 44 44 44 44 44 44 44 44 44 44 44	5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022LP* 2022LP* 2022LP* 2022LP*M 2022LP*M 2022LP*M 2020AOGAR 20800FBR 20C00FCR 20C00WCR 20C0ACCR 20C0BCCR 20C0BCCR 20C0BCCR 20C0BCCR 20The base of the bas	5 5 5 5 5 5 6 6 6 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR 40C05SCR 40J000#R 40J000*R 40R00XRR 43LENS* 4500PTI 45ADDAST 45ADDAST 45ADL8* 45ADL8* 45ADL8C 45ADL8C 45ADL8C 45ADLED* 45ADLED* 45ADLED* 45B±± 45B±± 45B22 45B52 45B52* 45CLC 45CLC 45DLCNTA 45DLCNTR 45DLCNTR 45DLOUTA 45DLOUTA 45FLC 45FLC 45KFL 45KFL 45KRS 45KRL 45KRS 45KRS 45KRS 45LFLASC 45TA	10 9 9 10 10 10 10 10 4 44 44 44 44 44 44 44 44 43, 44 43, 44 44 44 44 44 44 44 44 44 44 44 44 44	5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022HP*M 2022LC* 2022LP* 2022LP*M 2022LP*M 2022LP*M 2020FFM 2020FCR 2020FCR 2000FCR 2000FCR 2000CCCR 2000BCR 2000CCCR 2000BCR 2000CCCR 20515HC* 2515LP*M 2515LC* 2515LP*M 2519LP* 2519LP*M 2519LP* 2519LP*M 2526HC* 260 277H 295COPT	5 5 5 5 5 6 6 6 7 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR	10 9 9 10 10 10 10 10 4 44 44 44 44 44 44 44 44 44 44 44 44	5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022LP* 2022LC* 2022LP* 2022LP*M 2022LP*M 2020FFM 2020FFM 2020FFM 2000FCR 2000FCR 2000WCR 20C0CCR 20C0BCCR 20C0BCCR 20C0BCR 20FOBCR 20	5 5 5 5 5 5 6 6 6 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR	10 9 9 10 10 10 10 4 44 44 44 44 44 44 44 44 44 44 44 44	5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022HP*M 2022LC* 2022LP* 2022LP*M 2022LP*M 2022LP*M 2020FFM 2020FCR 2020FCR 2000FCR 2000FCR 2000CCCR 2000BCR 2000CCCR 2000BCR 2000CCCR 20515HC* 2515LP*M 2515LC* 2515LP*M 2519LP* 2519LP*M 2519LP* 2519LP*M 2526HC* 260 277H 295COPT	5 5 5 5 5 5 6 6 6 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR	10 9 9 10 10 10 10 4 44 44 44 44 44 44 44 44 44 44 44 44	5GR01BRT		7CAST1	
2022AP* 2022HC* 2022HCV 2022HP* 2022LP* 2022LC* 2022LP* 2022LP*M 2022LP*M 2030AGR 20800FBR 20C00FCR 20C0MCR 20C0ACCR 20C0BCCR 20C0BCCR 20C0CCCR 20F3F	5 5 5 5 5 5 6 7 6 7 7 7 7 7 7 7 7 7 7 7	40C02ZCR	10 9 9 10 10 10 10 4 44 44 44 44 44 44 44 44 44 44 44 44	5GR01BRT		7CAST1	

81L4TUBE	47	9M280W00	43	ALPHA3	25	CL17SR**	34
830CA0CR		9M282000		ALPHA4		CL25*	
830CX0AR		9M284000		ALPHA5		CL25S*	
830CX0RR		9M288000		AMB2EELP		CP	
835TRIM		9M300W00		AMBSNFEP		CR12CC	
8635CU		9M302000		AUTOCTL		CR12SW	
8A		9M304000		B6MM**P		CR212*M	
8B	20	9M308000		B6TF**1P		CR212SM	
8D	20	9M320W00	43	B6TH*Z1P		CR212VM	
90**5F*R		9M322000		B6TM**1P		CRCAP*	
90**5S*R	13	9M324000	36	B6TS**1P	5	CRIMPD	17
90*00F*R	13	9M328000	36	B6TX*R1P	5	CRIMPFT	
900STUBE	47	9M380NQ	35	BETA1		CRIMPIV	17
901000#U	13	9M380NV	35	BETA112R	23, 25	CROTAC	34
901000*U		9M382NQ		BETA2		CROTFIL*	
902000#U	13	9M382NV	35	BETA2BKT	25	CS220	8, 18
902000*U	13	9M387NQ	35	BETAMIC	25	CS220D	8
90A00TAR	13	9M387NV		BGH	6	CS225	8
90ARSFCR	13	9MALY	31, 36	BGL	6	CS225D	8
90B00FBR	13	9MBTTLED		BRAKTL12	48	CS240	8
90C00FCR	13	9MC4****	37	C00200**	34	CS240D	
90C00WCR	13	9MCRUISE	37, 39	C00220**	34	CS240S	8, 27
90CC5FCR	13	9MDALY	36	C00270**	34	CS450	8, 18
90CC5SCR	13	9MDBTTLD	37	C00280**	34	CS450D	8
90E000ZR	13	9MDC**** 9MDH****	37	C002A0**	30	CS650	8
90F000#R	13	9MDH****	36	C2000000	34	CS650D	8
90F000*R	13	9MDH2**	36	C200000E	33	CSEMF	34
90FLANGB	13	9MDL****	37	C2000W00	43	CSP12180	8
90FLANGC	13	9MDL2**	36	C2002000	34	CSP660	8, 18
90J000CR	13	9MDSCBL	36	C200200E	33	CSP690	8
90R00BRR	13	9MDTD2	36	C2007000	34	CSP8120	8
90R00XRR	13	9MFFI	31	C200700E	33	CSP8180	8
90RA5FCR	13	9MFFL**	31	C2008000	34	CU64SA	34
90RB5FCR	13	9MH2**	36, 43	C200800E	33	CU64SF	34
90RC5FCR	13	9MH4****	36, 43	C200A000	30	CU64SR	
90RRSFRR		9MINNFPA		C200A00E	30	D1500*	5
90X000QR	13	9ML2**	36, 43	C200A02N	35	D2**	3
90X000RR	13	9ML4***		C300200N	35	D2*C	3
90X000TR	13	9MLTH		C300700N	35	D2CC	3
9592 26, 37, 39, 4	1, 43	9MMEDFFD		C360I*	34	D4****	3
97FKIT	13	9MMEDG6M	31	C360I**	34	D4***C	3
9800WL	43	9MMEDG6P	31	C4000000	34	D4**CC	3
9801	43	9MMEDGEM	31	C400000E	34	D4*CCC	3
9802	43	9MMEDGEP	31	C400000N	35	D4CCCC	3
9802M*15	5, 23	9MRFI	31	C4000W00	43	D6*****	3
9802MS15	5, 23	9MRFIWB	43	C4002000	34	D6*****C	3
9804F	43	9MRFL**	31	C400200E	34	D6****CC	3
9804W	43	9MSCANLK	36	C4007000	34	D6***CCC	3
9806F	43	9MSIGNL	37	C400700E	34	D6**CCCC	3
9806W	43	9MSIGNP	37	C400700N	36	D6*CCCCC	3
98DELPS	43	9MTD1	36	C4008000	34	D6CCCCCC	3
98HALMDL	43	9MTD2	31, 36	C400800E	33	D8§§§00	3
9EFLANGE	13	9U242000	38	C64WL	34	D8§§§10	3
9FLANGEB	13	9U24200F		CAST1L	11	D8§§§20	3
9HFIL* 37	7, 39	9U244000	38	CAST3	11	D8§§§30	3
9LALY	39	9U24400F	38	CAST3H		D8§§§40	
9LCBL	39	9U248000	38	CAST4V	12	D8§§§50	3
9LCRL		9U24800F		CCCC			
9LCRLED		9U362000				D8§§§60	3
9LCRUISE	39		38	CCF*IN	35	D8§§§70	3 3
9LDALY		9U364000		CCF64S*	35 34	D8§§§70 D800080	3 3
		9U368000	38 38	CCF64S* CCMICX20	35 34 24	D8§§§70 D800080 DBKT1	3 3 3
9LDFFI	39	9U368000 9U382000	38 38 38	CCF64S* CCMICX20 CCRUISE	35 34 24 34	D8§§§70 D800080 DBKT1 DBKT3	3 3 3 3
9LDFFL**	39 39	9U368000 9U382000 9U384000	38 38 38 38	CCF64S* CCMICX20 CCRUISE CCSRN	35 34 24 34 24	D8§§§70 D800080 DBKT1 DBKT3 DBKT4	3 3 3 3 3
9LDFFL**9LDRFI	39 39 39	9U368000 9U382000 9U384000 9U388000	38 38 38 38	CCF64S*CCMICX20CCRUISECCSRNCCSRNTA	35 34 24 34 24	D8§§§70 D800080 DBKT1 DBKT3 DBKT4 DCF*IN	333333332, 33
9LDFFL** 9LDRFI 9LDRFL**	39 39 39 39	9U368000 9U382000 9U384000 9U388000 9U402000		CCF64S*CCMICX20CCRUISECCSRNCCSRNTACCSWGBKT	35 34 24 34 24 24	D8§§§70	3 3 3 3 3 3 3 32, 33
9LDFFL** 9LDRFI 9LDRFL** 9LDTD2	39 39 39 39 39	9U3680009U3820009U3840009U3880009U4020009U404000		CCF64S*CCMICX20CCRUISECCSRNCCSRNTACCSWGBKTCCTRIMCCTRIM	35342434242424	D8§§§70	3 3 3 3 3 3 3 32, 33
9LDFFL**9LDRFI.** 9LDRFL** 9LDTD2 9LFFI9LFFI	39 39 39 39 39	9U3680009U3820009U3840009U3880009U4020009U4040009U408000		CCF64S*CCMICX20CCRUISECCSRNCCSRNTACCSWGBKTCCTRIMCD0****		D8§§§70	3 3 3 3 3 3 3 32, 33
9LDFFL**	39 39 39 39 39 39	9U3680009U3820009U3840009U3880009U4020009U4040009U4080009U4020009U4020009U4020009U4020009U402000		CCF64S*		D8§§\$70	
9LDFFL**9LDRFI9LDRFL**9LDTD29LFFI9LFFI9LFFI9LFFI.**.9LFTA9LFTA9LFTA	39 39 39 39 39 39	9U3680009U3820009U3840009U3880009U4020009U4040009U4080009U4020009U4020009U4020009U400009U400009U400009U400009U400009U400009U40000		CCF64S*		D8§§\$70	
9LDFFL**9LDRFI9LDRFL** 9LDTD29LFFI9LFFI9LFFI9LFTA9LFTA9LLTH40	39 39 39 39 39 39 39	9U368000		CCF64S*		D8§§\$70	
9LDFFL**	39 39 39 39 39 39 39 39 39 39	9U368000	38 38 38 38 38 39 39 39 39 39 39 39 39 39	CCF64S*		D8§§\$70	
9LDFFL**	39 39 39 39 39 39 39 39 39 39 39	9U368000		CCF64S*		D8§§§70	
9LDFFL**	39 39 39 39 39 39 39 39 39 39 39	9U368000		CCF64S*		D8§§\$70	
9LDFFL** 9LDRFI 9LDRFI 9LDRFL** 9LDTD2 9LFFI 9LFTA 9LFTA 9LLTH	39 39 39 39 39 39 39 39 39 39 39 39	9U368000		CCF64S*		D8§§\$70	
9LDFFL**	39 39 39 39 39 39 39 39 39 39 39 39	9U368000	38 38 38 38 38 38 39 39 39 39 39 39 39 39 39 39 39 37, 39 37, 39 37, 39, 41	CCF64S*		D8§§\$70	3 3 3 3 3 3 3 3 3 3 3 32 32 32 32 32 32
9LDFFL** 9LDRFI 9LDRFI 9LDRFL** 9LDTD2 9LFFI 9LFFL** 9LFTA 9LHTH	39 39 39 39 39 39 39 39 39 39 39 39 39	9U368000	38 38 38 38 38 38 39 39 39 39 39 39 39 39 39 39 39 39 39	CCF64S*		D8§§§70 D800080 DBKT1 DBKT3 DBKT4 DCF*IN DCH D00***** DD2***** DD4*** DD7***** DD7***** DDFTA DDLAM1 DDLAM1*C DDLAM1*C	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
9LDFFL** 9LDRFI 9LDRFI 9LDRFL** 9LDTD2 9LFFI 9LFTA 9LFTA 9LLTH	39 39 39 39 39 39 39 39 39 39 39 39 39 39	9U368000	38 38 38 38 38 38 39 39 39 39 39 39 39 39 39 39 39 39 41 47 20	CCF64S*		D8§§§70 D800080 DBKT1 DBKT3 DBKT4 DCF*IN DCH DD0***** DD4*** DD7***** DD7**** DD8*** DDFTA DDLAM1 DDLAM1** DDLAM1** DDLAM1** DDLAM1*C DDLAM1CC DDLCL2R*	
9LDFFL** 9LDRFI 9LDRFI 9LDRFL** 9LDTD2 9LFFI 9LFTA 9LFTA 9LLTH	39 39 39 39 39 39 39 39 39 39 39 39 39 39	9U368000	38 38 38 38 38 38 39 39 39 39 39 39 39 39 39 37 37 37, 39, 41 37, 39, 41 47 20	CCF64S*		D8§§\$70	
9LDFFL** 9LDRFI 9LDRFI 9LDRFL** 9LDTD2 9LFFI 9LFTA 9LFTA 9LLTH	39	9U368000	38 38 38 38 38 38 38 39 39 39 39 39 39 39 39 37, 39 37, 39 37, 39, 41 37, 39, 41 47 20 17	CCF64S*		D8§§\$70	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
9LDFFL** 9LDRFI 9LDRFI 9LDRFI 9LDTD2 9LFFI 9LFFL** 9LFTA 9LHTH	39	9U368000	38 38 38 38 38 38 38 39 39 39 39 39 39 39 39 39 37, 39 37, 39 41 47 20 17 17	CCF64S*		D8§§§70	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
9LDFFL** 9LDRFI 9LDRFI 9LDRFL** 9LDTD2 9LFFI 9LFFL** 9LFTA 9LFTA 9LMATRIX. 9LPREWIR 9LRFI 9LRFI 9LRFL** 9LSIGNL 9LSIGNP 9LTD1 9LTD2 9M140V00 9M142000	39 39 39 39 39 39 39 39 39 39 39 39 39 39 39 39	9U368000	38 38 38 38 38 38 38 39 39 39 39 39 39 39 39 37, 39 37, 39, 41 37, 39, 41 47 20 17 17	CCF64S*		D8§§§70 D800080 DBKT1 DBKT3 DBKT4 DCF*IN DCH D0***** DD2***** DD4*** DD7**** DD4*** DDFTA DDLAM1 DDLAM1** DDLAM1** DDLAM1*C DDLAM1CC DDLC12R* DDLHF** DDLLF** DDLLF*B DDLLFBB	
9LDFFL** 9LDRFI 9LDRFI 9LDRFL** 9LDTD2 9LFFI	39 39 39 39 39 39 39 39 39 39 39 39 39 39 39 39	9U368000	38 38 38 38 38 38 38 39 39 39 39 39 39 39 37, 39 37, 39, 41 37, 39, 41 47 20 17 17 17 17	CCF64S*		D8§§\$70 D800080 DBKT1 DBKT3 DBKT4 DCF*IN DCH DD0***** DD4*** DD4*** DD7**** DD8*** DDFTA DDLAM1 DDLAM1** DDLAM1*C DDLCL2R* DDLF** DDLF** DDLF** DDLF** DDLF** DDLF**	
9LDFFL** 9LDRFI 9LDRFI 9LDRFL** 9LDTD2 9LFFI 9LFTA 9LFTA 9LLTH	39 39 39 39 39 39 39 39 39 39 39 39 39 39 39 39 39	9U368000		CCF64S*		D8§§\$70	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
9LDFFL** 9LDRFI 9LDRFI 9LDRFI 9LDRFI 9LFFI 9LFFI 9LFFL** 9LFTA 9LFTA 9LMATRIX 9LPREWIR 9LRFI 9LRFI 9LSIGNL 9LSIGNP 9LTD1 9LTD1 9LTD2 9M140V00 9M142000 9M142000 9M144000	39	9U368000		CCF64S*		D8§§\$70	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
9LDFFL** 9LDRFI 9LDRFI 9LDRFI 9LDRFL** 9LDTD2 9LFFI 9LFFL** 9LFTA 9LHTH	39	9U368000	38 38 38 38 38 38 38 39 39 39 39 39 39 39 39 37, 39 37, 39 41 47 20 17 17 17 17 17 17 8 8	CCF64S*		D8§§§70 D800080 DBKT1 DBKT3 DBKT4 DCF*IN DCH D00***** DD2***** DD4*** DD7***** DD4*** DDFTA DDLAM1 DDLAM1 DDLAM1*C DDLAM1*C DDLAM1*C DDLLF** DDLT3** DDLT3**C DDLT3**C	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
9LDFFL** 9LDRFI 9LDRFI 9LDRFI 9LDRFL** 9LDTD2 9LFFI 9LFFL** 9LFTA 9LLTH	39	9U368000	38 38 38 38 38 38 39 39 39 39 39 39 37 37 37, 39, 41 37, 39, 41 47 20 17 17 17 17 17 18 8 8 8	CCF64S*		D8§§§70 D800080 DBKT1 DBKT3 DBKT4 DCF*IN DCH D0***** DD4*** DD4*** DD7**** DD4*** DD4*** DD5*** DD4*** DD4*** DD4*** DD4*** DD4*** DD5*** DD5*** DD6*** DD6*** DD6*** DD6*** DD6*** DD6*** DD6**	
9LDFFL** 9LDRFI 9LDRFI 9LDRFL** 9LDTD2 9LFFI	39363636363636	9U368000		CCF64S*		D8§§\$70 D800080 DBKT1 DBKT3 DBKT4 DCF*IN DCH DD0***** DD4*** DD4*** DD7**** DD8*** DDFTA DDLAM1 DDLAM1** DDLAM1*C DDLAM1CC DDLC12R* DDLF** DDLF** DDLF** DDLF** DDLF** DDLF** DDLF** DDLT3**C DDLT3*C DDLT3C DDLTD2 DDLT5**	
9LDFFL** 9LDRFI 9LDRFI 9LDRFI** 9LDTD2 9LFFI 9LFTA 9LFTA 9LLTH	393636363636363636363636	9U368000		CCF64S*		D8§§\$70	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
9LDFFL** 9LDRFI 9LDRFI 9LDRFL** 9LDTD2 9LFFI	39	9U368000		CCF64S*		D8§§\$70 D800080 DBKT1 DBKT3 DBKT4 DCF*IN DCH DD0***** DD4*** DD4*** DD7**** DD8*** DDFTA DDLAM1 DDLAM1** DDLAM1*C DDLAM1CC DDLC12R* DDLF** DDLF** DDLF** DDLF** DDLF** DDLF** DDLF** DDLT3**C DDLT3*C DDLT3C DDLTD2 DDLT5**	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3

DB6DTH	DDDOTAIL	22	DOT24024	24	EL 2****E	40	CZNANAOO	20
DOUMEY								
DUMPPO 33 DOTSIGLA 21 FLZCOC 40 GERTRIP 10 DUMPC 33 DOTSIGLA 21 FLZCOC 40 GERTRIP 10 DUMPC 33 DOTSIGLA 22 FL4*** 40 GERTRIP 10 DUMPC 34 DOTSIGLA 22 FL4*** 40 GERTRIP 10 GERTRIP 10 DUMPC 35 DOTSIGLA 22 FL4*** 40 GERTRIP 10 GERTRIP 10 DUMPC 36 DOTSIGLA 27 FL4*** 40 GERTRIP 10 GERTRIP 10 DUMPC 40 GERTRIP 10 GERTRIP 10 DUMPC 40 GERTRIP 10 GERTRIP							G7PC**	30
DUMP*C								
DOLLYPC								
DOUBLET STATE DOTS DOT								
DOUSPY								
DEBUNYL 43 DOT3106B 22 FL4"F. 40 GENTSREP 12 ELEWINYL 45 DOT3106D 22 FL4"C. 40 GENTSREP 12 ELEWINYL 45 DOT3106D 22 FL4"C. 40 GENTSREP 10 DEBUNYL 45 DOT3106D 22 FL4"C. 40 GENTSREP 10 DEBUNYL 45 DOT3106D 21 FL4"CCC 40 GENTSREP 11 DEBUNYL 45 DOT3106D 21 FL4"CCC 40 GENTSREP 13 DEBUNYL 45 DEBUNYL 45 DEBUNYL 45 DEBUNYL 45 DEBUNYL 46 GENTSREP 12 DEBUNYL 46 GENTSREP 47 DEBUNYL	DDUSF**	33	DOT3106A	22	FL4****	40		
DELTAICH 29 DOT3201A 21 PL*CC 40 GF-KTORF 10 DT3201B 21 PL*CCC 40 GF-KTORF 11 SETAIL 19 DT3201B 21 PL*CCC 40 GRILHAR 13 DT3201B 21 PL*CC 40 PL*CCC 40 PL*CCC 40 PL*CCCC 40 PL*CCCCC 40 PL*CCCCC 40 PL*CCCCC 40 PL*CCCCC 40 PL*CCCC 40 PL*CCCCC 40 PL*CCCCCC 40 PL*CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC			DOT3106B	22	FL4***F	40	GEKT98RP	12
DELTAILD	DEL9MWL	43	DOT3106D	22	FL4***C	40	GF4KT9LP	10
DEPOID 6	DELTAC1A	29	DOT3201A	21			GF4KT9RP	10
DEPHOD 32 DOT3202A 21 FLB*** 40 GRLSTRE* 13 DEPHOD 32 DOT320A 21 FLB**** 40 GRLSTRE* 15 SRLSTRE* 15 DEPHOD 32 DOT320A 21 FLB**** 40 GRLSTRE* 15 DEPHOD 32 DOT320A 21 FLB**** 40 GRLSTRE* 17 SRLSTRE* 17 DEPHOD 32 DOT320A 21 FLB*** 40 GRLSTRE* 17 GRLSTRE* 18 DEPHOD 32 DOT320A 21 FLB*** 40 GRLSTRE* 18 DEPHOD 32 DOT320A 21 FLB*** 40 H2W12V 48 DEPHOD 32 DOT320A 21 FLB*** 40 H2W12V 48 DEPHOD 32 DOT320A 22 FLB*** 40 H2W12V 48 DEPHOD 32 DOT320A 22 FLB*** 40 H2W12V 44 DEPHOD 44 DEPHO					FL4*CCC	40	GRLHAL#	13
DEPEND 32								
DEPHOD 32					FL8****	40		
DILPHON 32 DOTZGOAA 21 FLB**CC 40 H20SN12 48					FL8****F	40		
DIASPON 32 DOT3204B 21								
DISSONO 32 DOT3204D 21								
DIESSOD 32 DOT3208A 22 FLAY 40 H2784CP 14 DIESSOD 32 DOT3208B 22 FLAM 40 H2784CP 14 DIESSOD 35 DOLT 35 FLAM 40 H2784CP 14 DIESSOD 35 DOLT 35 FLAM 40 H2784CP 14 DIESSOD 37 DOLT 76 DIESSOD 38 DOL								
DISSPOO 32 DOTSQOBB 22 FLAMI" 40 H27N12 48								
DIESPOOD 32 DOTIGNEG 20, 21, 22 FLD** 40 H27TL12 48 DIESPOOD 32 DOTIGNEG 20, 21, 22 FLD** 40 H27TL12 4.8 DIESPOOD 32 DOTIGNEG 20, 21, 22 FLD** 40 H27TL2** 4, 48 DIESPOOD 32 DOTIGNEG 20, 21, 22 FLD** 40 H25ACCA2 47 DIESPOOD 32 DOTIGNEG 20, 21, 22 FLD** 40 H25ACCA2 47 DIESPOOD 32 DOTIGNEG 20, 21, 22 FLD** 40 H25ACCA2 47 DIESPOOD 32 DOTIGNEG 20, 23 SI FLED** 40 H35ACCA2 47 DIESPOOD 32 DOTIGNEG 20, 23 SI FLED** 40 H35HSC12 47 DIESPOOD 32 DOTIGNEG 20, 23 SI FLED** 40 H35HSC12 47 DIESPOOD 32 DOTIGNEG 20, 23 SI FLED** 41 H35HSC12 47 DIESPOOD 32 DOTIGNEG 20, 24 DI								
DISSION 32 DOTH-HIGG 20, 21, 22 FLD** 40 H27W12V 4.9 DISSIN 36 DROTA2S 32 FLD** 40 H358C24 4.7 DISSIN 35 DROTA2S 32 FLD** 40 H358DN12 4.7 DISSIN 35 DROTA2S 33 FLD** 4 H358DN12 4.8 DISSIN 4								
DISSPN 35 DROTAZH 32 FLD*C 40 H3SASC24 47 DISSPN 35 DROTAZS 32 FLD*C 40 H3SD*N12 47 DISSPN 35 DROTAZS 33 FLA*C 40 H3SD*N12 48 DISSPN 35 DROTAZS 33 FLA*C 40 H3SD*N12 48 DISSPN 35 DROTAZS 33 FLA*C 40 H3SD*N12 48 DISSPN 35 DROTAZS 34 FLA*C 40 H3SD*N12 48 DISSPN 35 DROTAZS 48 H3SD*N12 48 DISSPN 48 H3SD*N12 48 H3SD*N12 48 DISSPN 48 H3SD*N12 48 H3SD*N12 48 DISSPN 49 H3SD*N12 49 H3SD*N12 48 DISSPN 49 H3SD*N12 48 H3SD*N12 48 DISSP								
DISSYN 35 DROTAZS 32 FLDCC 40 HSBORN12 47								
DHSSN								
DIASNN 35 DSLCRL 33 FLH2CC 40 H35H5C12 47								
DISSIN 35 DSILIF 33 FLED" 4 H35HS112 48								
DIASTIN 35 DSLLF 33 FILED" 4 H3SSN12 48								
DIPAGE								
DIP4100								
DIP415								
DIP450								
DIP450								
DIPA75								
DIPB06								
DIPB15								
DIPAGES								
DIPS50								
DIPATS 7								
DIRECTIO								
DRECTVID 48								
DRBCV98 3 DTA55I 33 FN60QLED 35 HA238C 13 DRBKT1 3 DTA56T 33 PN60VLED 35 HA238CD 143 DRBKT2 3 DTA56H 33 FN72QLED 35 HA238CDD 14 DRBKT3 3 DTA56H 33 FN72QLED 35 HA238CDD 14 DRBKT3 3 DTA56E 33 FN72QLED 35 HA238CDD 14 DRBKT3 3 DTA56E 33 FN72QLED 35 HA238CDD 14 DRBKT3 3 DTA56E 33 FN72QLED 35 HA238CDD 15 DRPSS' 3 DTA56T 33 FN72QLED 35 HA239C 13 DRPSSVV 27 DTA57L 33 FT10A 6, 6, 47 HA239CDD 13 DRPSSVV 27 DTA57L 33 FT150 5, 47 HA239CDD 13 DRPSSVV 27 DTA57L 33 FT26A 6, 47 HCDOMEH' 6 DRRSS' 3 DTA56B 33 FT25 6, 47 HCDOMEH' 6 DRRSS' 3 DTA56B 33 FT25 6, 47 HCDOMEH' 6 DRRSS' 3 DTA56B 33 FT25 6, 47 HCDOMEH' 6 DRSSC 3 EAPTT 15, 23 FT25 7, 41 HCV94B 44 DRSCARTKT 3 DTA56T 33 FT25 7, 41 HCV94B 44 DRSCARTKT 3 DTA56T 33 FT25 7, 41 HCV94B 44 DRSCARTKT 3 DTA56T 33 FT25 7, 41 HCV94B 44 DRSCART 3 EAPTT 15, 23 FT25 7, 41 HCV94B 44 DRSCART 3 EAPTT 15, 23 FT25 7, 41 HCV94B 44 DRSCART 3 EAPTT 15, 23 FT25 7, 41 HCV94B 44 DRSCART 3 EAPTT 15, 23 FT25 7, 41 HCV94B 44 DRSCART 3 EXTINUMD 16 FT25 7, 41 HCV94B 44 DRSCART 3 EXTINUMD 16 FT25 7, 41 HCV94B 44 DRSCARD 3 EXTINUMD 16 FT25 7, 41 HCV94B 45 DRSCARD 3 EXTINUMD 16 FT25 7, 41 HCV94B 45 DRSCARD 3 EXTINUMD 16 FT25 7, 41 HCV94B 45 DLOSCOL 3 HCV94B 45 DLOSCOL 3 HCV94B 45 DLOSCOL 3 HCV94B 45 DLOSCO								
DKBKT1 3 DTA55T 33 PN80VLED 35 HA238CD 13 DKBKT2 3 DTA56H 33 FN72VLED 35 HA238CD 27 DKPST3 3 DTA56H 33 FN70VLED 35 HA238CD 27 DKPSSV 3 DTA57H 33 FT160 6, 47 HA239CD 13 DKPSSVV 27 DTA57H 33 FT1510 5, 54 HA239CD 13 DKPSSVV 27 DTA57T 33 FT20A 6, 47 HELS* 15 DKRS** 3 DTA58H 33 FT20A 6, 47 HELS* 15 DKRS** 3 DTA58H 33 FT8****F 31 HIWAY48 44 DKSCMTKT 3 DTA58H 33 FT8****F 31 HIWAY48 44 DKSCMTKT 3 DTA58H 33 FT8************************************								
DRBKT2 3 DTAS6H 33 FNZQLED 35 HA238CDD 14 DRBKT3 3 DTAS6L 33 FNZQLED 35 HA238CDD 14 DRBKT3 3 DTAS6T 33 FNMIN 35 HA238C 27 DKPS' 3 DTAS6T 33 FNMIN 35 HA238C 13 DKPSS' 3 DTAS6T 33 FNMIN 35 HA238C 13 DKPSS' 3 DTAS6T 33 FNMIN 35 HA238C 13 DKPSSV 27 DTAS7L 33 FT16A 6, 67 HA239CD 13 DKPSSV 27 DTAS7L 33 FT1610 5, 47 HA239CD 13 DKPSSV 27 DTAS7L 33 FT1610 5, 47 HA239CD 13 DKPSV 27 DTAS7L 33 FT2A 6, 47 HA239CD 13 DKPSV 37 DTAS8L 33 FT2A 6, 47 HGDOMEH* 6 DKRSS** 3 DTAS8H 33 FT2S 6, 47 HGDOMEH* 6 DKRSS** 3 DTAS8H 33 FT2S 8, 47 HGDOMEH* 6 DKRSS** 3 DTAS8H 33 FT3** 9.1 HWAY48 44 DKSCMTKT 3 DTAS8L 33 FT8** 9.1 HWAY48 44 DKSCMTKT 3 DTAS8L 33 FT8** 9.1 HWAY48 44 DKSCMTKT 3 ECAPTT* 15, 23 FT8** 9.1 HWAY48 44 DKSCMTKT 3 ECAPTT* 15, 23 FT8** 9.1 HWAY48 44 DKSCMTKT 3 ECAPTT* 15, 23 FT8** 9.1 HWAY48 44 DKSCMTKT 3 ECAPTT* 15, 23 FT8** 9.1 HWAY48 44 DKSCMTK 3 ECAPTT* 15, 23 FT8** 9.1 HWAY48 44 DKSCMTK 3 ECAPTT* 15, 23 FT8** 9.1 HWAY48 44 DKSCMTK 3 ECAPTT* 15, 23 FT8** 9.1 HWAY48 44 DKSCMTK 3 ECAPTT* 15, 23 FT8** 9.1 HWAY48 44 DKSCMTK 3 ECAPTT* 15, 23 FT8** 9.1 HWAY48 44 DKSCMTK 3 EXT10WD 16 FT8** 9.1 HWX4 44 DKSCMTK 3 EXT10WD 16 FT8** 9.1 HWX4 44 DKSCMTK 3 EXT10WD 16 FT8** 9.1 HWX4 45 DKSCMTK 3 EXT10WD 16 FT8** 9.1 HWX5 45 DLOSCIL 33 EXT15WD 16 FT8** 9.2 HWAY48 45 DLOSCIL 33 EXT15WD 16 FT8** 9.2 HWAY48 45 DLOSCIL 3 EXT10WD 16 FT8** 9.2 HWAY48 45 DLOSC								
DRBKT3 3 DTAS6L 33 FNZVLED 35 HA238V 27 DRFS* 3 DTAS6T 33 FNMININ 35 HA239CD 13 DRFSSW 3 DTAS7H 33 FT10A 6.47 HA239CDD 13 DRFSSW 27 DTAS7L 33 FT1510 5.47 HA239CDD 13 DRFSSW 27 DTAS7L 33 FT1510 6.47 HELS* 15 DRFSSW 27 DTAS7L 33 FT20A 6.47 HELS* 15 DRFSSW 3 DTAS8H 33 FT25 6.47 HELS* 15 DRFSSW 3 DTAS8L 33 FT3CA 6.47 HELS* 15 DRFSSW 3 DTAS8L 33 FT8**F 31 HIWAY48 44 DRSLAC 3 DTAS8L 33 FT8**F 31 HIWAY48 44 DRSLAC 3 ECAPTTS 15,23 FT8**M 31 HIWAY56 444 DRSLAC 3 ECAPTTS 15,23 FT8**F 31 HRCV98 14 DRSLRC 3 EXT10 16 FT8**CF 31 HWK1 44 DRSLRC 3 EXT10 16 FT8**CF 31 HWK2 45 DRSLRC 3 EXT10 16 FT8**CF 31 HWK3 45 DLOSCIL 33 EXT15WD 16 FT8**CF 31 HWK3 45 DLOSCIL 33 EXT15WD 16 FT8**CC 31 HWMTGKL 45 DLOSS2D 24 EXT20WD 16 FT8**CC 31 HWMTGKL 45 DLWSS2D 24 EXT20WD 16 FT8**CCM 31 HWMTGKL 45 DLWSS2D 24 EXT								
DKPS' 3 DTASFT 33 FNMIN 35 HA239C 13 DKPSSW 3 DTASFT 33 FT10A 6, 6, 47 HA239CD 13 DKPSSW 27 DTASFT 33 FT15D 5, 47 HA239CD 13 DKPSSW 27 DTASFT 33 FT15D 5, 47 HA239CD 13 DKPSW 27 DTASFT 33 FT2D 6, 6, 47 HA239CD 13 DKPSW 3 DTASFT 33 FT2D 6, 6, 47 HGDOMEH* 6 DKRSS* 3 DTASFT 33 FT2D 6, 6, 47 HGDOMEH* 6 DKRSS* 3 DTASFT 33 FT2* 6, 47 HGDOMEH* 6 DKRSS* 3 DTASFT 33 FT8**F 31 HWAY48 44 DKSCMTKT 3 DTASFT 33 FT8**F 31 HWAY56 44 DKSCLAC 3 ECAPTT 15, 23 FT8**P 31 HWAY56 44 DKSCLAC 3 ECAPTT 15, 23 FT8**P 31 HWX1 44 DKSLBC 3 ECAPTT 15, 23 FT8**P 31 HWX1 44 DKSLBC 3 ECAPTT 15, 23 FT8**P 31 HWX1 44 DKSLBC 3 EXT10WD 16 FT8**CF 31 HWX2 45 DKSLBC 3 EXT10WD 16 FT8**CF 31 HWX3 45 DKSLBC 3 EXT10WD 16 FT8**CF 31 HWX3 45 DLOSCIL 33 EXT15WD 16 FT8**CF 31 HWX4 45 DLOSCIL 33 EXT15WD 16 FT8**CCP 31 HWX1 45 DLOSCIL 33 EXT15WD 16 FT8**CCP 31 HWX1 45 DLOSCIL 33 EXT20 16 FT8**CCP 31 HWX1 45 DLOSCIL 34 EXT20 16 FT8**CCP 31 HWX1 45 DLOSCIL 35 EXT20 16 FT8**CCP 31 HWX1 45 DLOSCIL 36 EXT20 16 FT8**CCP 31 HWX1 45 DLOSCIL 37 EXT20 16 FT8**CCP 31 HWX1 45 DLOSCIL 38 EXT20								
DKPSS'' 3 DTA57H 33 FT10A 6, 47 HA239CD 13 DKPSSW 27 DTA57T 33 FT1510 5, 47 HA239CD 13 DKPSW 27 DTA57T 33 FT20A 6, 47 HELS' 15 DKRS' 3 DTA58H 33 FT26 6, 47 HELS' 15 DKRS' 3 DTA58H 33 FT26 6, 47 HGDOMEH" 6 DKRSS'' 3 DTA58H 33 FT26 6, 47 HGDOMEH" 6 DKRSS'' 3 DTA58H 33 FT26 6, 47 HGDOMEH" 6 DKRSCM'KT 3 DTA58H 33 FT8***F 31 HWAY48 44 DKSLAC 3 ECAPTT 15, 23 FT8***M 31 HWAY56 44 DKSLAC 3 ECAPTT 15, 23 FT8***P 31 HRCV98 14 DKSLAC 3 ECAPTT 15, 23 FT8***P 31 HWY2 44 DKSLRB 3 EXT10 16 FT8***CM 31 HWY2 45 DKSLRC 3 EXT10WD 16 FT8***CM 31 HWY2 45 DKSLRC 3 EXT10WD 16 FT8***CP 31 HWY3 45 DLOSCI 33 EXT15WD 16 FT8***CP 31 HWY3 45 DLOSCI 33 EXT15WD 16 FT8**CCM 31 HWY1 45 DLOSCI 33 EXT25WD 16 FT8**CCM 31 HWY16Y 45 DLWS320 24 EXT20WD 16 FT8**CCP 31 HWY16Y 45 DMSL** 3 EXT25 16 FT8**CCCM 31 HWY16Y 45 DMSL** 3 EXT25WD 17 FT8CCCCM 31 HWY16Y 45 DMSL** 3 EXT25WD 17 FTBCCCCM 31 HWY16Y 45 DMSL** 3 EXT25WD 17 FTBCCCCM 31 HWY16Y 45 DMSL** 3 EXT25WD 17 FTD***CCCM 31 HWY16Y 45 DMSL** 3 EXT25WD 17 FTBCCCCM 31 HWY16Y 45 DMSL** 45 DMSL								
DKPSV 27 DTA57T 33 FT20A 6, 47 HELS* 15 DKRS** 3 DTA58B 33 FT8***F. 31 HIWAY4B 44 DKSCMTKT 3 DTA58L 33 FT8****F. 31 HIWAY4B. 44 DKSLAC 3 ECAPIT* 15,22 FT8***P. 31 HIWAY4B. 44 DKSLAC 3 ECAPITS. 15,22 FT8***P. 31 HWK1 44 DKSLRC 3 ECAPITS. 15,22 FT8***CF. 31 HWK2 45 DKSLRC 3 EXT10WD. 16 FT8***CP. 31 HWK2 45 DLSOIC 6 EXT15 4,16 FT8***CCM. 31 HWK4 45 DLSA350M 24 EXT20WD. 16 FT8**CCM. 31 HWMTGK2. 45 DMSL** 3 EXT25 16 FT8**CCCF. 31 HWTMER 45 DMSL*** 3								
DKPSV 27 DTA57T 33 FT20A 6, 47 HELS* 15 DKRS** 3 DTA58B 33 FT8***F. 31 HIWAY4B 44 DKSCMTKT 3 DTA58L 33 FT8****F. 31 HIWAY4B. 44 DKSLAC 3 ECAPIT* 15,22 FT8***P. 31 HIWAY4B. 44 DKSLAC 3 ECAPITS. 15,22 FT8***P. 31 HWK1 44 DKSLRC 3 ECAPITS. 15,22 FT8***CF. 31 HWK2 45 DKSLRC 3 EXT10WD. 16 FT8***CP. 31 HWK2 45 DLSOIC 6 EXT15 4,16 FT8***CCM. 31 HWK4 45 DLSA350M 24 EXT20WD. 16 FT8**CCM. 31 HWMTGK2. 45 DMSL** 3 EXT25 16 FT8**CCCF. 31 HWTMER 45 DMSL*** 3			DTA57L	33			HA239CDD	13
DKRSS** 3 DTAS8L 33 FF8***F 31 HIWAY48. 44 DKSCMTKT 3 DTAS8T 33 FF8***M 31 HIWAY56. 44 DKSCMTKT 3 DTAS8T 33 FF8***M 31 HIWAY56. 44 DKSLAC 3 ECAPTT 15,23 FF8***P 31 HRCV98. 14 DKSLBC 3 ECAPTTS. 15,23 FF8***P 31 HWK1 44 DKSLBC 3 EXTIOUS. 16 FF8**CF 31 HWK1 44 DKSLBC 3 EXTIOUS. 16 FF8**CF 31 HWK2. 45 DKSLRC 3 EXTIOUS. 16 FF8**CF 31 HWK3. 45 DLOSOCI. 33 EXTIOUS. 16 FF8**CCM 31 HWK2. 45 DLOSOCI. 33 EXTISVD 16 FF8**CCM 31 HWK3. 45 DLOSOCI. 33 EXTISVD 16 FF8**CCM 31 HWK1 44 DLOSOCI. 33 EXTISVD 16 FF8**CCM 31 HWK1 45 DLOSOCI. 33 EXTISVD 16 FF8**CCM 31 HWK1CK 45 DLWS320 24 EXT2OWD 16 FF8**CCF 31 HWXTCH 45 DLWS320 24 EXT2OWD 16 FF8**CCF 31 HWXTCH 45 DMSL** 3 EXT25 16 FF8**CCCP 31 HWXTMFK 45 DMSL** 3 EXT25 16 FF8**CCCP 31 HWXMFKR 45 DMSL** 3 EXT25WD 16 FF8**CCCP 31 HWTMBKR 45 DMSL** 3 EXT25WD 17 FF8CCCCP 31 HWTMBKR 45 DMPIS* 3 EXT2C15D 17 FF8CCCCP 31 HWTMBKR 45 DMPIS* 3 EXT2C15D 17 FFD*** 31 HO3UFZ 45 DMPPSV 27 EXT2C15A 17 FFD*** 31 HO3UFZ 45 DMPPSV 27 EXT2C20A 17 FFD*** 31 HO3UFZ 45 DMPPSV 27 EXT2C20A 17 FFD*** 31 HO3UFZ 45 DMPPSV 27 EXT2C20A 17 FFD*** 31 HO3UFZ 45 DMPPSC 3 EXT2C3OA 17 FFD*** 31 HBKT01 45 DMPPSC 3 EXT2C3OA 17 FFD*** 31 HBKT02 45 DMPPSC 3 EXT2C3OA 17 FFD*** 31 HBKT02 45 DMPPSC 3 EXT2C3OA 17 FFD*** 31 HBKT03 45 DMPPSC 3 EXT2C3OA 17 FFD*** 31 HBKT03 45 DMPPSC 3 EXT2C3OA 17 FFD*** 30 HBKT01 45 DMPPSC 3 EXT2C3OA 17 FFD*** 30 HBKT01 45 DMPPSC 3 EXT2C3OA 17 FFD*** 30 HBKT01 45 DMPSC 3 HBKT01 45 DMP			DTA57T	33				
DKSCMTKT 3 DTAS8T 33 FR***M 31 HIWAY56. 44 DKSLAC 3 ECAPTTS 15, 23 FT8***P 31 HRCV98 144 DKSLAC 3 ECAPTTS 15, 23 FT8***CF 31 HWK1 44 DKSLAC 3 EXT10. 16 FT8***CF 31 HWK2 45 DKSLAC 3 EXT10WD 16 FT8***CF 31 HWK2 45 DLSCOL 3 SX110WD 16 FT8**CF 31 HWK3 45 DL2000* 6 EXT15 4, 16 FT8**CCF 31 HWK3 45 DLOSCIL 33 EXT15WD 16 FT8**CCF 31 HWK3 45 DLSCAL 33 EXT15WD 16 FT8**CCF 31 HWK1 45 DLSCAL 33 EXT15WD 16 FT8**CCF 31 HWK1 45 DLSCAL 33 EXT15WD 16 FT8**CCF 31 HWMTGK1 45 DLSCAL 33 EXT15WD 16 FT8**CCP 31 HWMTGK2 45 DLSCAL 33 EXT25 16 FT8**CCP 31 HWMTGK2 45 DLSCAL 34 EXT20WD 16 FT8**CCCP 31 HWMTGK2 45 DLSCAL 35 EXT25WD 16 FT8**CCCP 31 HWMTGK2 45 DMSL** 3 EXT25WD 16 FT8**CCCP 31 HWTIMER 45 DMSL** 3 EXT25WD 16 FT8**CCCP 31 HWTIMER 45 DMSL** 3 EXT25WD 17 FT8CCCCP 31 HWTIMER 45 DMGC 4 EXT2005D 17 FT8CCCCP 31 HWTIMER 45 DMMM 4 EXT201A 17 FT8CCCCP 31 HWTIMER 45 DMMM 4 EXT201A 17 FT8CCCCP 31 HOTHER 45 DMPIS* 3 EXT25**D 17 FT8CCCCM 31 HUTIMER 45 DMPIS* 3 EXT25**D 17 FT8CCCCM 31 HUTIMER 45 DMPIS* 3 EXT25**D 17 FT8CCCCM 31 HUTIMER 45 DMPIS* 3 EXT26**D 17 FT8CCCCM 31 HUTIMER 45 DMPIS* 3 EXT26**D 17 FT8CCCCM 31 HUTIMER 45 DMPSS** 3 EXT26**D 17 FT8CCCCM 31 HUTIMER 45 DMPSS** 3 EXT26**D 17 FTBCCCCM 31 HUTIMER 45 DMPSS** 3 EXT26**D 17 FTD***C 31 HUTIMER 45 DMPSS** 3 EXT26**D 17 FTD***C 31 HUTIMER 45 DMPCPSW 4 EXT202A 17 FTD***C 31 HUTIMER 45 DMPCPSW 4 EXT202B 17 FTD***C 31 HUTIMER 45 DMPL* 4 EXT202B 17 FTD***C 31 HUTIMER 45 DMPL* 4 EXT202B 17 FTD***C 31 HUTIMER 45 DMPHL* 4 EXT203B 17 FTD***C 31 HUTIMER 45 D	DKRS*	3	DTA58H	33	FT25	6, 47	HGDOMEH*	6
DKSLAC 3 ECAPTT* 15,23 FT8***P 31 HRCV98 14 DKSLBC 3 ECAPTTS 15,23 FT8***CF 31 HWK1 44 DKSLRC 3 EXT10 16 FT8***CM 31 HWK2 45 DKSLRC 3 EXT10WD 16 FT8***CF 31 HWK3 45 DL2000* 6 EXT15WD 16 FT8***CCF 31 HWK3 45 DLOSCIL 33 EXT15WD 16 FT8**CCM 31 HWMTGK1 45 DLOSSON 24 EXT20WD 16 FT8**CCF 31 HWMTGK1 45 DLWS320 24 EXT20WD 16 FT8**CCF 31 HWTMER 45 DMSL** 3 EXT25WD 16 FT8**CCCF 31 HWTMER 45 DMSL** 3 EXT25WD 16 FT8**CCCF 31 HWTMER 45 DMBUN 4 EXT2	DKRSS**	3	DTA58L	33	FT8***F	31	HIWAY48	44
DKSLBC 3 ECAPTIS 15,23 FT8"*CF 31 HWK1 44 DKSLRB 3 EXT10 16 FT8"*CM 31 HWK2 45 DKSLRC 3 EXT10WD 16 FT8"*CP 31 HWK3 45 DL2000" 6 EXT15 4,16 FT8"*CF 31 HWK4 45 DLOSCIL 33 EXT15WD 16 FT8"*CCM 31 HWK16 45 DLSA350M 24 EXT20WD 16 FT8"*CCP 31 HWMTGK2 45 DMSL** 3 EXT25 16 FT8"*CCM 31 HWTMER 45 DMSL** 3 EXT25WD 16 FT8"*CCM 31 HWTMER 45 DMSL** 3 EXT25WD 16 FT8"*CCM 31 HWTMER 45 DMSL** 3 EXT2005A 17 FT8CCCCF 31 101UF2 45 DMSWN 4 EXT205D			DTA58T	33			HIWAY56	44
DKSLRB 3 EXT10 16 FT8***CM 31 HWK2 45 DKSLRC .3 EXT10WD 16 FT8***CP 31 HWK3 45 DLOSCIL .33 EXT15WD 16 FT8***CCF .31 HWK1 45 DLOSA350M .24 EXT20 16 FT8**CCP .31 HWMTGK1 .45 DLW5320 .24 EXT20WD .16 FT8**CCCP .31 HWSWTCH1 .45 DMSL** .3 EXT25WD .16 FT8**CCCM .31 HWTMTGK2 .45 DMSSL** .3 EXT25WD .16 FT8**CCCM .31 HWTMTGK2 .45 DMSL** .3 EXT25WD .16 FT8**CCCP .31 HWTMTGK2 .45 DMSL** .3 EXT25WD .16 FT8**CCCP .31 HWTMTGK2 .45 DMSC** .4 EXT205D .17 FT8**CCCP .31 101F8 .45 DMPL**<					FT8****P	31	HRCV98	14
DKSLRC .3 EXT10WD .16 FT8***CP .31 HWK3 .45 DL2000* .6 EXT15 .4, 16 FT8***CCF .31 HWK4 .45 DLOSCIL .33 EXT15WD .16 FT8***CCM .31 HWMTGK1 .45 DLSA350M .24 EXT20WD .16 FT8**CCP .31 HWMTGK1 .45 DLWS320 .24 EXT20WD .16 FT8**CCCF .31 HWMTGK1 .45 DMSL** .3 EXT25WD .16 FT8**CCCM .31 HWTABKT .45 DMSL** .3 EXT25WD .16 FT8**CCCM .31 HWTMER .45 DMSL** .3 EXT25WD .16 FT8**CCCM .31 HWTMER .45 DMSL** .3 EXT25WD .17 FT8CCCCM .31 HUTHER .45 DMCC .4 EXT2C05D .17 FT8CCCCM .31 101UFZ .45 <td< td=""><td>DKSLBC</td><td>3</td><td>ECAPTTS</td><td> 15, 23</td><td>FT8***CF</td><td>31</td><td></td><td></td></td<>	DKSLBC	3	ECAPTTS	15, 23	FT8***CF	31		
DL2000* 6 EXT15. 4, 16 FT8**CCF 31 HWK4 45 DLOSCIL .33 EXT15WD .16 FT8**CCM .31 HWMTGK1 .45 DLSA350M .24 EXT20 .16 FT8**CCP .31 HWMTGK2 .45 DLW532D .24 EXT20WD .16 FT8**CCCP .31 HWSWTCH1 .45 DM1SL** .3 EXT25WD .16 FT8**CCCP .31 HWTMER .45 DM2SL** .3 EXT25WD .16 FT8**CCCP .31 HWTIMER .45 DMBUNI .4 EXT2C05A .17 FT8CCCCP .31 101UF8 .45 DMCC .4 EXT2C05D .17 FT8CCCP .31 101UF8 .45 DMM0 .4 EXT2C10A .17 FT8CCCP .31 102UF8 .45 DMP1SV .27 EXT2C15D .17 FTD************************************	DKSLRB	3						
DLOSCIL .33 EXT15WD .16 FT8**CCM .31 HWMTGK1 .45 DLSA350M .24 EXT20 .16 FT8**CCP .31 HWMTGK2 .45 DLWS32D .24 EXT20WD .16 FT8**CCCP .31 HWTMBKT .45 DMSL** .3 EXT25 .16 FT8**CCCM .31 HWTMBKT .45 DMSL*** .3 EXT25WD .16 FT8**CCCP .31 HWTMBKT .45 DMBUNI .4 EXT2C05A .17 FT8CCCCP .31 IOUTEZ .45 DMCC .4 EXT2C05A .17 FT8CCCCP .31 IOUTEZ .45 DMMM .4 EXT2C05A .17 FT8CCCCP .31 IOUTEZ .45 DMPS** .3 EXT2C10D .17 FTALY .31 IOUTEZ .45 DMP1s** .3 EXT2C15D .17 FTD************************************								
DLSA350M 24 EXT20 16 FT8**CCP 31 HWMTGK2 45 DLWS320 24 EXT20WD 16 FT8*CCCF 31 HWSWTCH1 45 DM1SL* 3 EXT25 16 FT8*CCCM 31 HWTMBKT 45 DM2SL** 3 EXT25WD 16 FT8*CCCP 31 HWTMBKT 45 DMBUNI 4 EXT2C05A 17 FT8CCCCP 31 HWTMBKT 45 DMCC 4 EXT2C05D 17 FT8CCCCP 31 101UFZ 45 DMCC 4 EXT2C10A 17 FT8CCCCP 31 102UFB 45 DMP1SV 27 EXT2C15A 17 FTD*** 31 103UFB 45 DMP2S** 3 EXT2C15A 17 FTD**** 31 103UFB 45 DMP2S** 3 EXT2C20A 17 FTD***** 31 104UFB 45 DMP2S** 4 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>								
DLWS320 24 EXT20WD 16 FT8*CCCF 31 HWSWTCH1 45 DM1SL* 3 EXT25 16 FT8*CCCM 31 HWTMER 45 DMSL** 3 EXT25WD 16 FT8*CCCP 31 HWTMER 45 DMBUN 4 EXT2C05A 17 FT8CCCCF 31 101UF8 45 DMCC 4 EXT2C10A 17 FT8CCCCP 31 101UF2 45 DMMM 4 EXT2C10A 17 FT8CCCCP 31 102UF8 45 DMP1S* 3 EXT2C10D 17 FTBCCCCP 31 102UF8 45 DMP1S* 3 EXT2C15D 17 FTD*** 31 103UF8 45 DMP2S** 27 EXT2C20A 17 FTD**** 31 104UF2 45 DMP2SVV 27 EXT2C2DA 17 FTD***** 31 104UF2 45 DMP2BC 4 EXT2C								
DM1SL* 3 EXT25WD 16 FT8*CCCP 31 HWTABKT 45 DM2SL** 3 EXT25WD 16 FT8*CCCP 31 HWTIMER 45 DMBUNI 4 EXT2C05A 17 FT8CCCCP 31 101UF8 45 DMCC 4 EXT2C05D 17 FT8CCCCM 31 101UF2 45 DMMM 4 EXT2C10A 17 FT8CCCCP 31 102UF8 45 DMP1SV 3 EXT2C1DD 17 FT8CCCCP 31 102UF2 45 DMP1SV 27 EXT2C15A 17 FTBCCCCP 31 103UF2 45 DMP2SV 27 EXT2C15A 17 FTD*** 31 103UF2 45 DMP2SVV 27 EXT2C2DA 17 FTD**** 31 104UF2 45 DMP2BV 4 EXT2C2DD 17 FTD****CC 31 104UF2 45 DMP2BC 3 E								
DM2SL** 3 EXT2SWD 16 FT8*CCCP 31 HWTIMER 45 DMBUNI 4 EXT2C05A 17 FT8CCCF 31 I01UF8 45 DMCC 4 EXT2C01D 17 FT8CCCCP 31 I01UFZ 45 DMMM 4 EXT2C10D 17 FT8CCCCP 31 I02UF8 45 DMP1S* 3 EXT2C10D 17 FT8CCCCP 31 I02UFZ 45 DMP1S* 3 EXT2C15D 17 FTD*** 31 I03UFZ 45 DMP1S* 27 EXT2C15D 17 FTD**** 31 I03UFZ 45 DMP2SW 27 EXT2C20A 17 FTD***** 31 I04UFZ 45 DMPCPSW 4 EXT2C2DA 17 FTD****** 31 I04UFZ 45 DMPCPSW 4 EXT2C25D 17 FTD***** 31 IBKT01 45 DMPSC 3 EXT								
DMBUNI 4 EXT2CO5A 17 FT8CCCCF 31 IO1UFB 45 DMCC 4 EXT2CO5D 17 FT8CCCCP 31 IO1UFZ 45 DMMM 4 EXT2C10A 17 FT8CCCCP 31 IO2UFB 45 DMP1S* 3 EXT2C1DD 17 FTALY 31 IO2UFZ 45 DMP1SV 27 EXT2C15A 17 FTD*** 31 IO3UFZ 45 DMP2SW 27 EXT2C15D 17 FTD**** 31 IO3UFZ 45 DMP2SW 27 EXT2C20A 17 FTD***C 31 IO4UFZ 45 DMPCPSW 4 EXT2C2DA 17 FTD**CC 31 IO4UFZ 45 DMPED 4 EXT2C2DD 17 FTD**CC 31 IBF5150 9 DMPBL* 4 EXT2C3DA 17 FTD**CC 31 IBKT01 45 DMPWB 4 EXT2C3DA <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
DMCC 4 EXT2C05D 17 FT8CCCCM 31 101UFZ 45 DMMM 4 EXT2C10A 17 FT8CCCCP 31 102UF8 45 DMP15* 3 EXT2C10D 17 FTALY 31 102UFZ 45 DMP1SV 27 EXT2C15A 17 FTD*** 31 103UF8 45 DMP2S** 3 EXT2C15D 17 FTD**** 31 103UF2 45 DMP2SVV 27 EXT2C2DA 17 FTD****C 31 104UF8 45 DMPCPSW 4 EXT2C2DD 17 FTD***C 31 104UF2 45 DMPED 4 EXT2C25A 17 FTD**CC 31 1BF5150 9 DMPL* 4 EXT2C25A 17 FTD**CC 31 1BKT01 45 DMPSC 3 EXT2C3DA 17 FTDCC 31 1BKT05 45 DMPZBKT 3 EXT2C30D								
DMMM. 4 EXT2C10A 17 FT8CCCCP 31 I02UF8. 45 DMP1S* 3 EXT2C10D 17 FTALY 31 I02UFZ 45 DMP1SV. 27 EXT2C15A 17 FTD*** 31 103UFZ 45 DMP2S** 3 EXT2C15D 17 FTD**** 31 103UFZ 45 DMP2SVV 27 EXT2C20A 17 FTD***** 31 104UFZ 45 DMPCPSW 4 EXT2C20D 17 FTD***C 31 104UFZ 45 DMPCPSW 4 EXT2C25D 17 FTD**C 31 104UFZ 45 DMPED 4 EXT2C30A 17 FTD**C 31 1BKT01 45 DMPSC 3 EXT2C30A 17 FTD**CC 31 1BKT01 45 DMP2BKT 3 EXT3C30A 17 FTDCC 31 1BKT06 45 DMP2BKT 3 EXT30WD<	-							
DMP1S* .3 EXT2C10D 17 FTALY .31 I02UFZ .45 DMP1SV .27 EXT2C15D .17 FTD*** .31 I03UFS .45 DMP2SVV .27 EXT2C20A .17 FTD***** .31 I04UFS .45 DMP2SVV .27 EXT2C20A .17 FTD******* .31 I04UFS .45 DMPCPSW .4 EXT2C20D .17 FTD********* .31 I04UFS .45 DMPED .4 EXT2C25A .17 FTD********** .31 IBKT01 .45 DMPIL* .4 EXT2C25D .17 FTD******** .31 IBKT01 .45 DMPSC .3 EXT2C30A .17 FTD******* .31 IBKT01 .45 DMPZBKT .3 EXT30 .16 FTTD2 .31 IBKT05 .45 DOT180A .15 EXT30WD .16 G1M** .30 ICC5AL .43								
DMP1SV 27 EXT2C15A 17 FTD*** 31 I03UF8 45 DMP2S** 3 EXT2C15D 17 FTD***** 31 I03UFZ 45 DMP2SVV 27 EXT2C20A 17 FTD***C 31 I04UF8 45 DMPCPSW 4 EXT2C2DD 17 FTD**CC 31 I04UFZ 45 DMPED 4 EXT2C25A 17 FTD*CC 31 IBF5150 9 DMPIL* 4 EXT2C25D 17 FTD*CCC 31 IBKT01 45 DMPWC 3 EXT2C30A 17 FTDCC 31 IBKT01 45 DMPWH2 4 EXT2C30D 17 FTDCCC 31 IBKT05 45 DMPZBKT 3 EXT30 16 FTTD2 31 IBKT06 45 DOT180A 15 EXT30WD 16 G1M* 30 ICC5AL 43 DOT124V4 21, 22 EXT40WD <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
DMP2S** 3 EXT2C15D 17 FTD**** 31 I03UFZ 45 DMP2SVV 27 EXT2C20A 17 FTD***C 31 I04UF8 45 DMPCPSW 4 EXT2C2DD 17 FTD**CC 31 I04UFZ 45 DMPED 4 EXT2C25A 17 FTD*CC 31 IBKT01 45 DMPIL* 4 EXT2C25D 17 FTD*CCC 31 IBKT01 45 DMPSC 3 EXT2C30A 17 FTDCC 31 IBKT02 45 DMPVH2 4 EXT2C30D 17 FTDCCC 31 IBKT05 45 DMPZBKT 3 EXT30 16 FTTD2 31 IBKT06 45 DOT180A 15 EXT30WD 16 G1M* 30 ICC5AL 43 DOT1EDB 20, 21, 22 EXT40WD 16 G1M* 30 INSTLRDX 30 DOT24V4 21, 22 EXT5								
DMP2SVV 27 EXT2C20A 17 FTD***C 31 104UF8 45 DMPCPSW 4 EXT2C2DD 17 FTD**CC 31 104UFZ 45 DMPED 4 EXT2C25A 17 FTD*C 31 1BF5150 .9 DMPIL* 4 EXT2C25D 17 FTD*CC 31 1BKT01 .45 DMPSC 3 EXT2C30A 17 FTDCC 31 1BKT02 .45 DMPWH2 4 EXT2C30D 17 FTDCCC 31 1BKT05 .45 DMPZBKT 3 EXT30 16 FTTD2 31 1BKT06 .45 DMPZBKT 3 EXT30WD 16 G1M* 30 1CC5AL .43 DOT180A 15 EXT30WD 16 G1M* 30 1CC5AL .43 DOT24V4 21, 22 EXT40WD 16 G1P* 30 INSTLRDX .30 DOT24V8 21 EXT5								
DMPCPSW 4 EXT2C20D 17 FTD**CC 31 I04UFZ 45 DMPED 4 EXT2C25A 17 FTD*C 31 IBF5150 9 DMPIL* 4 EXT2C25D 17 FTD*CCC 31 IBKT01 45 DMPSC 3 EXT2C30A 17 FTDCC 31 IBKT02 45 DMPWH2 4 EXT2C30D 17 FTDCCC 31 IBKT05 45 DMPZBKT 3 EXT30 16 FTTD2 31 IBKT06 45 DOT180A 15 EXT30WD 16 G1M* 30 ICC5AL 43 DOT1LEDB 20, 21, 22 EXT40 16 G1M* 30 INSTLRDX 30 DOT24V4 21, 22 EXT40WD 16 G1P* 30 INSTLRDX 30 DOT24V8 21 EXT5 16 G2M* 30 ISP148 7 DOT2LEDB 21, 22 EXTRACT <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
DMPED 4 EXT2C25A 17 FTD*C 31 IBF5150 9 DMPIL* 4 EXT2C25D 17 FTD*CCC 31 IBKT01 45 DMPSC 3 EXT2C30A 17 FTDCC 31 IBKT02 45 DMPWH2 4 EXT2C30D 17 FTDCCC 31 IBKT05 45 DMPZBKT 3 EXT30 16 FTD2 31 IBKT06 45 DOT180A 15 EXT30WD 16 G1M* 30 ICC5AL 43 DOT1LEDB 20, 21, 22 EXT40 16 G1M* 30 ISC5RL 43 DOT24V4 21, 22 EXT40WD 16 G1P* 30 INSTLRDX 30 DOT24V8 21 EXT5 16 G2M* 30 ISP148 7 DOT2LEDB 21, 22 EXTSWD 16 G2P* 30 ISP148 7 DOT2SMK1 21, 22 EXTRACT								
DMPIL* 4 EXT2C25D 17 FTD*CCC 31 IBKT01 45 DMPSC 3 EXT2C30A 17 FTDCC 31 IBKT02 45 DMPWH2 4 EXT2C30D 17 FTDCCC 31 IBKT06 45 DMPZBKT 3 EXT30 16 FTTD2 31 IBKT06 45 DOT180A 15 EXT30WD 16 G1M* 30 ICC5AL 43 DOT1LEDB 20, 21, 22 EXT40 16 G1MM90 30 ICC5RL 43 DOT24V4 21, 22 EXT40WD 16 G1P* 30 INSTLRDX 30 DOT24V8 21 EXT5 16 G2M* 30 ISP148 7 DOT2EDB 21, 22 EXT5WD 16 G2P* 30 ISP148 7 DOT2SMK1 21, 22 EXTRACT 17 G5M* 30 ISP18824 7 DOT3SMK2 21, 22 FHEA								
DMPSC 3 EXT2C30A 17 FTDCC 31 IBKT02 45 DMPWH2 4 EXT2C30D 17 FTDCCC 31 IBKT05 45 DMPZBKT 3 EXT30 16 FTTD2 31 IBKT06 45 DOT180A 15 EXT30WD 16 G1M* 30 ICC5AL 43 DOT1LEDB 20, 21, 22 EXT40 16 G1MM90 30 ICC5AL 43 DOT24V4 21, 22 EXT40WD 16 G1P* 30 INSTLRDX 30 DOT24V8 21 EXT5 16 G2M* 30 ISP148 7 DOT2LEDB 21, 22 EXT5WD 16 G2P* 30 ISP148 7 DOT2SMK1 21, 22 EXTRACT 17 G5M* 30 ISP148 7 DOT2SMK2 21, 22 FHEADH*P 13 G5MC** 30 ISP4HS 7 DOT3101A 20 FHEA								
DMPWH2 4 EXT2C30D 17 FTDCCCC 31 IBKT05 45 DMPZBKT 3 EXT30 16 FTTD2 31 IBKT06 45 DOT180A 15 EXT30WD 16 G1M* 30 ICC5AL 43 DOT1LEDB 20, 21, 22 EXT40 16 G1MM90 30 ICC5RL 43 DOT24V4 21, 22 EXT40WD 16 G1P* 30 INSTLRDX 30 DOT24V8 21 EXT5 16 G2M* 30 ISP148 7 DOT2LEDB 21, 22 EXT5WD 16 G2P* 30 ISP148 7 DOT2SMK1 21, 22 EXTRACT 17 G5M* 30 ISP188 7 DOT2SMK2 21, 22 FHEADH*P 13 G5MC** 30 ISP44S 7 DOT3SMK3 21, 22 FHEADHSP 13 G5P* 30 ISP74 7 DOT3101A 20 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>								
DMPZBKT 3 EXT30 16 FTTD2 31 IBKT06 45 DOT180A .15 EXT30WD 16 G1M* 30 ICC5AL 43 DOT1LEDB 20, 21, 22 EXT40 16 G1MM90 30 ICC5RL 43 DOT24V4 21, 22 EXT40WD 16 G1P* 30 INSTLRDX 30 DOT24V8 21 EXT5 16 G2M* 30 ISP148 7 DOT2LEDB 21, 22 EXT5WD 16 G2P* 30 ISP188 7 DOT2SMK1 21, 22 EXTRACT 17 G5M* 30 ISP18824 7 DOT2SMK2 21, 22 FHEADH*P 13 G5MC** 30 ISP4HS 7 DOT3SMK3 21, 22 FHEADHSP 13 G5P* 30 ISP742 7 DOT3101A 20 FHEADL*P 13, 23 G5PC** 30 ISP8HS 7 DOT3101D 20								
DOT180A 15 EXT30WD 16 G1M* 30 ICC5AL 43 DOT1LEDB 20, 21, 22 EXT40 16 G1MM90 30 ICC5RL 43 DOT24V4 21, 22 EXT40WD 16 G1P* 30 INSTLRDX 30 DOT24V8 21 EXT5 16 G2M* 30 ISP148 7 DOT2LEDB 21, 22 EXT5WD 16 G2P* 30 ISP188 7 DOT2SMK1 21, 22 EXTRACT 17 G5M* 30 ISP18824 7 DOT2SMK2 21, 22 FHEADH*P 13 G5MC** 30 ISP4HS 7 DOT3101A 20 FHEADHSP 13 G5P* 30 ISP742 7 DOT3101B 20 FHEADLSP 13, 23 G7M* 30 ISP8HS 7 DOT3101D 20 FL2**** 40 G7MC** 30 ISP94 7								
DOT1LEDB. 20, 21, 22 EXT40								
DOT24V4 21, 22 EXT40WD 16 G1P* 30 INSTLRDX 30 DOT24V8 21 EXT5 16 G2M* 30 ISP148 7 DOT2LEDB 21, 22 EXT5WD 16 G2P* 30 ISP188 7 DOT2SMK1 21, 22 EXTRACT 17 G5M* 30 ISP18824 7 DOT2SMK2 21, 22 FHEADH*P 13 G5MC** 30 ISP4HS 7 DOT2SMK3 21, 22 FHEADHSP 13 G5P* 30 ISP74 7 DOT3101A 20 FHEADL*P 13, 23 G5PC** 30 ISP7424 7 DOT3101B 20 FHEADLSP 13, 23 G7M* 30 ISP8HS 7 DOT3101D 20 FL2***** 40 G7MC** 30 ISP94 7								
DOT24V8. 21 EXT5. 16 G2M* 30 ISP148. 7 DOT2LEDB. 21, 22 EXT5WD 16 G2P* 30 ISP188. 7 DOT2SMK1 21, 22 EXTRACT 17 G5M* 30 ISP18824. 7 DOT2SMK2 21, 22 FHEADH*P. 13 G5MC** 30 ISP4HS. 7 DOT2SMK3 21, 22 FHEADHSP. 13 G5P* 30 ISP74. 7 DOT3101A 20 FHEADL*P 13, 23 G5PC** 30 ISP7424. 7 DOT3101B 20 FHEADLSP 13, 23 G7M* 30 ISP8HS. 7 DOT3101D 20 FL2**** 40 G7MC** 30 ISP94 7								
DOT2LEDB. 21, 22 EXT5WD 16 G2P* 30 ISP188. 7 DOT2SMK1 21, 22 EXTRACT 17 G5M* 30 ISP18824. 7 DOT2SMK2 21, 22 FHEADH*P. 13 G5MC** 30 ISP4HS. 7 DOT3SMK3 21, 22 FHEADHSP. 13 G5P* 30 ISP74 7 DOT3101A 20 FHEADL*P 13, 23 G5PC** 30 ISP7424. 7 DOT3101B 20 FHEADLSP 13, 23 G7M* 30 ISP8HS. 7 DOT3101D 20 FL2**** 40 G7MC** 30 ISP94 7								
DOT2SMK1 21, 22 EXTRACT 17 G5M* 30 ISP18824 7 DOT2SMK2 21, 22 FHEADH*P 13 G5MC** 30 ISP4HS 7 DOT2SMK3 21, 22 FHEADHSP 13 G5P* 30 ISP74 7 DOT3101A 20 FHEADL*P 13, 23 G5PC** 30 ISP7424 7 DOT3101B 20 FHEADLSP 13, 23 G7M* 30 ISP8HS 7 DOT3101D 20 FL2**** 40 G7MC** 30 ISP94 7								
DOT2SMK2 21, 22 FHEADH*P 13 G5MC** 30 ISP4HS 7 DOT2SMK3 21, 22 FHEADHSP 13 G5P* 30 ISP74 7 DOT3101A 20 FHEADL*P 13, 23 G5PC** 30 ISP7424 7 DOT3101B 20 FHEADLSP 13, 23 G7M* 30 ISP8HS 7 DOT3101D 20 FL2**** 40 G7MC** 30 ISP94 7	DOT2SMK1	21, 22	EXTRACT	17			ISP18824	7
DOT2SMK3 21, 22 FHEADHSP 13 G5P* 30 ISP74 7 DOT3101A 20 FHEADL*P 13, 23 G5PC** 30 ISP7424 7 DOT3101B 20 FHEADLSP 13, 23 G7M* 30 ISP8HS 7 DOT3101D 20 FL2**** 40 G7MC** 30 ISP94 7							ISP4HS	7
DOT3101B 20 FHEADLSP 13, 23 G7M* 30 ISP8HS .7 DOT3101D 20 FL2**** 40 G7MC** 30 ISP94 .7	DOT2SMK3	21, 22						
DOT3101D			FHEADL*P	13, 23				
			FHEADLSP	13, 23				
						30	ISP94	7

ISP9424		LLMATRIX	11	MK9S30, 31, 32,	26 46	PCC6R	24
ITDeceno						PCCHD1	
ITP§§§00		LLPREWIR		MKALY			
K210		LLRFL**		MKALY**		PCCHD2	
K210R		LLRFM**		MKC4***		PCCS9NP	
K360I**	35	LLRFM*C	41	MKEZ#	32	PCCS9R	24
K370	26	LLRFMCC	41	MKEZ11	46	PCCS9R1	24
K64WL	35	LLTALED	41	MKEZ16	46	PINPUSH	17
KCF*5,	30.35	LLTALED5		MKEZ17		PKRSYS1	
KCRUISE		LLTATIR5		MKEZ2		PKRSYS2	
KCU64SA		LLTATIR6		MKEZ25		PKRTA6	
KCU64SF		LLTD1		MKEZ26		PKRTA8	
KDALY	35	LLTD2	41	MKEZ29	.32, 46	PLAST3V	11
KDBTTLED	35	LLTDM1	41	MKEZ30	45	PLAST4V	11
KDCBL		LP21**		MKEZ34		PRL1S**	
						DDI 0***	
KDCRL		LP28AA		MKEZ35		PRL2***	39
KDCRLED		LP7HSGN		MKEZ36		PRL2*CC	
KDFF**	35	LP7WAA	18	MKEZ36L	46	PRL2C**	39
KDRF**	35	LPF20AA	18	MKEZ37	46	PRL2CCC	
KDTD2		LPF29AA		MKEZ38		PRM1S**	
KDTD2C		LPF40AA		MKEZ41		PRM2***	
						PRIVIZ	31
KHSROTAC		LPF40FAA		MKEZ42		PRM2*CC	37
KHSROTAI	35	LPF49AA	18	MKEZ44	46	PRM2C**	37
KKKELED1	22	LPF59AAD	18	MKEZ45	.45, 46	PRM2CCC	37
KKKELED2	22	LPG20AA	18	MKEZ46	45 46	PROJECT	26
KKKESSY1		LPG29AA		MKEZ47		PROJECTK	
		LPG40AA		MKEZ48			
KL14SF						PS*00F*R	
KL17S**		LPG40FAA		MKEZ49		PSB00FBR	
KROTA2	35	LPG49AA	18	MKEZ5	.45, 46	PSC00FCR	
KROTAC	35	LPG59AAD	18	MKEZ50	46	PSCABCCR	15
KROTFIL*		LPS34AAA		MKEZ51		PSCACCCR	
KSEMF		LSK		MKEZ52		PSR00XRR	
L22H*M		LT2***M		MKEZ53		PSTANK	
L22H*P	7	LT2****P	31	MKEZ54	45	PSW3	6, 7
L22H*P4	7	LT2***CM	32	MKEZ55	46	R2HDM*	30
L22HCM		LT2***CP		MKEZ56		R2HDP*	
L22HCP		LT2**CCM		MKEZ57		R6DXM*	
					,		
L22HCP4		LT2**CCP		MKEZ58		R6DXMC**	
L31H*F	7	LT2*CCCP	32	MKEZ59	.45, 46	R6DXP*	30
L31H*M	7	LT2CCCCM	32	MKEZ6	45	R6DXPC**	30
L31HRFN	7	LT2CCCCP	32	MKEZ60	46	RB6CF*	
L32L*F		LTALY		MKEZ61		RB6P*M	
L32L*M		LTTD1		MKEZ62		RB6P*P	
L360BGB		M1		MKEZ63		RB6PVP	
L360PMKT		M1BATT	24	MKEZ64	45	RB6T*P	5
L53AM	7	M469	47	MKEZ65	46	RBKT1	15
L53AP	7	MBCI00**	14	MKEZ66	46	RBKT2	15
LAC47		MBCV98**	1/	MKEZ67		RBKT3	
LAC54		IVIDO V 30		IVII\L_C/1		1101110	
			4.4	MI/C77 20 24 22	26 46	DDI/TLID4	4.5
		MBEX98**	14	MKEZ730, 31, 32		RBKTHD1	
LB2000	6	MBLC98**	14	MKH2**	38	RBKTHD2	15
LB2000 LEDLOAD	6 9	MBLC98** MBLC98*B	14	MKH2** MKH4****	38 38	RBKTHD2 RBKTHD3	15 15
LB2000 LEDLOAD	6 9	MBLC98**	14 14	MKH2** MKH4**** MKL2**	38 38 38	RBKTHD2 RBKTHD3	15 15
LEDLOADLENGTH3	6 9 43	MBLC98*B MBLC98BB	14 14 14	MKH2** MKH4**** MKL2**	38 38 38	RBKTHD2 RBKTHD3 RBKTHD4L	15 15 15
LB2000 LEDLOAD LENGTH3 LENGTH4	6 9 43	MBLC98** MBLC98*B MBLC98BB	14 14 14 14, 15	MKH2** MKH4**** MKL2** MKL4***	38 38 38	RBKTHD2 RBKTHD3 RBKTHD4L RBKTHD4R	15 15 15
LB2000 LEDLOAD LENGTH3 LENGTH4	6 9 43 43 41, 44	MBLC98** MBLC98*B MBLI00** MBLI00BB	14 14 14 14, 15 15	MKH2** MKH4**** MKL2** MKL4**** MKSCANLK	38 38 38 38	RBKTHD2 RBKTHD3 RBKTHD4LRBKTHD4R RBKTHD5	15 15 15 15
LB2000LEDLOADLENGTH3LENGTH4LENSGLUE37, 39, LFLTUBE	6 9 43 43 41, 44 47	MBLC98** MBLC98*B MBLC98BB MBLI00** MBLI00BB MBLS00**		MKH2** MKH4**** MKL2** MKL4**** MKSCANLK MKTD2	38 38 38 38 38	RBKTHD2RBKTHD3RBKTHD4LRBKTHD4RRBKTHD5RBKTHD5RBKTHD6RBKTHD6	15 15 15 15 16
LB2000 LEDLOAD LENGTH3 LENGTH4	6 9 43 43 41, 44 47	MBLC98** MBLC98*B MBLI00** MBLI00BB		MKH2** MKH4**** MKL2** MKL4**** MKSCANLK	38 38 38 38 38	RBKTHD2 RBKTHD3 RBKTHD4LRBKTHD4R RBKTHD5	15 15 15 15 16
LB2000LEDLOADLENGTH3LENGTH4LENSGLUE37, 39, LFLTUBE	6 9 43 41, 44 47 31	MBLC98** MBLC98*B MBLI00** MBLI00BB MBLS00** MBLS00*B MBLS00*B		MKH2** MKH4**** MKL2** MKL4**** MKSCANLK MKTD2 MLDOT02 MLEMS02	38 38 38 38 38 38 30	RBKTHD2RBKTHD3RBKTHD4LRBKTHD4RRBKTHD5RBKTHD5RBKTHD6RBKTHD6	
LB2000	6 9 43 43 41, 44 47 31	MBLC98** MBLC98*B MBLI00** MBLI00BB MBLS00** MBLS00*B MBLS00*B		MKH2** MKH4**** MKL2** MKL4**** MKSCANLK MKTD2 MLDOT02	38 38 38 38 38 38 30	RBKTHD2RBKTHD3RBKTHD4LRBKTHD4RRBKTHD5RBKTHD5RBKTHD6RBKTHD6RBRHSG1	
LB2000	6 9 43 41, 44 47 31 31	MBLC98** MBLC98*B MBL100** MBL100BB MBLS00** MBLS00*B MBLS00BB MBLS00BB MBLX98**	14 14 14, 15 15 15 15 15	MKH2** MKH4**** MKL2** MKL4**** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M*	38 38 38 38 38 38 30 30	RBKTHD2RBKTHD3RBKTHD4LRBKTHD4RRBKTHD5RBKTHD6RBKTHD6RBKHSG1RDXMM90REPDIRWA	
LB2000	6 9 43 43 41, 44 47 31 31 31	MBLC98** MBLC98*B MBLC98BB MBLI00** MBLI00BB MBLS00** MBLS00*B MBLS00BB MBLS00BB MBLX98** MBLX98*B	141414, 1515151515	MKH2** MKH4**** MKL2** MKL4*** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV	38 38 38 38 38 30 30 31	RBKTHD2RBKTHD3RBKTHD4LRBKTHD4RRBKTHD5RBKTHD6RBKTHD6RBRHSG1RDXMM90REPDIRWAREPDIRWD	
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE 37, 39, LFLTUBE LHALY LHRFL* LHTD1 LINEAR14 LINEAR14 LINEAR17	6 9 43 43 41, 44 47 31 31 31 31	MBLC98** MBLC98*B MBLC98BB MBLI00** MBLI00BB MBLS00** MBLS00*B MBLS00BB MBLX98** MBLX98*B MBLY98**		MKH2** MKH4**** MKL2** MKL2** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17MV	383838383838393030312731	RBKTHD2RBKTHD4LRBKTHD4RRBKTHD5RBKTHD5RBKTHD6RBRHSG1RDXMM90REPDIRWAREPDIRWAREPDIRWDREPH35WD	
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE 37, 39, LFLTUBE LHALY LHRFL* LHTD1 LINEAR14 LINEAR17 LK4122	6 9 43 44 47 31 31 31 47 47	MBLC98** MBLC98*B MBLC98BB MBLI00** MBLI00BB MBLS00** MBLS00*B MBLS00BB MBLS00BB MBLS98** MBLY98** MBLY98** MBPC98**		MKH2** MKH4**** MKL2** MKL4*** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MKFL17MV MLFL17P* MLFL12M*	38383838383839303031273131	RBKTHD2RBKTHD4LRBKTHD4LRBKTHD4RRBKTHD5RBKTHD6RBRHSG1RDXMM90REPDIRWAREPDIRWDREPDIRWDREPH35WDREPS30WA	15 15 15 15 16 16 16 15 30 48 48 48
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE 37, 39, LFLTUBE LHALY LHRFL* LHTD1 LINEAR14 LINEAR17 LK4122 LK4124	6 9 43 41, 44 47 31 31 31 47 47	MBLC98** MBLC98*B MBLC98BB MBLI00** MBLI00*B MBLS00*B MBLS00*B MBLS00BB MBLS00BB MBLX98** MBLY98** MBLY98** MBPC98** MBPC98** MBPC98**		MKH2** MKL2** MKL4*** MKL4*** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MKFL17MV MLFL17P* MLFL22M* MLFL22P*	383838383838303031273131	RBKTHD2RBKTHD4LRBKTHD4LRBKTHD4RRBKTHD5RBKTHD6RBRHSG1RDXMM90REPDIRWAREPDIRWDREPDIRWDREPH35WDREPS30WAREPS30WD	15 15 15 15 16 16 16 16 18 18 18 18 18 18 18 18 18 18 18 18 18
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE 37, 39, LFLTUBE LHALY LHRFL* LHTD1 LINEAR14 LINEAR17 LK4122	6 9 43 41, 44 47 31 31 31 47 47	MBLC98** MBLC98*B MBLC98BB MBLI00** MBLI00BB MBLS00** MBLS00*B MBLS00BB MBLX98** MBLY98** MBPC98** MBPO0** MBPS00** MBPS00**		MKH2** MKH4**** MKL2** MKL4*** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MKFL17MV MLFL17P* MLFL12M*	383838383838303031273131	RBKTHD2RBKTHD4LRBKTHD4LRBKTHD4RRBKTHD5RBKTHD6RBRHSG1RDXMM90REPDIRWAREPDIRWDREPDIRWDREPH35WDREPS30WA	15 15 15 15 16 16 16 16 18 18 18 18 18 18 18 18 18 18 18 18 18
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE 37, 39, LFLTUBE LHALY LHRFL* LHTD1 LINEAR14 LINEAR17 LK4122 LK4124	694343 41, 4447313147474242	MBLC98** MBLC98*B MBLC98BB MBLI00** MBLI00*B MBLS00*B MBLS00*B MBLS00BB MBLS00BB MBLX98** MBLY98** MBLY98** MBPC98** MBPC98** MBPC98**		MKH2** MKL2** MKL4*** MKL4*** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MKFL17MV MLFL17P* MLFL22M* MLFL22P*	3838383838383030312731313131	RBKTHD2RBKTHD4LRBKTHD4LRBKTHD4RRBKTHD5RBKTHD6RBRHSG1RDXMM90REPDIRWAREPDIRWDREPDIRWDREPH35WDREPS30WAREPS30WD	
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE	6943473131314747474242	MBLC98** MBLC98*B MBLC98BB MBLI00** MBLI00BB MBLS00** MBLS00*B MBLS00BB MBLX98** MBLX98** MBLY98** MBPC98** MBPI00** MBPS00** MBPS00** MBPS00** MBPU00**	141414, 1515151515141414141414	MKH2** MKH4**** MKL2** MKL4*** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17P* MLFL22M* MLFL22P* MLPOL02	383838383838303127312731313131	RBKTHD2RBKTHD3RBKTHD4LRBKTHD4LRBKTHD5RBKTHD6RBKTHD6RBRHSG1RDXMM90REPDIRWAREPDIRWDREPJIRWDREPJIRWDREPS30WAREPS30WAREPS30WDREPSTTWA	15 15 15 16 16 16 16 18 48 48 48 48 48 48
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE 37, 39, LFLTUBE LHALY LHRFL* LHTD1 LINEAR14 LINEAR17 LK4122 LK4124 LKACRZ** LKALYCC LKCRUZ**	694343 41, 4447313131474742424242	MBLC98** MBLC98*B MBLC98BB MBLI00** MBLI00BB MBLS00*B MBLS00*B MBLS098** MBLY98** MBLY98** MBPI00** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MC9MED2*	14141415151515151414141414141414141414	MKH2** MKH4**** MKL2** MKL2** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK	38383838383930312731313131303030	RBKTHD2RBKTHD4LRBKTHD4LRBKTHD4RRBKTHD5RBKTHD6RBRHSG1RDXMM90REPDIRWAREPDIRWAREPDIRWDREPS30WAREPS30WAREPS30WDREPSTTWAREPSTTWAREPSTTWAREPSTTWDREPTSCE	15 15 15 16 16 16 16 18 48 48 48 48 48 48 48
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE 37, 39, LFLTUBE LHALY LHRFL* LHTD1 LINEAR14 LINEAR17 LK4122 LK4124 LKACRZ** LKACRZ** LKCRUZ** LKCRUZ*** LKH2**	6943444731314747424242424242	MBLC98** MBLC98*B MBLC98BB MBLI00** MBLI00** MBLS00*B MBLS00*B MBLS00BB MBLS00BB MBLS98** MBLY98** MBPC98** MBPC98** MBPO0** MBPS00** MBPX98** MBPX98** MBCY98** MBPX98** MBCY98** MBPX98** MBCY98**	141414, 15151515151414141414141414141414141414	MKH2** MKH4**** MKL2** MKL4*** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17P* MLFL22P* MLFU22P* MLPOL02 MLSETUP MMK MNIL*	38383838383839303031273131313030313131	RBKTHD2RBKTHD4LRBKTHD4LRBKTHD4LRBKTHD5RBKTHD6RBRHSG1RDXMM90REPDIRWAREPDIRWDREPDIRWDREPS30WAREPS30WDREPS30WDREPSTTWAREPSTTWAREPSTTWDREPSTTCEREPTSCEREPTSCOM	15 15 15 15 16 16 16 15 30 48 48 48 48 48 48
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE	694343 41, 444731314747424242424242	MBLC98** MBLC98*B MBLC98BB MBLI00** MBLI00BB MBLS00** MBLS00BB MBLS00BB MBLX98** MBLX98** MBLX98*B MBPC98** MBPI00** MBPS00** MBPS00** MBPX98** MBPX98** MBCU0** MCFLED2* MCLFL*		MKH2** MKH4**** MKL2** MKL4*** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0****	383838383838303031273127313130303031	RBKTHD2RBKTHD3RBKTHD4LRBKTHD4LRBKTHD4RRBKTHD6RBKTHD6RBKTHD6RDXMM90REPDIRWAREPDIRWDREPJIRWDREPJIRWDREPS30WAREPS30WDREPSTTWAREPSTTWDREPSTTWDREPSTTWDREPSTCEREPTSCOMREPTSSE	15 15 15 15 16 16 16 30 48 48 48 48 48 48 48 47 47
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE	694343 41, 444731314747424242424242424242	MBLC98** MBLC98*B MBLC98*B MBLI00** MBLI00BB MBLS00** MBLS00*B MBLS00BB MBLX98** MBLY98*B MBPC98** MBPO0** MBPS00** MBPX98** MBPX98** MBPX98** MBPX98** MBPC98** MBPC98** MBPLO0** MBPX98** MBCFLED2* MCFLED2* MCLFLS*		MKH2** MKH4**** MKL2** MKL4*** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0****	383838383838303031273127313130303031	RBKTHD2RBKTHD3RBKTHD4LRBKTHD4LRBKTHD4ERBKTHD6RBKTHD6RBKTHD6RBRHSG1RDXMM90REPDIRWDREPDIRWDREPJIRWDREPJIRWDREPS30WDREPS30WDREPSTTWDREPSTTWDREPSTTWDREPTSCEREPTSCOMREPTSCEREPTSCEREPTSSEREPTSSTR	15 15 15 15 16 16 16 18 30 48 48 48 48 48 48 48 47 47
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE 37, 39, LFLTUBE LHALY LHRFL* LHTD1 LINEAR14 LINEAR17 LK4122 LK4124 LKACRZ** LKALYCC LKCRUZ** LKH2** LKH2** LKL** LL142000 LL142000	694347313147474742424242424241	MBLC98** MBLC98*B MBLC98*B MBLI00** MBLI00BB MBLS00** MBLS00*B MBLS00BB MBLX98** MBLY98** MBPC98** MBPC98** MBPI00** MBPS00** MBPS00** MBPS00** MC9MED2* MCFLED2* MCSLED2*		MKH2** MKH4**** MKL2** MKL2*** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0**** ND2*** ND7*****	3838383838393031273131313030363636	RBKTHD2	15 15 15 15 15 16 16 16 16 16 16 17 15 17 16 16 16 17 17 17 17 17 17 17 17 17 17 17 17 17
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE 37, 39, LFLTUBE LHALY LHRFL* LHTD1 LINEAR14 LINEAR17 LK4122 LK4124 LKACRZ** LKALYCC LKCRUZ** LKH2** LKH2** LL142000 LL14200F LL144000	694343 41, 44473131474742424242424242424141	MBLC98** MBLC98*B MBLC98BB MBLI00** MBLI00BB MBLS00** MBLS00*B MBLS00BB MBLX98** MBPC98** MBPO0** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MCPSS** MBPLSY8** MBCU0** MCSUDETE MCSED2* MCSLED2* MCSLED2* MCSLED2*		MKH2** MKH4**** MKL2** MKL2** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0**** ND7**** NDA**	3838383838393031273131313130306 .16, 23363636	RBKTHD2	15 15 15 15 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE 37, 39, LFLTUBE LHALY LHRFL* LHTD1 LINEAR14 LINEAR17 LK4122 LK4124 LKACRZ** LKALYCC LKCRUZ** LKH2** LKH2** LKL** LL142000 LL142000	694343 41, 44473131474742424242424242424141	MBLC98** MBLC98*B MBLC98*B MBLI00** MBLI00BB MBLS00** MBLS00*B MBLS00BB MBLX98** MBLY98** MBPC98** MBPC98** MBPI00** MBPS00** MBPS00** MBPS00** MC9MED2* MCFLED2* MCSLED2*		MKH2** MKH4**** MKL2** MKL2*** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0**** ND2*** ND7*****	3838383838393031273131313130306 .16, 23363636	RBKTHD2	15 15 15 15 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE 37, 39, LFLTUBE LHALY LHRFL* LHTD1 LINEAR14 LINEAR17 LK4122 LK4124 LKACRZ** LKALYCC LKCRUZ** LKH2** LKL** LLH2000 LL144000 LL144000 LL144000	694343473131474742424242424242424141	MBLC98** MBLC98*B MBLC98*B MBL100** MBL100BB MBLS00** MBLS00*B MBLS00BB MBLX98** MBLX98** MBLY98** MBPC98** MBPC98** MBPS00** MBPS00** MBPS00** MBPS00** MCPED2* MCLFL* MCLFL3* MCSLED2* MCSLED3* MCSLED3* MCSLED4*		MKH2** MKH4**** MKL2** MKL4**** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0**** ND2*** ND7**** NDA** NOTE	38383838383930303131313131313136363636363636	RBKTHD2	15 15 15 15 16 16 16 16 16 16 17 15 17 17 17 17 17 17 15 23 15 23 15 15
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE	694343 41, 4447313147474242424242424141	MBLC98** MBLC98*B MBLC98*B MBL100** MBL100BB MBLS00** MBLS00*B MBLS00BB MBLX98** MBLX98** MBPC98** MBPC98** MBPO0** MBPX98** MBPU0** MC9MED2* MCFLED2* MCLFL3* MCSLED3* MCSLED3* MCSLED4* MGC01		MKH2** MKH4**** MKL2** MKL4*** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17P* MLFL17P* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0**** ND0**** ND7**** ND7**** ND7**** ND7*** ND7*** ND7*** ND7*** ND7*** ND7*** ND7*** ND7***	38383838383930312731313030363636363636363636	RBKTHD2	
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE	69434344, 4447313147474742424242424242414141	MBLC98** MBLC98*B MBLC98*B MBLI00** MBLI00BB MBLS00** MBLS00*B MBLS00BB MBLX98** MBLY98** MBPC98** MBPC98** MBPO0** MBPX98** MBPU0** MBPX98** MBPU0** MC9MED2* MCFLED2* MCFLED2* MCFLED2* MCSLED3* MCSLED4* MGC01 MGC02		MKH2** MKH4**** MKL2** MKL2*** MKL4**** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0*** ND2*** ND7**** ND4** NOTE OPTICENT	38383838383830312731313130303036363636363636363637	RBKTHD2	15 15 15 16 16 16 16 18 48 48 48 48 48 48 47 47 47 15, 23 15, 23 15, 22 47
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE 37, 39, LFLTUBE LHALY LHRFL* LHTD1 LINEAR14 LINEAR17 LK4122 LK4124 LKACZ** LKALYCC LKCRUZ** LKH2** LKH2** LK1* LL142000 LL14200F LL144000 LL14400F LL148000 LL14800F LL148000 LL14800F LL14800F	69434347313147474742424242424141414141	MBLC98** MBLC98*B MBLC98*B MBLI00** MBLI008B MBLS00** MBLS00*B MBLS008B MBLX98** MBLY98** MBPC98** MBPC98** MBPO0** MBPS00** MBPS00** MC9MED2* MCFLED2* MCFLED2* MCSLED3* MCSLED4* MGC01 MGC02 MGC02UG		MKH2** MKH4**** MKL2** MKL2*** MKL4**** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0**** ND2*** ND7**** ND4** NOTE OPTICENT	383838383838303127313130303036363636363636363731	RBKTHD2	15 15 15 16 16 16 16 15 30 48 48 48 48 48 48 48 17 47 47 47 47 47 47 47 47 47 47 47 47 47
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE 37, 39, LFLTUBE LHALY LHRFL* LHTD1 LINEAR14 LINEAR17 LK4122 LK4124 LKACRZ** LKALYCC LKCRUZ** LKH2** LL142000 LL14200F LL144000 LL14400F LL14800F LL14800F LL14800F LL14800F LL14800F LL1264000	69434341,4447313131474742424242424242414141414141	MBLC98** MBLC98*B MBLC98*B MBLO98*B MBLI00** MBLS00** MBLS00*B MBLS00*B MBLX98** MBLX98** MBPC98** MBPC98** MBPO0** MBPS00** MBPS00** MCPLED2* MCFLED2* MCFLED2* MCFLED2* MCSLED2* MCSLED2* MCSLED4* MGC01 MGC02 MGC02 MGM02		MKH2** MKH4**** MKL2** MKL2** MKL4**** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0**** ND2*** ND7**** NDA** NOTE OPTIDELT OPTIW500 P	383838383839303131313131303636363636363637313131313131	RBKTHD2	15 15 15 16 16 16 16 15 30 48 48 48 48 48 48 48 17 47 47 47 47 47 47 47 47 47 47 47 47 47
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE	694343 41, 4447313147474442424242424241414141414141	MBLC98** MBLC98*B MBLC98*B MBL100** MBL100BB MBLS00** MBLS00*B MBLS00BB MBLX98** MBLX98** MBPC98** MCPLED2* MCLFL3* MCLFL3* MCSLED2* MCSLED3* MCSLED4* MGC01 MGC02 MGC02UG MGM02 MGM02 MGM02C0A		MKH2** MKH4**** MKH4**** MKL2** MKL4*** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0*** ND2*** ND7**** ND7**** ND7*** ND7** ND	3838383838393030312731313030363636363636363636363637313030	RBKTHD2	15 15 15 16 16 16 16 18 30 48 48 48 48 48 48 48 48 48 48 47 47 47 47 47 47 47 47 47 47 47 47 47
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE 37, 39, LFLTUBE LHALY LHRFL* LHTD1 LINEAR14 LINEAR17 LK4122 LK4124 LKACRZ** LKALYCC LKCRUZ** LKH2** LL142000 LL14200F LL144000 LL14400F LL14800F LL14800F LL14800F LL14800F LL14800F LL1264000	694343 41, 4447313147474442424242424241414141414141	MBLC98** MBLC98*B MBLC98*B MBLO98*B MBLI00** MBLS00** MBLS00*B MBLS00*B MBLX98** MBLX98** MBPC98** MBPC98** MBPO0** MBPS00** MBPS00** MCPLED2* MCFLED2* MCFLED2* MCFLED2* MCSLED2* MCSLED2* MCSLED4* MGC01 MGC02 MGC02 MGM02		MKH2** MKH4**** MKL2** MKL2** MKL4**** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0**** ND2*** ND7**** NDA** NOTE OPTIDELT OPTIW500 P	3838383838393030312731313030363636363636363636363637313030	RBKTHD2	15 15 15 16 16 16 16 18 30 48 48 48 48 48 48 48 48 48 48 47 47 47 47 47 47 47 47 47 47 47 47 47
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE	69434344, 44473131474747424242424242414141414141414141	MBLC98** MBLC98*B MBLC98*B MBLI00** MBLI00BB MBLS00** MBLS00*B MBLS00BB MBLX98** MBLY98*B MBPC98** MBP100** MBPS00** MBPS00** MBPS00** MBPX98** MBPI00** MBPS00** MBPX98** MBC9ED2* MCFLED2* MCFLED2* MCSLED4* MCSLED4* MGSLED4* MGC01 MGC02 MGC02UG MGM02 MGM02C0A MGM02F0A		MKH2** MKH4**** MKH4**** MKL2** MKL4**** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17P* MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0**** ND2*** ND7**** ND7**** ND7**** ND7*** ND7** ND	3838383838303031273131303036363636363636363636373131	RBKTHD2	15 15 15 16 16 16 16 18 30 48 48 48 48 48 48 48 47 47 47 47 47 47 47 47 47 47 47 47 47
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE	69434344, 4447313131474742424242424241414141414141414141414141	MBLC98** MBLC98*B MBLC98*B MBLI00** MBLI008B MBLS00** MBLS00*B MBLS00B MBLS098** MBLY98** MBPC98** MBPC98** MBPO0** MBPX00** MBPX00** MBPX00** MC9MED2* MCFLED2* MCFLED2* MCFLED3* MCSLED4* MGSLED4* MGC01 MGC02 MGC02UG MGM02C0A MGM02F0A MGM02F0A MGM02F0A		MKH2** MKH4**** MKL2** MKL2*** MKL4**** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0*** ND2*** ND7**** ND7**** ND7**** ND7**** ND7**** ND7*** ND7** ND7	38383838383930312731313130303036373432323234323535363636363636363636363739393939393939393939393939393939393939	RBKTHD2	15 15 15 16 16 16 16 15 30 48 48 48 48 48 48 47 47 47 47 47 47 47 47 47 47 47
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE 37, 39, LFLTUBE LHALY LHRFL* LHTD1 LINEAR14 LINEAR17 LK4122 LK4124 LKACZ** LKALYCC LKCRUZ** LKH2** LKH2** LL142000 LL14200F LL144000 LL14800F LL148000 LL14800F LL14800F LL14800F LL262000 LL1264000 LL268000 LL268000 LL288000 LL288000 LL288000 LL288000 LL288000	694343444731313147474242424242424241414141414141414141414141	MBLC98** MBLC98*B MBLC98*B MBLI00** MBLI008B MBLS00** MBLS00*B MBLS008B MBLX98** MBLY98** MBPC98** MBPC98** MBPO0** MBPS00** MBPS00** MC9MED2* MCFLED2* MCFLED2* MCFLED2* MCFLED3* MCSLED4* MGC01 MGC02 MGC02UG MGM02C0A MGM02F0A MGM02F0A MGM02F0A MGM02F0A MGM02F1A MGM02F0A		MKH2** MKH4**** MKL2** MKL2*** MKL4**** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0*** ND2*** ND7**** ND7**** ND7*** ND7** ND7*** ND7** ND7*** ND7** ND7*** ND7** N		RBKTHD2	15 15 15 16 16 16 16 15 30 48 48 48 48 48 48 48 47 47 47 47 47 47 47 47 47 47 47 47 47
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE	694343 41, 4447313147474442424242424242414141414141414141414141414141	MBLC98** MBLC98*B MBLC98*B MBL100** MBL1008B MBLS00** MBLS00*B MBLS00B MBLX98** MBLX98** MBPC98** MBPC98** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MCFLED2* MCFLED2* MCFLED2* MCLFL* MCLFL3* MCSLED3* MCSLED3* MCSLED4* MGC01 MGC02 MGM02C0A MGM02C0A MGM02F0A MGM02F1A MGM02R1A		MKH2** MKH4**** MKH4**** MKL2** MKL4*** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0**** ND2*** ND7**** ND4** NOTE OPTICENT OPTICENT OPTICENT OPTICELT OPTIM500 P PA300CBL PAH112 PAPEXT15 PAR36EH*	38383838383930312731313030363734323333	RBKTHD2	
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE	694343 41, 4447313147474742424242424241	MBLC98** MBLC98*B MBLC98*B MBL100** MBL1008B MBLS00** MBLS00*B MBLS00B MBLX98** MBLY98** MBPC98** MBPC98** MBPO0** MBPX98** MBPC98** MBPU0** MC98*B MBCY98** MBCU0** MC9MED2* MCLFL3* MCSLED2* MCLFL3* MCSLED3* MCSLED4* MGC02 MGC02UG MGC02UG MGM02C0A MGM02F0A MGM02F0A MGM02F0A MGM02F0A MGM02R1A MGM02S0A		MKH2** MKH4**** MKH4**** MKL2** MKL4**** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17P* MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0**** ND2*** ND7**** ND7**** ND7**** ND7*** ND7**	383838383830312731313030363132363636363636363637313	RBKTHD2	
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE	694343 41, 4447313147474742424242424241	MBLC98** MBLC98*B MBLC98*B MBL100** MBL1008B MBLS00** MBLS00*B MBLS00B MBLX98** MBLX98** MBPC98** MBPC98** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MCFLED2* MCFLED2* MCFLED2* MCLFL* MCLFL3* MCSLED3* MCSLED3* MCSLED4* MGC01 MGC02 MGM02C0A MGM02C0A MGM02F0A MGM02F1A MGM02R1A		MKH2** MKH4**** MKH4**** MKL2** MKL4*** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0**** ND2*** ND7**** ND4** NOTE OPTICENT OPTICENT OPTICENT OPTICELT OPTIM500 P PA300CBL PAH112 PAPEXT15 PAR36EH*	383838383830312731313030363132363636363636363637313	RBKTHD2	
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE	6	MBLC98** MBLC98*B MBLC98*B MBL100** MBL1008B MBLS00** MBLS00*B MBLS00B MBLX98** MBLY98** MBPC98** MBPC98** MBPO0** MBPX98** MBPC98** MBPU0** MC98*B MBCY98** MBCU0** MC9MED2* MCLFL3* MCSLED2* MCLFL3* MCSLED3* MCSLED4* MGC02 MGC02UG MGC02UG MGM02C0A MGM02F0A MGM02F0A MGM02F0A MGM02F0A MGM02R1A MGM02S0A		MKH2** MKH4**** MKH4**** MKL2** MKL4**** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17P* MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0**** ND2*** ND7**** ND7**** ND7**** ND7*** ND7**		RBKTHD2	
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE 37, 39, LFLTUBE LHALY LHRFL* LHTD1 LINEAR14 LINEAR17 LK4122 LK4124 LKACZ** LKALYCC LKCRUZ** LKALYCC LKCRUZ** LKH2* LL142000 LL14200F LL144000 LL14800F LL148000 LL14800F LL148000 LL14800F LL262000 LL284000 LL288000 LL1ALY LLAM1 LLAM1 LLAM1 LLAM1** LLAM1** LLAM1** LLAM1** LLAM1** LLAM1** LLAM1***		MBLC98** MBLC98*B MBLC98*B MBLI00** MBLI008B MBLS00** MBLS00*B MBLS008B MBLX98** MBLY98** MBPC98** MBPC98** MBPC98** MBPO0** MBPX00** MBPX00** MC9MED2* MCFLED2* MCFLED2* MCFLED2* MCSLED4* MGC01 MGC02 MGC02UG MGM02C0A MGM02C0A MGM02F1A MGM02F0A MGM02F1A MGM02S0A MGM02S0A MGM02C0A MGM02COA MGM02COA MGM02F1A MGM02S0A MGM02S0A MGM02COA MGM02COA MGM02COA MGM02COA MGM02COA MGM02F1A MGM02S0A MGM02SOA		MKH2** MKH4**** MKL2** MKL2*** MKL4**** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0*** ND2*** ND2*** ND7**** ND7**** ND7**** ND7*** ND7** ND	38383838383839312731313130303036363636363636363636363631	RBKTHD2	
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE	694343 41, 4447313147474442424242424241	MBLC98** MBLC98*B MBLC98*B MBL100** MBL1008B MBLS00** MBLS00*B MBLS00B MBLX98** MBLY98** MBLY98** MBPC98** MBPC98** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MCFLED2* MCLFL* MCLFL3* MCSLED2* MCSLED3* MCSLED3* MCSLED4* MGC01 MGC02 MGM02F1A MGM02F0A MGM02F1A MGM02F1A MGM02F0A MGM02F0A MGM02F0A MGM02F0A MGM02F0A MGM02F0A MGM02F0A MGM02F1A MGM02F0A		MKH2** MKH4**** MKL2** MKL4*** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17P* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0*** ND2*** ND7**** ND2*** ND7*** ND7** ND7*** ND7*** ND7*** ND7*** ND7**		RBKTHD2	
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE	6	MBLC98** MBLC98*B MBLC98*B MBL100** MBL1008B MBLS00** MBLS00*B MBLS00B MBLX98** MBLY98** MBPC98** MBPO0** MBPS00** MBPS00** MBPS00** MBPC98** MBPC98** MBPC98** MBPC98** MBPC98** MBPS00** MCPMED2* MCLFL3* MCLFL3* MCSLED2* MCLFL3* MCSLED4* MGC02 MGC02UG MGC02UG MGM02C0A MGM02F0A MGM02F0A MGM02F0A MGM02F0A MGM02F1A MGM02S0A MGM02S0A MGM02S0A MGM02S0A MGM02COB		MKH2** MKH4**** MKH4**** MKL2** MKL4**** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17M* MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0**** ND0**** ND2*** ND7***** ND7**** ND7**** ND7**** ND7**** ND7*** ND7** ND		RBKTHD2	
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE		MBLC98** MBLC98*B MBLC98*B MBL100** MBL1008B MBLS00** MBLS00'B MBLS00B MBLX98** MBLY98*B MBPC98** MBP100** MBPS00** MBPS00** MBPS00** MBPS00** MBPC98** MBPI00** MBPS00** MBPX98** MBC98** MBCU0** MCFLED2* MCFLED2* MCFLED2* MCSLED4* MGC02UG MGM02 MGM02 MGM02 MGM02C0A MGM02F0A MGM02F0A MGM02F1A MGM02F0A MGM02F0A MGM02S0A MGM02S0B MIRRORIH MIRRORIH		MKH2** MKH4**** MKL2** MKL4*** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17M* MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0*** ND2*** ND7**** ND7**** ND7**** ND7**** ND7*** ND7** ND7		RBKTHD2	
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE		MBLC98** MBLC98*B MBLC98*B MBLI00** MBLI008B MBLS00** MBLS00*B MBLS008B MBLX98** MBLY98** MBPC98** MBPC98** MBPC98** MBPC90** MBPX98** MBPC91** MBPX98** MBPC91* MCFLED2* MCFLED2* MCFLED2* MCFLED2* MCSLED4* MGC02 MGC02UG MGM02 MGM02 MGM02 MGM02 MGM02F0A MGM02F0A MGM02F1A MGM02F0A		MKH2** MKH4**** MKL2** MKL2*** MKL4**** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17M* MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0*** ND2*** ND2*** ND7**** ND4** NOTE OPTICENT OPTIDELT OPTIDELT OPTIDELT OPTIDELT OPTIDELT PAR36ES* PAR36ES* PAR36FS* PAR36FS* PAR36FS* PAR36FS* PAR36E* PC2 PC2 PC3		RBKTHD2	
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE		MBLC98** MBLC98*B MBLC98*B MBL100** MBL1008B MBLS00** MBLS00*B MBLS00B MBLX98** MBLY98** MBPC98** MBPC98** MBPC98** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MCFLED2* MCLFL* MCLFL3* MCSLED2* MCSLED3* MCSLED3* MCSLED4* MGC01 MGC02 MGM02C0A MGM02F1A MGM02F0A MGM02F1A MGM02F0A MGM02F1A MGM02F0A		MKH2** MKH4**** MKL2** MKL4*** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17M* MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0*** ND2*** ND7**** ND7**** ND7**** ND7**** ND7*** ND7** ND7		RBKTHD2	
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE		MBLC98** MBLC98*B MBLC98*B MBLI00** MBLI008B MBLS00** MBLS00*B MBLS008B MBLX98** MBLY98** MBPC98** MBPC98** MBPC98** MBPC90** MBPX98** MBPC91** MBPX98** MBPC91* MCFLED2* MCFLED2* MCFLED2* MCFLED2* MCSLED4* MGC02 MGC02UG MGM02 MGM02 MGM02 MGM02 MGM02F0A MGM02F0A MGM02F1A MGM02F0A		MKH2** MKH4**** MKL2** MKL2*** MKL4**** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17M* MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0*** ND2*** ND2*** ND7**** ND4** NOTE OPTICENT OPTIDELT OPTIDELT OPTIDELT OPTIDELT OPTIDELT PAR36ES* PAR36ES* PAR36FS* PAR36FS* PAR36FS* PAR36FS* PAR36E* PC2 PC2 PC3		RBKTHD2	
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE		MBLC98** MBLC98*B MBLC98*B MBL100** MBL1008B MBLS00** MBLS00*B MBLS00B MBLX98** MBLY98** MBPC98** MBPC98** MBPC98** MBPC98** MBPC98** MBPC98** MBPC98** MCFLED2* MCFLED2* MCFLED2* MCLFL3* MCSLED3* MCSLED3* MCSLED4* MGO2U MGM02C0A MGM02C0A MGM02F0A MGM02F1A MGM02F1A MGM02F1A MGM02R1A MGM02R1A MGM02R1A MGM02R1A MGM02R0A MGM02R1A MGM02R0A MGM02R1A MGM02S0A MGP02 MGXPORT MICROSID MIRRORIH MIRRORMT 1 MK14H MK20S MK8H 30, 31, 3		MKH2** MKH4**** MKL2** MKL2** MKL4**** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0*** ND0*** ND2*** ND7**** ND7**** ND7**** ND7*** ND7*** ND7*** ND7*** ND7*** ND7*** ND7*** ND7*** ND7*** ND7** ND7*** ND7** ND7		RBKTHD2	
LB2000 LEDLOAD LENGTH3 LENGTH4 LENSGLUE 37, 39, LFLTUBE LHALY LHRFL* LHTD1 LINEAR14 LINEAR17 LK4122 LK4124 LKACZ** LKALYCC LKCRUZ** LKALYCC LKCRUZ** LKH2* LL142000 LL14200F LL144000 LL148000 LL148000 LL148000 LL148000 LL148000 LL148000 LL264000 LL264000 LL268000 LL268000 LL288000 LL2B8000 LL2BB000 LLBB000		MBLC98** MBLC98*B MBLC98*B MBL100** MBL1008B MBLS00** MBLS00*B MBLS00B MBLX98** MBLY98** MBPC98** MBPC98** MBPC98** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MBPS00** MCFLED2* MCLFL* MCLFL3* MCSLED2* MCSLED3* MCSLED3* MCSLED4* MGC01 MGC02 MGM02C0A MGM02F1A MGM02F0A MGM02F1A MGM02F0A MGM02F1A MGM02F0A		MKH2** MKH4**** MKH4**** MKL2** MKL4**** MKSCANLK MKTD2 MLDOT02 MLEMS02 MLFL17M* MLFL17MV MLFL17P* MLFL22M* MLFL22P* MLPOL02 MLSETUP MMK MNIL* ND0**** ND2*** ND7**** ND7**** ND7*** ND7** ND7*** ND7*** ND7*** ND7** ND7*		RBKTHD2	

S30HACD	4.4	SI 40000	40	T105	40	TAUK06L	40
		SL4CCCC					
S30HACP S30HACPD		SL8**** SL8***C		T106 TA1652H		TAWPKT1 TAWPKT2	
S30TL						TAWPKT2	
		SL8**CC		TA1652L			
S360D*B		SL8*CCC		TA1660L!		TAWPKT4	
S360D*M		SL8CCCC		TA1664H!		TC120*	
S360D*P		SLALY		TA20TL12		TFLANGEB	
S360DSB		SLAM1		TA4437A		TFLANGEC	
3360DSM		SLAM1**		TA4437L		TGROM2	
S360DSP		SLAM1*C		TA4437M		TLN1*	
S360DVP		SLAM1CC		TA637A		TLN1D	
S360S*B		SLCRUZ**		TA837A	28	TLN1J	
S360S*P	6	SLD**	42	TA837AMP	28	TLN2**	4, 27
S360SSP	6	SLD*C	42	TA837L		TLNBKT1	4, 27
S450AAAA	8, 14, 18	SLDCC	42	TA837L**	28	TLNBKT2	4, 27
S450CCCC	8, 14, 18	SLDSCBL	42	TA837M	28	TLNBKT3	4, 27
S660AAAA	8, 14, 18	SLH2CC	42	TA837M**	28	TLNBKT4	4, 27
S660CCCC		SLN2QLED	35	TA837M*C		TLNBKT5	4, 27
S690AAAA		SLN2VLED		TA837MCC		TLNS1*	
S690CCCC		SLPBKT1		TA870A		TLNS2**	4
SA122FMP	, ,	SLPLENS*		TA870L		TS200C#	16
SA314A		SLPLL**	4	TA8852H		TS200C*	
SA314AH		SLPLL*B		TA9L00A		TS200CE*	
		SLPLL*C				TS200CES	10
SA314B				TA9LLED		TS200CES	10
SA314BH		SLPLLBB		TA9M05H		TS200CG#	
SA314P		SLPLLBC		TA9M05L		TS200CG*	
SA31DI02		SLPLLCC		TA9M05S		TS200CI#	
SA31E04D		SLPMM**		TA9M06H		TS200CI*	
SA31E04P		SLPMM*C		TA9M06L		TS200H#	
SA31I01D		SLPMMCC		TA9M06S		TS200H*	
SA31I01P	26	SLTALN5	42	TA9MFR6H		TS200HE*	16
SA31I1DH	26	SLTALN5L		TABKT1		TS200HES	
SA31I1PH		SLTALN6		TACD06A		TS200HG#	
SA32F05		SLTALN6L		TACD08A		TS200HG*	
SA32F05H		SLTDM1		TACTLD1		TS200HI#	
SA32G01		SLTM2M*		TACTRL1A		TS200HI*	
SA32G01H		SLTM2S*		TACTRL3A		TS200S#	
SA340STS		SLW§§800		TAD6		TS200S*	
SA340TS		SLX§§§00		TAD8		TS200SE*	
SA350M		SLXXPAT		TAD8**		TS200SES	
SA40		SLY§§§00		TAD8*C		TS200SG#	
SA41		SLZ§§§00		TAD8CC		TS200SG*	
SABKT1		SMALLDIR		TAD9L00A		TS200SI#	
SABKT10	25	SOCKPUSH	17	TADOLLDE	20	TS200SI*	16. 23
		000	17	TAD9LLD5	9	1020001	
SABKT11		SOLAR1	7, 8, 21, 22	TAD9LLED		TS201CG#	16
SABKT11 SABKT13	25	SOLAR1 SOLO*S	7, 8, 21, 22 4		39		16
	25 25	SOLAR1	7, 8, 21, 22 4	TAD9LLED	39 37	TS201CG#	16 16
SABKT13	25 25 25	SOLAR1 SOLO*S	7, 8, 21, 22 4 26, 35	TAD9LLED TAD9M05H	39 37 37	TS201CG# TS201CG*	16 16
SABKT13 SABKT14 SABKT16	25 25 25 25	SOLAR1 SOLO*S SP123C SS	7, 8, 21, 22 4 26, 35 6	TAD9LLED TAD9M05H TAD9M05L TAD9M05S	39 37 37 37	TS201CG# TS201CG* TS201HG# TS201HG*	16 16 16
SABKT13 SABKT14 SABKT16 SABKT17		SOLAR1 SOLO*S SP123C SS SS361*	7, 8, 21, 22 4 26, 35 6 15	TAD9LLED TAD9M05H TAD9M05L TAD9M05S TAD9M06H	39 37 37 37 37	TS201CG# TS201CG* TS201HG# TS201HG* TS201SG#	
SABKT13SABKT14SABKT16SABKT17SABKT17SABKT18		SOLAR1 SOLO*S SP123CSS SS361*SS361S	7, 8, 21, 22 	TAD9LLED	39 37 37 37 37	TS201CG# TS201CG* TS201HG# TS201HG* TS201SG# TS201SG*	16 16 16 16 16
SABKT13SABKT14SABKT16SABKT17SABKT17SABKT18SABKT19SAB		SOLAR1SOLO*SSP123CSSSS361*SS361SSS363*SS363	7, 8, 21, 22 	TAD9LLED TAD9M05H TAD9M05L TAD9M06S TAD9M06L TAD9M06L		TS201CG#	
SABKT13 SABKT14 SABKT16 SABKT17 SABKT18 SABKT19 SABKT20	25 25 25 25 25 26 26 26 26 26 26	SOLAR1SOLO*SSP123CSSS361*S3615S363*S363SS363SS363SS363SSS	7, 8, 21, 22 	TAD9LLEDTAD9M05HTAD9M05LTAD9M05STAD9M06HTAD9M06LTAD9M06STAD9M06STAD9M06STADCTL1		TS201CG#	
SABKT13 SABKT14 SABKT16 SABKT17 SABKT18 SABKT19 SABKT20. SABKT3		SOLAR1 SOLO*S SP123C SS SS361* SS3615 SS363* SS363S SSCRUZ12	7, 8, 21, 22 	TAD9LLED TAD9M05H TAD9M05L TAD9M05S TAD9M06H TAD9M06L TAD9M06L TAD9M06L TAD9M06S TADCTL1		TS201CG#	
SABKT13 SABKT14 SABKT16 SABKT17 SABKT18 SABKT19 SABKT20. SABKT3 SABKT3		SOLAR1 SOLO*S SP123C SS SS361* SS361S SS363* SS363S SSCRUZ12 SSCRUZ24	7, 8, 21, 22	TAD9LLED TAD9M05H TAD9M05S TAD9M06H TAD9M06L TAD9M06S TAD9M06S TAD9M04S TADCTL1 TADSW1 TADSW2		TS201CG#	
SABKT13 SABKT14 SABKT16 SABKT17. SABKT18 SABKT19 SABKT20. SABKT3 SABKT4. SABKT5	25 25 25 25 26 26 26 26 26 25 25 25 25 25 25 25 25 25 25 25	SOLAR1	7, 8, 21, 22	TAD9LLED TAD9M05H TAD9M05S TAD9M06H TAD9M06L TAD9M06S TAD9M06S TADCTL1 TADSW1 TADSW2		TS201CG#	
SABKT13	25 25 25 25 26 26 26 26 26 26 25 25 25 25 25 25 25 25 25	SOLAR1	7, 8, 21, 22	TAD9LLED TAD9M05H TAD9M05S TAD9M06H TAD9M06L TAD9M06S TAD9M06S TADCTL1 TADSW1 TADSW2 TADSW3 TAL65		TS201CG#	
SABKT13 SABKT14 SABKT16 SABKT17 SABKT18 SABKT19 SABKT20 SABKT3 SABKT4 SABKT5 SABKT7. SABKT7.	25 25 25 25 26 26 26 26 26 25 25 25 25 25 25 25 25 25	SOLAR1	7, 8, 21, 22	TAD9LLED TAD9M05H TAD9M05L TAD9M06L TAD9M06H TAD9M06S TAD9M06S TADCTL1 TADSW1 TADSW1 TADSW2 TADSW3 TAL65 TAL85		TS201CG#	
SABKT13 SABKT14 SABKT16 SABKT17 SABKT18 SABKT19 SABKT20 SABKT3 SABKT4 SABKT5 SABKT5 SABKT7 SABKT9 SACSTCMP	25 25 25 25 26 26 26 26 26 26 25 25 25 25 25 25 25 25 25	SOLAR1 SOLO*S SP123CSS SS361*S361SS363SSS63SSSCRUZ12 SSCRUZ24SSF2150SSF2150SSNF101BSSNF101BSSNF101BSSNF101D	7, 8, 21, 22 4 26, 35 15 15 15 15 6 6 8 20 20	TAD9LLED TAD9M05H TAD9M05S TAD9M06H TAD9M06L TAD9M06S TAD9M06S TADSW1 TADSW1 TADSW2 TADSW3 TAL85 TAL85 TAL85**		TS201CG#	
SABKT13SABKT14SABKT14SABKT17SABKT19SABKT20SABKT3SABKT4SABKT5SABKT5SABKT7SABKT7SABKT9SABKT9SABKT9SACSTCMPSACSTCMPSACSTFMP	25 25 25 25 26 26 26 26 26 25 25 25 25 25 25 25 25 25 25	SOLAR1 SOLO*S SP123C SS SS361* SS361S SS363* SSCRUZ12 SSCRUZ24 SSF2150 SSNF101A SSNF101B SSNF101B SSNF101B SSNF101D	7, 8, 21, 22 4 26, 35 15 15 15 15 6 6 8 20 20 20	TAD9LLED TAD9M05H TAD9M05S TAD9M06H TAD9M06L TAD9M06S TAD9M06S TADSW1 TADSW1 TADSW2 TADSW3 TAL65 TAL85 TAL85 TAL85 TALK05A		TS201CG#	
SABKT13	25 25 25 26 26 26 26 26 26 25 25 25 25 25 25 25 25 25 25 25 25 25	SOLAR1 SOLO*S SP123C SS SS361* SS361S SS363* SSCRUZ12 SSCRUZ24 SSF2150 SSNF101A SSNF101B SSNF101D SSNF102A SSNF102B	7, 8, 21, 22 4 26, 35 15 15 15 15 6 6 8 20 20 20 20 20	TAD9LLED TAD9M05H TAD9M05S TAD9M06H TAD9M06L TAD9M06S TADCTL1 TADCTL1 TADSW1 TADSW2 TADSW3 TAL65 TAL85 TAL85 TAL85 TAL85** TALK05A TALK06A		TS201CG#	
SABKT13	25 25 25 26 26 26 26 26 26 25 25 25 25 25 25 25 25 25 25 25 25 25	SOLAR1	7, 8, 21, 22 4 26, 35 15 15 15 15 6 6 8 20 20 20 20 20 20 20	TAD9LLED TAD9M05H TAD9M05S TAD9M06H TAD9M06L TAD9M06S TAD9M06S TADCTL1 TADSW1 TADSW2 TADSW2 TADSW3 TAL65 TAL85 TAL85 TAL85 TAL86A TALK06A TAM63		TS201CG#	
SABKT13SABKT14SABKT14SABKT16SABKT18SABKT19SABKT20SABKT3SABKT4SABKT5SABKT5SABKT5SABKT7SABKT9SACSTCMPSACSTC	25 25 25 25 26 26 26 26 26 25 25 25 25 25 25 25 25 25 25 25 25 25	SOLAR1 SOLO*S SP123C SS SS361* SS361S SS363S SS363S SSCRUZ12 SSCRUZ24 SSF2150 SSNF101A SSNF101B SSNF101B SSNF101D SSNF102A SSNF102B SSNF102D SSNF103	7, 8, 21, 22 4 26, 35 6 15 15 15 15 6 6 20 20 20 20 20 20 20 20 20 20 20 20 20 20	TAD9LLED TAD9M05H TAD9M05S TAD9M06H TAD9M06L TAD9M06S TAD9M06S TADSW1 TADSW1 TADSW2 TADSW2 TADSW3 TAL65 TAL85** TAL85** TALK05A TALK06A TAM63		TS201CG#	
SABKT13	25 25 25 25 26 26 26 26 26 25 25 25 25 25 25 25 25 25 25 26 26 26 26 26 26 26 26 26 26 26 26 26	SOLAR1 SOLO*S SP123C	7, 8, 21, 22 4 26, 35 6 15 15 15 15 6 6 8 20	TAD9LLED		TS201CG#	
SABKT13	25 25 25 25 26 26 26 26 26 25 25 25 25 25 25 25 25 25 26 26 26 26 26 26 26 27 27 28 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SS361* SS361S SS363* SSCRUZ12 SSCRUZ24 SSF2150 SSNF101A SSNF101B SSNF101B SSNF102B SSNF102D SSNF102D SSNF102A SSNF102B SSNF102B SSNF102B SSNF102B SSNF104B SSNF104A SSNF104B	7, 8, 21, 22 4 26, 35 6 15 15 15 15 6 6 8 20	TAD9LLED		TS201CG#	
SABKT13	25 25 25 26 26 26 26 26 25 25 25 25 25 25 25 25 25 25 25 26 26 26 26 26 27 27 28 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SS361* SS361S SS363* SSCRUZ12 SSCRUZ24 SSF2150 SSNF101A SSNF101B SSNF101B SSNF102B SSNF102B SSNF102B SSNF102B SSNF102B SSNF102B SSNF102B SSNF102B SSNF104B SSNF104A SSNF104B SSNF104B	7, 8, 21, 22 4 26, 35 15 15 15 15 6 6 8 20	TAD9LLED		TS201CG#	
SABKT13	25 25 25 26 26 26 26 26 26 25 25 25 25 25 25 25 25 25 25 26 26 26 26 26 27 27 28 28 29 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SS361* SS3615. SS363* SS363S SSCRUZ12 SSCRUZ24 SSF2150 SNF101A SSNF101B SSNF101D SSNF102B SSNF102B SSNF102B SSNF102B SSNF102B SSNF102B SSNF104A SSNF104B SSNF104A SSNF104B SSNF104B SSNF104B SSNF104B	7, 8, 21, 22 4 26, 35 6 15 15 15 15 6 6 20	TAD9LLED		TS201CG#	
SABKT13	25 25 25 25 26 26 26 26 26 27 25 25 25 25 25 25 25 25 25 26 26 26 26 26 26 27 27 27 28 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SS361* SS361S SS363S SS363S SSCRUZ12 SSCRUZ24 SSF2150 SSNF101A SSNF101B SSNF101D SSNF102A SSNF102B SSNF102B SSNF102B SSNF104A SSNF104B SSNF104B SSNF104B SSNF104B SSNF104B SSNF104B SSNF104B SSNF106B SSNF106B	7, 8, 21, 22 4 26, 35 6 15 15 15 15 6 6 20	TAD9LLED		TS201CG#	
SABKT13	25 25 25 25 26 26 26 26 26 27 25 25 25 25 25 25 25 25 25 26 26 26 26 26 26 27 27 27 28 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SS361* SS3615. SS363* SS363S SSCRUZ12 SSCRUZ24 SSF2150 SNF101A SSNF101B SSNF101D SSNF102B SSNF102B SSNF102B SSNF102B SSNF102B SSNF102B SSNF104A SSNF104B SSNF104A SSNF104B SSNF104B SSNF104B SSNF104B	7, 8, 21, 22 4 26, 35 6 15 15 15 15 6 6 20	TAD9LLED		TS201CG#	
SABKT13	25 25 25 26 26 26 26 26 27 25 25 25 25 25 25 25 25 26 26 26 26 26 26 27 27 27 28 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SP123C SS SS361* SS361S SS363* SSCRUZ12 SSCRUZ24 SSF2150 SSNF101A SSNF101B SSNF101B SSNF102B SSNF102D SSNF102B SSNF102D SSNF102B SSNF102B SSNF102B SSNF104B SSNF104B SSNF104B SSNF104B SSNF104B SSNF104B SSNF104B SSNF106B SSNF106B SSNF106B	7, 8, 21, 22 4 26, 35 6 15 15 15 15 6 6 8 20	TAD9LLED		TS201CG#	
SABKT13	25 25 25 25 26 26 26 26 26 25 25 25 25 25 25 25 25 27 25 26 26 26 26 26 26 27 27 28 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SP123C SS SS361* SS361S SS363* SS363S SSCRUZ12 SSCRUZ24 SSF2150 SSNF101A SSNF101B SSNF101D SSNF102B SSNF102B SSNF102B SSNF102B SSNF104A SSNF104B SSNF104B SSNF104B SSNF104B SSNF104B SSNF104B SSNF104B SSNF104B SSNF106A SSNF106B SSNF106B	7, 8, 21, 22 4 26, 35 6 15 15 15 15 6 6 8 20	TAD9LLED		TS201CG#	
SABKT13	25 25 25 25 26 26 26 26 26 25 25 25 25 25 25 25 25 25 27 25 27 27 27 28 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SP123C SS SS361* SS361S SS363* SSCRUZ12 SSCRUZ24 SSF2150 SSNF101A SSNF101B SSNF101B SSNF102B SSNF102D SSNF102B SSNF102D SSNF102B SSNF102B SSNF102B SSNF104B SSNF104B SSNF104B SSNF104B SSNF104B SSNF104B SSNF104B SSNF106B SSNF106B SSNF106B	7, 8, 21, 22 4 26, 35 6 15 15 15 15 6 6 8 20	TAD9LLED	39 37 37 37 37 37 37 37 37 38 3, 28 3, 28 3, 28 28 28 28 28 28 28 28 28 28 28 28 28 2	TS201CG#	
SABKT13	25 25 25 25 26 26 26 26 26 25 25 25 25 25 25 25 25 26 26 26 26 27 27 27 28 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SP123C SS SS361* SS361S SS363* SSCRUZ12 SSCRUZ24 SSF2150 SSNF101A SSNF101B SSNF101D SSNF102B SSNF102D SSNF102B SSNF102D SSNF102B SSNF102B SSNF102B SSNF102B SSNF10B SSNF10CB SSTUBE STAPVC30	7, 8, 21, 22 4 26, 35 6 15 15 15 15 6 6 20	TAD9LLED	39 37 37 37 37 37 37 37 39 39 39 39 39 30 30 30 30 30 30 30 30 30 30 30 30 30	TS201CG#	
SABKT13	25 25 25 25 26 26 26 26 26 25 25 25 25 25 25 25 25 26 26 26 26 26 27 27 27 28 28 29 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SP123C SS SS361* SS3618 SS363* SS363S SSCRUZ12 SSCRUZ24 SSF2150 SSNF101A SSNF101B SSNF101B SSNF102B SSNF102B SSNF102B SSNF102B SSNF104A SSNF104B SSNF104B SSNF104B SSNF106B	7, 8, 21, 22 4 26, 35 6 15 15 15 15 15 20	TAD9LLED	39 37 37 37 37 37 37 37 39 39 39 39 39 30 30 30 31 31 32 32 32 32 32 32 32 32 32 32 32 32 32	TS201CG#	
SABKT13	25 25 25 25 26 26 26 26 26 25 25 25 25 25 25 25 25 26 26 26 26 26 27 27 27 28 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SP123C SS SS361* SS361S SS363* SS363* SS363S SSCRUZ12 SSCRUZ24 SSF2150 SSNF101A SSNF101B SSNF101B SSNF102B SSNF102B SSNF102B SSNF102B SSNF104B SSNF105B SSNF105	7, 8, 21, 22 4 26, 35 6 15 15 15 15 15 20	TAD9LLED		TS201CG# TS201CG* TS201HG# TS201HG# TS201HGF* TS201SGF* TURB6ASY TURB6HAL TURB6HAL TURB6HAL TURB05 TURB064 TURB094 TURB094 TURBOTUB UBF5150 UBF5150 UBF5150B UFM8 UHF2150A UHF2150B UHFGND UHFGND UHFGND UHFPOS UHFPOS UKALY UKALY** UKEB44 UKEB44 UKH2**	
SABKT13	25 25 25 25 26 26 26 26 26 25 25 25 25 25 25 25 25 25 26 26 26 26 26 26 26 27 27 27 28 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SP123C SS SS361* SS361S SS363* SSCRUZ12 SSCRUZ24 SSF2150 SSNF101A SSNF101B SSNF102B SSNF102B SSNF102D SSNF102B SSNF102B SSNF102B SSNF102B SSNF102B SSNF102B SSNF10B SSNF10CB SSNF	7, 8, 21, 22 4 26, 35 6 15 15 15 15 6 6 8 20 .	TAD9LLED	39 37 37 37 37 37 37 37 37 37 38 3, 28 3, 28 3, 28 28 28 28 28 28 28 28 28 28 28 28 28 2	TS201CG#	
SABKT13	25 25 25 25 26 26 26 26 26 25 25 25 25 25 25 25 25 26 26 26 26 27 27 27 28 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SP123C SS SS361* SS361S. SS363* SS363S SSCRUZ12 SSCRUZ24 SSF2150 SNF101A SSNF101B SSNF101D SSNF102B SNF102B SSNF102B SSNF102B SSNF102B SSNF106A SSNF106A SSNF106B STAPVC30 STAPVC30 STAPVC30 STAPVC30 STAPVC35 STAPVC30 STAPVC35 STAPVC30 STAPVC30 STAPVC50 STATPR30 STATPR35	7, 8, 21, 22 4 26, 35 6 15 15 15 15 15 6 6 20	TAD9LLED	39 37 37 37 37 37 37 37 37 37 3, 28 3, 28 3, 28 28 28 28 28 28 28 28 28 28 28 28 28 2	TS201CG# TS201CG* TS201HG# TS201HG# TS201HGF* TS201SG* TS201SG* TURB6ASY TURB6HAL TURB6HAL TURB6HAL TURBO5 TURBO94 TURBO94 TURBO7UB UBF5150B UBF5150B UHF2150A UHF2150A UHF2150A UHF2150B UHFGND UHFGND UHFPOS UHFPOS UHFPOS UKALY** UKEB44 UKEB44 UKH2** UKL** UL12*	16 16 16 16 16 16 16 16 16 16 16 16 16 1
SABKT13	25 25 25 25 26 26 26 26 26 27 25 25 25 25 25 25 25 25 25 26 26 26 26 26 27 27 27 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SP123C SS SS361* SS3618 SS363* SS363S SSCRUZ12 SSCRUZ24 SSF2150 SSNF101A SSNF101B SSNF101D SSNF102B SNF102B SSNF102B SSNF104A SSNF104B SSNF104B SSNF106B SSNF10B SSNF10B SSNF10B	7, 8, 21, 22 4 26, 35 6 15 15 15 15 15 20	TAD9LLED	39 37 37 37 37 37 37 37 37 39 39 39 39 30 30 31 31 32 32 32 32 32 32 32 32 32 32 32 32 32	TS201CG#	16 16 16 16 16 16 16 16 16 16 16 16 16 1
SABKT13	25 25 25 25 26 26 26 26 26 25 25 25 25 25 25 25 25 26 26 26 26 26 27 27 28 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SP123C SS SS361* SS361S SS363* SS363S SSCRUZ12 SSCRUZ24 SSF2150 SNF101A SNF101B SNF101B SNF102A SNF102B SNF102B SNF102B SNF102B SNF102B SNF102B SNF104A SNF104B SNF104B SNF104B SSNF106A SSNF106A SSNF106B SSNF106	7, 8, 21, 22 4 26, 35 6 15 15 15 15 15 20 2	TAD9LLED		TS201CG# TS201CG* TS201HG# TS201HG# TS201HGF* TS201SGF* TURB6ASY TURB6HAL TURB6HAL TURB6HAL TURB05 TURB094 TURB07550 UBF5150 UBF5150 UBF5150B UHF2150A UHF2150B UHFGND UHFGND UHFGND UHFGND UHFGND UHFPOS UHFPOS UHFPOS UKALY UKALY** UKEB44 UKH2** UKL** ULF22 ULF28	16 16 16 16 16 16 16 16 16 47 47 47 48 48 48 9 9 8, 22 8, 8 8 8 40 40 40 40 40 40 40 8 8
SABKT13	25 25 25 25 26 26 26 26 26 25 25 25 25 25 25 25 25 26 26 26 26 26 27 27 27 28 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SP123C SS SS361* SS361S SS363* SS363S SSCRUZ12 SSCRUZ24 SSF2150 SSNF101A SSNF101B SSNF101B SSNF102B SNF102B SNF102B SNF102B SNF102B SNF102B SNF106B SSNF104B SSNF106B SS	7, 8, 21, 22 4 26, 35 6 15 15 15 15 15 20	TAD9LLED		TS201CG# TS201CG* TS201HG# TS201HG# TS201HGF* TS201SGF* TURB6ASY TURB6HAL TURB6HAL TURB6HAL TURB6HAL TURBO5 TURB064 TURBO94 TURBO94 TURBO94 TURBOTUB UBF5150 UBF5150 UBF5150 UHF2150B UHFGND UHF2150B UHFGND UHFGND UHFGND UHFGND UHFGND UHFPOS UHFPOS UKALY UKALY** UKEB44 UKH2** UKL12* ULF22 ULF28 UNI	16 16 16 16 16 16 16 16 16 16 16 16 16 1
SABKT13	25 25 25 25 26 26 26 26 26 27 25 25 25 25 25 25 25 25 26 26 26 26 27 27 27 28 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SP123C SS SS361* SS361S SS363S SSCRUZ12 SSCRUZ24 SSF2150 SNF101A SSNF101B SSNF101D SSNF102B SSNF102B SSNF102B SSNF102B SSNF102B SSNF106A SSNF106A SSNF106B SSNF106B STAPVC30 STAPPR30 STAPPR30 STAPPR30 STAPPR30 STAPPR50 STOPSN12 STPKT#	7, 8, 21, 22 4 26, 35 6 15 15 15 15 15 20 2	TAD9LLED		TS201CG# TS201CG* TS201HG# TS201HG# TS201HG* TS201SG* TS201SG* TURB6ASY TURB6ASY TURB6HAL TURB6KIT TURB05 TURB064 TURB094 TURB07UB UBF5150 UBF5150 UBF5150B UHFGND UHF2150A UHF2150A UHF2150B UHFGND UHFPOS UHFPOS UHFPOS UKALY UKALY** UKEB42 UKEB44 UKH2** UL12* ULF22 ULF28 UNI	16 16 16 16 16 16 16 16 16 16 16 16 16 1
SABKT13	25 25 25 25 26 26 26 26 26 27 25 25 25 25 25 25 25 25 26 26 26 26 26 27 27 27 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SP123C SS SS361* SS361S SS363S SS363S SSCRUZ12 SSCRUZ24 SSF2150 SSNF101A SSNF101B SSNF101B SSNF102D SSNF102B SSNF102B SSNF102B SSNF102B SSNF104A SSNF104B SSNF104B SSNF104B SSNF104B SSNF106B SSNF106C SSNF106B	7, 8, 21, 22 4 26, 35 6 15 15 15 15 15 20 2	TAD9LLED	39 37 37 37 37 37 37 37 37 39 39 39 39 39 30 30 31 31 32 32 32 32 32 32 32 32 32 32 32 32 32	TS201CG# TS201CG* TS201HG# TS201HG# TS201HGF* TS201SGF* TURB6ASY TURB6HAL TURB6HAL TURB6HAL TURB05 TURB094 TURB094 TURB07UB UBF5150B UBF5150B UHF2150A UHF2150B UHFGND UHFGND UHFGND UHFGND UHFGND UHFGND UHFPOS UHFPOS UKALY** UKALY** UKL** UKL** UKL2* ULF28 UNI UPS158A UPS64LXA	
SABKT13	25 25 25 25 26 26 26 26 26 25 25 25 25 25 25 25 25 26 26 26 26 26 27 27 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SP123C SS SS361* SS361S SS363* SS363S SS363S SSCRUZ12 SSCRUZ24 SSF2150 SSNF101A SSNF101B SSNF102A SSNF102B SSNF102B SSNF102B SSNF102B SSNF104A SSNF104B SSNF104B SSNF106B SSNF	7, 8, 21, 22 4 26, 35 6 15 15 15 15 15 20	TAD9LLED	39 37 37 37 37 37 37 37 37 39 39 39 39 39 39 39 39 39 39 39 39 39	TS201CG# TS201CG* TS201HG# TS201HG# TS201HGF* TS201SGF* TURB6ASY TURB6ASY TURB6HAL TURB6HAL TURB6HAL TURB05 TURB05 TURB094 TURB07 TURB0	
SABKT13	25 25 25 26 26 26 26 26 25 25 25 25 25 25 25 25 26 26 26 26 26 27 27 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SP123C SS SS361* SS361S SS363* SS363S SSCRUZ12 SSCRUZ24 SSF2150 SNF101A SNF101B SNF101B SNF102A SNF102B SNF102B SNF102B SNF102B SNF102B SNF102B SNF102B SNF106A SNF106B SNF104B SNF106B SNF106B SNF106B SNF106B SNF106B SNF106B SNF106B STAPVC30 STAPVC35 STAPVC30 STAPVC30 STAPVC30 STAPVC40 STAPVC50 STAPVC40 STAPVC50 STAPVC40 STAPVC50 STAPVC40 STAPVC50 STAPVC50 STATPR30 STATPR35 STATPR40 STATPR40 STATPR50 STOPSN12 STPKT# SUB4HBU SUB5HBU SUB5HBU	7, 8, 21, 22 4 26, 35 6 15 15 15 15 15 20 2	TAD9LLED	39 37 37 37 37 37 37 37 37 37 38 3, 28 3, 28 3, 28 28 28 28 28 28 28 28 28 28 28 28 28 2	TS201CG# TS201CG* TS201HG# TS201HG# TS201HGF* TS201SGF* TURB6ASY TURB6ASY TURB6HAL TURB6HAL TURB6HAL TURB05 TURB05 TURB094 TURB07 TURB0	
SABKT13	25 25 25 25 26 26 26 26 26 25 25 25 25 25 25 25 25 26 26 26 26 27 27 27 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SP123C SS SS361* SS361S SS363S SSCRUZ12 SSCRUZ24 SSF2150 SNF101A SSNF101B SSNF101D SSNF102B SSNF102B SSNF102B SSNF102B SSNF102B SSNF102B SSNF102B SSNF10B SSNF1DB SSNF1DB SSNF1DB SSNF	7, 8, 21, 22 4 26, 35 6 15 15 15 15 15 20 2	TAD9LLED	39 37 37 37 37 37 37 37 37 37 37 38 3, 28 3, 28 3, 28 28 28 28 28 28 28 28 28 28 28 28 28 2	TS201CG# TS201CG* TS201HG# TS201HG# TS201HG* TS201SG* TS201SG* TURB6ASY TURB6ASY TURB6HAL TURB6KIT TURB094 TURB094 TURB094 TURB094 TURB07UB UBF5150 UBF5150 UBF5150B UHF2150A UHF2150A UHF2150A UHF2150B UHFGND UHFGND UHFPOS UHFPOS UKALY UKALY** UKEB42 UKEB44 UKH2** UKL** UL12* ULF22 ULF28 UNI UPS158A UPS694 VB247*** VB447***	
SABKT13	25 25 25 25 26 26 26 26 26 25 25 25 25 25 25 25 25 26 26 26 26 26 27 27 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SP123C SS SS361* SS361S SS363* SS363S SSCRUZ12 SSCRUZ24 SSF2150 SSNF101A SSNF101B SSNF101B SSNF101D SSNF102B SSNF102B SSNF102B SSNF102B SSNF102B SSNF106A SSNF106B SSNF10B SSNF10B SSNF10B SSNF10B	7, 8, 21, 22 4 26, 35 6 15 15 15 15 15 20 2	TAD9LLED	39 37 37 37 37 37 37 37 37 39 39 39 39 39 39 39 39 39 39 39 39 39	TS201CG# TS201CG* TS201HG# TS201HG# TS201HGF* TS201SGF* TURB6ASY TURB6ASY TURB6HAL TURB6HAL TURB6HAL TURB05 TURB094 TURB094 TURB07UB UBF5150B UBF5150B UHF2150A UHF2150B UHFGND UHFGND UHFGND UHFGND UHFGND UHFGND UHFPOS UHFPOS UKALY** UKALY** UKALY** UKL** UKL** UL12* ULF28 UNI UPS158A UPS64LXA UPS690 VB247*** VB447***	
SABKT13	25 25 25 26 26 26 26 26 27 25 25 25 25 25 25 25 25 25 26 26 26 26 26 27 27 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SP123C SS SS361* SS361S SS363S SS363S SSCRUZ12 SSCRUZ24 SSF2150 SSNF101A SSNF101B SSNF101B SSNF102B SSNF102B SSNF102B SSNF102B SSNF104A SSNF104B SSNF104B SSNF104B SSNF106B	7, 8, 21, 22 4 26, 35 6 15 15 15 15 15 15 20	TAD9LLED	39 37 37 37 37 37 37 37 37 37 38 3, 28 3, 28 3, 28 28 28 28 28 28 28 28 28 28 28 28 28 2	TS201CG# TS201CG* TS201HG# TS201HG# TS201HGF TS201SGF TS201SGF TURB6ASY TURB6HAL TURB6HAL TURB6HAL TURB05 TURB094 TURB094 TURBOASY TURBOTUB UBF5150 UBF5150B UHF2150A UHF2150B UHFGND UHFGND UHFGND UHFGND UHFGND UHFGND UHFGND UHFGND UHFGND UHFPOSC UKALY UKALY** UKEB42 UKEB44 UKH2** UKL** UL12* ULF28 UNI UPS158A UPS64LXA UPS690 VB247*** VB447ROTA VB647***	
SABKT13	25 25 25 26 26 26 26 26 25 25 25 25 25 25 25 25 26 26 26 26 26 27 27 28 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SP123C SS SS361* SS361S SS363* SS363S SSCRUZ12 SSCRUZ24 SSF2150 SNF101A SNF101B SNF102A SSNF102B SNF102B SNF102B SNF102B SNF102B SNF102B SNF104A SNF104B SNF106B SNF106B SNF106B SNF106B SNF106B SNF106B STAPVC30 STAPVC40 STAPVC50 STAPPR30 STATPR30 STATPR30 STATPR40 STATPR40 STATPR40 STATPR50 STOPSN12 STATPR40 STATPR40 STATPR50 STOPSN12 STATPR40 STATPR50 STOPSN12 STATPR40 STATPR50 STATPR50 STOPSN12 STATPR40 STATPR50 STATPR50 STATPR50 STATPR50 STATPR50 STATPR50 STATPR50 STATPR50 STATPR50 STOPSN12 STATPR60 STOPSN12	7, 8, 21, 22 4 26, 35 6 15 15 15 15 15 15 20	TAD9LLED	39 37 37 37 37 37 37 37 37 37 3, 28 3, 28 3, 28 28 28 28 28 28 28 28 28 28 28 28 28 2	TS201CG# TS201CG* TS201HG# TS201HG# TS201HGF* TS201SGF* TURB6ASY TURB6ASY TURB6HAL TURB6HAL TURB6HAL TURB05 TURB094 TURB094 TURB0ASY TURBOTUB UBF5150 UBF5150 UBF5150B UHF2150A UHF2150B UHFGND UHFGND UHFGND UHFGND UHFGND UHFGND UHFPOS UHFPOS UHFPOS UKALY UKEB44 UKH2** UKL** UKL** UKL** UKL** ULF22 ULF28 UNI UPS158A UPS690 VB247*** VB447*** VB447*** VB47ROTA VB647*** VHEAD*	
SABKT13	25 25 25 25 26 26 26 26 26 25 25 25 25 25 25 25 26 26 26 26 26 27 27 28 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	SOLAR1 SOLO*S SP123C SS SP123C SS SS361* SS361S SS363S SS363S SSCRUZ12 SSCRUZ24 SSF2150 SSNF101A SSNF101B SSNF101B SSNF102B SSNF102B SSNF102B SSNF102B SSNF104A SSNF104B SSNF104B SSNF104B SSNF106B	7, 8, 21, 22 4 26, 35 6 15 15 15 15 15 15 20 2	TAD9LLED	39 37 37 37 37 37 37 37 37 37 3, 28 3, 28 3, 28 28 28 28 28 28 28 28 28 28 28 28 28 2	TS201CG# TS201CG* TS201HG# TS201HG# TS201HGF TS201SGF TS201SGF TURB6ASY TURB6HAL TURB6HAL TURB6HAL TURB05 TURB094 TURB094 TURBOASY TURBOTUB UBF5150 UBF5150B UHF2150A UHF2150B UHFGND UHFGND UHFGND UHFGND UHFGND UHFGND UHFGND UHFGND UHFGND UHFPOSC UKALY UKALY** UKEB42 UKEB44 UKH2** UKL** UL12* ULF28 UNI UPS158A UPS64LXA UPS690 VB247*** VB447ROTA VB647***	

Beacons

Lightheads

Systems - DOT, Ambulance.

Sirens, Switches & Speakers

Misc - Sync, Funeral

Traffic Advisors & Messengers

Lightbars, Mini

Lightbars

Replacement Parts

VP21*** 17 VP29HD* 18 WBUAR9 26 WPKM1 25 VP21HD* 18 VP31 18 WCHATK 27 WPLOW1A 19 VP22*** 17 VP32 18 WCHATN 27 WPLOW2A 19 VP220*** 17 VPBOXSD 18 WCPSTG 27 WPLOW3AA 19 VP228*** 17 VPCB48 32 WCPSTB 27 WPLOW3AA 19 VP22HD* 18 VPCB56 32 WCPSTD 27 WPPSC692 7, 22 VP23*** 17 VPCB65 32 WCPSTB 27 WPPSC694 7 VP23*** 17 VPCB65 32 WCPSTB 27 WS2100 25 VP23*** 17 VPCB65 32 WCPSTB 27 WS2100 25 VP23*** 17 VPCB672 32 WCPSTB 27 WS2100 25 VP23*** 17 VPCB72	VP20**17	VP29** 18	WBUA9726	WPA225
VP22** 17 VP32 18 WCHATN 27 WPLOW2A 19 VP220** 17 VPBOXSD 18 WCPSTG 27 WPLOW3AA 19 VP228** 17 VPCB48 32 WCPSTN 27 WPPSC692 7, 22 VP22HD* 18 VPCB56 32 WCPSTP 27 WPPSC694 7 VP23** 17 VPCB65 32 WCPSTS 27 WPSC694 7 VP230** 17 VPCB72 32 WCSTN 27 WS2100 25 VP230** 17 VPCB72 32 WCSTN 27 WS321 23, 25 VP231** 17 VPCB72 32 WCSTN 27 WSMIG321 23, 25 VP231** 17 W441D 17 WCSSTP 27 WSMIG321 23, 25 VP23HD* 18 W441DIM 17 WCTSTG 27 XHEAD* 6 VP24*** 17 W	VP21**17	VP29HD*18	WBUAR926	WPKM125
VP220** 17 VPBOXSD 18 WCPSTG 27 WPLOW3AA 19 VP228** 17 VPCB48 32 WCPSTN 27 WPPSC692 7, 22 VP22HD* 18 VPCB56 32 WCPSTP 27 WPSC694 7 VP231** 17 VPCB65 32 WCPSTS 27 WS2100 25 VP230** 17 VPCB72 32 WCSTN 27 WS321 23, 25 VP231** 17 W441D 17 WCSSTP 27 WSMIC321 23, 25 VP23HD* 18 W441D14 17 WCSSTS 27 WSABERO 6 VP24*** 17 W441DIN 17 WCTSTG 27 XHEAD* 16, 23 VP24HD* 18 W442D 17 WCTSTM 27 XHEADS 16, 23 VP26*** 18 W442D 17 WCTSTN 27 XT1000 26, 34, 36, 37, 39 VP26*** <td< td=""><td>VP21HD*18</td><td>VP31 18</td><td>WCHATK27</td><td>WPLOW1A19</td></td<>	VP21HD*18	VP31 18	WCHATK27	WPLOW1A19
VP228** 17 VPCB48 32 WCPSTN 27 WPPSC692 7, 22 VP22HD* 18 VPCB56 32 WCPSTP 27 WPPSC694 7 VP23** 17 VPCB65 32 WCPSTS 27 WS2100 25 VP230** 17 VPCB72 32 WCSSTN 27 WS321 23, 25 VP231** 17 W441D 17 WCSSTP 27 WSMIC321 23, 25 VP23HD* 18 W441D14 17 WCSSTS 27 WSAERO 6 VP24** 17 W441DIN 17 WCTSTG 27 XHEAD* 16, 23 VP26*** 18 W442D 17 WCTSTM 27 XHEADS 16, 23 VP26*** 18 W442DIN 17 WCTSTN 27 XT1000 26, 34, 36, 37, 39 VP26HD* 18 W440D 17 WCTSTS 27 XT100WIR 26, 34, 36, 37, 39 VP27*** </td <td>VP22**17</td> <td>VP32 18</td> <td>WCHATN27</td> <td>WPLOW2A19</td>	VP22**17	VP32 18	WCHATN27	WPLOW2A19
VP22HD* 18 VPCB56 32 WCPSTP 27 WPPSC694 7 VP23*** 17 VPCB65 32 WCPSTS 27 WS2100 25 VP230** 17 VPCB72 32 WCSSTN 27 WS321 23, 25 VP231** 17 W441D 17 WCSSTP 27 WSMIC321 23, 25 VP23HD* 18 W441D14 17 WCSSTS 27 WSSAERO 6 VP24** 17 W441DIN 17 WCTSTG 27 XHEAD* 16, 23 VP24HD* 18 W442D 17 WCTSTM 27 XHEADS 16, 23 VP26*** 18 W442DIN 17 WCTSTN 27 XT1000 26, 34, 36, 37, 39 VP26HD* 18 W444D 17 WCTSTS 27 XT100WIR 26, 34, 36, 37, 39 VP27*** 18 WBUA107 26 WMM6K 5 VP28*** 18 WBUA112	VP220**17	VPBOXSD18	WCPSTG27	WPLOW3AA19
VP23** 17 VPCB65 32 WCPSTS 27 WS2100 25 VP230** 17 VPCB72 32 WCSSTN 27 WS321 23, 25 VP231** 17 W441D 17 WCSSTP 27 WSMIC321 23, 25 VP23HD* 18 W441D14 17 WCSSTS 27 WSSAERO 6, 63 VP24*** 17 W441DIN 17 WCTSTG 27 XHEAD* 16, 23 VP24HD* 18 W442D 17 WCTSTM 27 XHEADS 16, 23 VP26** 18 W442DIN 17 WCTSTN 27 XT1000 26, 34, 36, 37, 39 VP26HD* 18 W44D 17 WCTSTS 27 XT100WIR 26, 34, 36, 37, 39 VP27*** 18 W446D 17 WCUP 28 YHARNESS 23 VP27HD* 18 WBUA107 26 WMM6K 5 YHARNESS 23 VP28**	VP228**17	VPCB48 32	WCPSTN27	WPPSC6927, 22
VP230** 17 VPCB72 32 WCSSTN 27 WS321 23, 25 VP231** 17 W441D 17 WCSSTP 27 WSMC321 23, 25 VP23HD* 18 W441D14 17 WCSSTS 27 WSSAERO 6 VP24** 17 W441DIN 17 WCTSTG 27 XHEAD* 16, 23 VP24HD* 18 W442D 17 WCTSTM 27 XHEADS 16, 23 VP26** 18 W442DIN 17 WCTSTN 27 XT1000 26, 34, 36, 37, 39 VP26HD* 18 W444D 17 WCTSTS 27 XT100WIR 26, 34, 36, 37, 39 VP27*** 18 W446D 17 WCUP 28 YHARNESS 23 VP27HD* 18 WBUA107 26 WMM6K 5 YHARNESS 23 VP28** 18 WBUA112 26 WPA1 23, 25 23, 25	VP22HD*18	VPCB56 32	WCPSTP27	WPPSC6947
VP231** 17 W441D 17 WCSSTP 27 WSMIC321 23, 25 VP23HD* 18 W441D14 17 WCSSTS 27 WSSAERO 6 VP24** 17 W441DIN 17 WCTSTG 27 XHEAD* 16, 23 VP24HD* 18 W442D 17 WCTSTM 27 XHEADS 16, 23 VP26*** 18 W442DIN 17 WCTSTN 27 XT1000 26, 34, 36, 37, 39 VP26HD* 18 W444D 17 WCTSTS 27 XT100WIR 26, 34, 36, 37, 39 VP27*** 18 W446D 17 WCUP 28 YHARNESS 23 VP27HD* 18 WBUA107 26 WMM6K 5 VP28** 18 WBUA112 26 WPA1 23, 25	VP23**17	VPCB65 32	WCPSTS27	WS210025
VP23HD* 18 W441D14 17 WCSSTS 27 WSSAERO 6 VP24*** 17 W441DIN 17 WCTSTG 27 XHEAD* 16, 23 VP24HD* 18 W442D 17 WCTSTM 27 XHEADS 16, 23 VP26** 18 W442DIN 17 WCTSTN 27 XT1000 26, 34, 36, 37, 39 VP26HD* 18 W444D 17 WCTSTS 27 XT100WIR 26, 34, 36, 37, 39 VP27*** 18 W446D 17 WCUP 28 YHARNESS 23 VP27HD* 18 WBUA107 26 WMM6K 5 VP28** 18 WBUA112 26 WPA1 23, 25	VP230**17	VPCB72 32	WCSSTN27	W\$32123, 25
VP24** 17 W441DIN 17 WCTSTG 27 XHEAD* 16, 23 VP24HD* 18 W442D 17 WCTSTM 27 XHEADS 16, 23 VP26** 18 W442DIN 17 WCTSTN 27 XT1000 26, 34, 36, 37, 39 VP26HD* 18 W444D 17 WCTSTS 27 XT100WIR 26, 34, 36, 37, 39 VP27*** 18 W446D 17 WCUP 28 YHARNESS 23 VP27HD* 18 WBUA107 26 WMM6K 5 VP28** 18 WBUA112 26 WPA1 23, 25	VP231**17	W441D 17	WCSSTP27	WSMIC32123, 25
VP24HD* 18 W442D 17 WCTSTM 27 XHEADS 16, 23 VP26** 18 W442DIN 17 WCTSTN 27 XT1000 26, 34, 36, 37, 39 VP26HD* 18 W444D 17 WCTSTS 27 XT100WIR 26, 34, 36, 37, 39 VP27*** 18 W446D 17 WCUP 28 YHARNESS 23 VP27HD* 18 WBUA107 26 WMM6K 5 YHARNESS 23 VP28** 18 WBUA112 26 WPA1 23, 25 23, 25	VP23HD*18	W441D14 17	WCSSTS27	WSSAERO6
VP26** 18 W442DIN 17 WCTSTN 27 XT1000 26, 34, 36, 37, 39 VP26HD* 18 W444D 17 WCTSTS 27 XT100WIR 26, 34, 36, 37, 39 VP27** 18 W446D 17 WCUP 28 YHARNESS 23 VP27HD* 18 WBUA107 26 WMM6K 5 VP28** 18 WBUA112 26 WPA1 23, 25	VP24**17	W441DIN17	WCTSTG27	XHEAD*16, 23
VP26HD* 18 W444D 17 WCTSTS 27 XT100WIR 26, 34, 36, 37, 39 VP27** 18 W446D 17 WCUP 28 YHARNESS 23 VP27HD* 18 WBUA107 26 WMM6K 5 VP28** 18 WBUA112 26 WPA1 23, 25	VP24HD*18	W442D 17	WCTSTM27	XHEADS16, 23
VP27*** 18 W446D 17 WCUP 28 YHARNESS 23 VP27HD* 18 WBUA107 26 WMM6K 5 VP28** 18 WBUA112 26 WPA1 23, 25	VP26**18	W442DIN17	WCTSTN27	XT1000 26, 34, 36, 37, 39
VP27HD*	VP26HD*18	W444D 17	WCTSTS27	XT100WIR 26, 34, 36, 37, 39
VP28**18 WBUA11226 WPA123, 25	VP27**18	W446D 17	WCUP28	YHARNESS23
· ·	VP27HD*18	WBUA10726	WMM6K5	
VP28HD*18 WBUA112C26 WPA11223, 25	VP28**18	WBUA11226	WPA123, 25	
	VP28HD*18	WBUA112C26	WPA11223, 25	